

SLOVENSKI STANDARD SIST IEC/TR 61366-3:1999

01-april-1999

JcXbY`hifV]bYžU_iai`UM]′g_Y`fdU_Y`]b`fdUbY`hifV]bY`Ë`FUnd]gbU`Xc_iaYbhUM]′U Ë' "XY`.`GaYfb]WY`nUhN\b]bY`gdYW]Z_UM]′Y`DY`hcbcj]\`hifV]b

Hydraulic turbines, storage pumps and pump-turbines - Tendering documents - Part 3: Guidelines for technical specifications for Pelton turbines

iTeh STANDARD PREVIEW (standards.iteh.ai)

Ta slovenski standard je istoveten z: IEC/TR 61366-3:1999 https://standards.iteh.avcatalog/standards/sist/4d26d683-767e-44fe-a9c6-247ee5838a04/sist-iec-tr-61366-3-1999

ICS:

27.140 Vodna energija Hydraulic energy engineering

SIST IEC/TR 61366-3:1999 en

SIST IEC/TR 61366-3:1999

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST IEC/TR 61366-3:1999

https://standards.iteh.ai/catalog/standards/sist/4d26d685-767e-44fe-a9c6-247ee5838a04/sist-iec-tr-61366-3-1999

TECHNICAL REPORT – TYPE 3

IEC 61366-3

First edition 1998-03

Hydraulic turbines, storage pumps and pump-turbines –
Tendering documents –

Part 3:

¡ Guidelines for technical specifications for Pelton turbines (standards.iteh.ai)

Turbines hydrauliques, pompes d'accumulation https://set/pompes-turbines-de/sist/4d26d685-767e-44fe-a9c6-247ee5838a04/sist-iec-tr-61366-3-1999

Documents d'appel d'offres —

Partie 3:

Guide des spécifications techniques pour les turbines Pelton

© IEC 1998 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission 3, rue de Varembé Geneva, Switzerland Telefax: +41 22 919 0300 e-mail: inmail@iec.ch IEC web site http://www.iec.ch



PRICE CODE



-2-

CONTENTS

			Page	
FO	REWO	DRD	4	
Clau	ıse			
0	Intro	duction to technical specifications	7	
1	Scope			
2	Reference documents			
	Technical requirements			
	3.1	Scope of work	9	
	3.2	Limits of the contract	10	
	3.3	Supply by Employer	10	
	3.4	Design conditions	11	
	3.5	Technical performance and other guarantees	14	
	3.6	Mechanical design criteria	17	
	3.7	Design documentation TANDARD PREVIEW	17	
	3.8	Materials and construction	18	
	3.9	Shop inspection and testing ndards.iteh.ai)	19	
4	Technical specifications for fixed/embedded components			
	4.1	Manifold https://standards.iteh.ai/catalog/standards/sist/4d26d685-767e-44fe-a9c6	21	
	4.2	Turbine housing	21	
5	Technical specifications for stationary/removable components			
	5.1	Branch pipe (including intake pipe and nozzle pipe)	22	
	5.2	Upper turbine housing (if not embedded)	22	
	5.3	Turbine cover	23	
	5.4	Brake jet assembly	23	
6	Technical specifications for injector/deflector system			
	6.1	Injector system	23	
	6.2	Deflector system	24	
7	Technical specifications for rotating parts, guide bearings and seals			
	7.1	Runner	24	
	7.2	Main shaft	25	
	7.3	Turbine guide bearing	25	
	7.4	Main shaft seal (if necessary)	25	
	7.5	Standstill maintenance seal (if necessary)	26	

Clau	se		Page	
8	Technical specifications for thrust bearing (when specified as part of the			
		rulic machine)	26	
	8.1	Design data	26	
	8.2	Bearing support	26	
	8.3	Bearing assembly	26	
	8.4	Oil injection pressure system	27	
9	Technical specifications for miscellaneous components			
	9.1	Walkways, access platforms and stairs	27	
	9.2	Lifting fixtures	27	
	9.3	Special tools	27	
	9.4	Standard tools	27	
	9.5	Turbine pit hoist	27	
	9.6	Nameplate	27	
	9.7	Runner cart and rails (if required)	28	
	9.8	Access door to turbine housing interior (if required)	28	
10	Technical specifications for auxiliary systems			
	10.1	Bearing lubrication system	28	
	10.2	Cooling water system for runner (Standards.iteh.ai)	28	
	10.3	Tailwater air admission system	28	
	10.4	Turbine pit drainage <u>SIST.IFC/TR.61366-3:1999</u> .	28	
11	Technical specifications for instrumentation 247ee5838a04/sist-iec-tr-61366-3-1999			
	11.1	Controls	29	
	11.2	Indication	29	
	11.3	Protection	29	
12	Spar	e parts	29	
13	Mode	el acceptance tests	29	
14	Site installation and commissioning tests			
	14.1	General	30	
	14.2	Installation procedures	30	
	14.3	Tests during installation	31	
	14.4	Commissioning tests	31	
15		acceptance tests	31	
		Scope and reports	31	
		Inspection of cavitating pitting	31	

61366-3 IEC:1998(E)

INTERNATIONAL ELECTROTECHNICAL COMMISSION

HYDRAULIC TURBINES, STORAGE PUMPS AND PUMP-TURBINES – TENDERING DOCUMENTS –

Part 3: Guidelines for technical specifications for Pelton turbines

FOREWORD

- 1) The IEC (International Electrotechnical Commission) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of the IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, the IEC publishes International Standards. Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. The IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of the IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested National Committees.
- 3) The documents produced have the form of recommendations for international use and are published in the form of standards, technical reports or guides and they are accepted by the National Committees in that sense.
- 4) In order to promote international unification, IEC National Committees undertake to apply IEC International Standards transparently to the maximum extent possible in their national and regional standards. Any divergence between the IEC Standard and the corresponding national or regional standard shall be clearly indicated in the latter.

 https://standards.itch.ai/catalog/standards/sist/4d26d685-767e-44fe-a9c6-
- 5) The IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with one of its standards.
- 6) Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. The IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a technical report of one of the following types:

- type 1, when the required support cannot be obtained for the publication of an International Standard, despite repeated efforts;
- type 2, when the subject is still under technical development or where for any other reason there is the future but no immediate possibility of an agreement on an International Standard;
- type 3, when a technical committee has collected data of a different kind from that which is normally published as an International Standard, for example "state of the art".

Technical reports of types 1 and 2 are subject to review within three years of publication to decide whether they can be transformed into International Standards. Technical reports of type 3 do not necessarily have to be reviewed until the data they provide are considered to be no longer valid or useful.

IEC 61366-3, which is a technical report of type 3, has been prepared by IEC technical committee 4: Hydraulic turbines.

61366-3 © IEC:1998(E)

-5-

The text of this technical report is based on the following documents:

Committee draft	Report on voting
4/110/CDV	4/122/RCV

Full information on the voting for the approval of this technical report can be found in the report on voting indicated in the above table.

Technical Report IEC 61366-3 is one of a series which deals with Tendering documents for hydraulic turbines, storage pumps and pump-turbines. The series consists of seven parts:

- Part 1: General and annexes (IEC 61366-1)
- Part 2: Guidelines for technical specification for Francis turbines (IEC 61366-2)
- Part 3: Guidelines for technical specification for Pelton turbines (IEC 61366-3)
- Part 4: Guidelines for technical specification for Kaplan and propeller turbines (IEC 61366-4)
- Part 5: Guidelines for technical specification for tubular turbines (IEC 61366-5)
- Part 6: Guidelines for technical specification for pump-turbines (IEC 61366-6)
- Part 7: Guidelines for technical specification for storage pumps (IEC 61366-7)

Parts 2 to 7 are "stand-alone" publications which when used with Part 1 contain guidelines for a specific machine type (i.e. Parts 1 and 4 represent the combined guide for Kaplan and propeller turbines). A summary of the proposed contents for a typical set of Tendering documents is given in the following table 1 and annex A. Table 1 summarizes the arrangement of each part of this guide and serves as a reference for the various chapters and sections of the Tendering documents (see 3.2 of this part).

A bilingual edition of this technical report may be issued at a later date.

https://standards.iteh.ai/catalog/standards/sist/4d26d685-767e-44fe-a9c6-247ee5838a04/sist-iec-tr-61366-3-1999

Table 1 – Summary of guide for the preparation of Tendering Documents for hydraulic turbines, storage pumps and pump-turbines

61366-3 © IEC:1998(E)

-7-

HYDRAULIC TURBINES, STORAGE PUMPS AND PUMP-TURBINES – TENDERING DOCUMENTS -

Part 3: Guidelines for technical specifications for Pelton turbines

0 Introduction to technical specifications

The main purpose of the technical specifications is to describe the specific technical requirements for the hydraulic machine for which the Tendering documents (TD) are being issued. To achieve clarity and to avoid confusion in contract administration, the Employer should not specify anything in the technical specifications which is of importance only to the preparation of the tender. Such information and instructions should be given only in the Instructions to Tenderers (ITT). Accordingly, the ITT may refer to other chapters and sections the Tendering documents but not vice versa. As a general rule the word "Tenderer" should be confined in use only to TD chapter 1 "Tendering requirements"; elsewhere the term "Contractor" should be used.

Special attention should be given to items of a project specific nature such as materials, protective coating systems, mechanical piping systems, electrical systems and instrumentation. It is common for the Employer to use technical standards for such items which would apply to all contracts for a particular project or projects. In this event, detailed technical standards should be specified in TD chapter 5 "General requirements".

(standards.iteh.ai)

Technical specifications for the various types of hydraulic machines included in this guide are provided in the following parts: SIST IEC/TR 61366-3:1999

- https://standards.iteh.ai/catalog/standards/sist/4d26d685-767e-44fe-a9c6-Francis turbines (Part 2);
- Pelton turbines (Part 3);
- Propeller and Kaplan turbines (Part 4);
- Tubular turbines (Part 5):
- Pump-turbines (Part 6);
- Storage pumps (Part 7).

The guidelines for preparation of Pelton turbine specifications include technical specifications for the following:

- Design conditions: Project arrangement, hydraulic conditions, specified conditions, mode of operation, generator characteristics, synchronous condenser characteristics, transient behaviour data, stability of the system, noise, vibration, pressure fluctuations and safety requirements.
- Technical performance and other guarantees:
 - power:
 - discharge (if required);
 - efficiency;
 - maximum momentary pressure;
 - minimum momentary pressure;
 - maximum momentary overspeed;
 - maximum steady-state runaway speed;

- cavitation pitting;
- · hydraulic thrust;
- maximum weights and dimensions for transportation, erection and maintenance.
- Mechanical design criteria: design standards, stresses and deflections and special design considerations (earthquake acceleration, etc.).
- Design documentation: Contractor's input needed for the Employer's design, Contractor's drawings and data, Contractor's review of the Employer's design and technical reports by Contractor.
- Materials and construction: material selection and standards, quality assurance procedures, shop methods, corrosion protection and painting.
- Shop inspection and testing: general requirements and reports, material tests and certificates, dimensional checks, shop assembly and tests.
- Fixed/embedded components: manifold for multi-jet turbines and turbine housing.
- Stationary/removable components: branch pipe for horizontal turbines, upper turbine housing (if not embedded), turbine cover, brake jet assembly).
- Injector and deflector systems: nozzles, needles, needle servomotors, deflectors or cut-in deflectors, deflector servomotors, links, needle-deflector combining mechanism and oil piping.
- Rotating parts, bearings and seals: runner, main shaft, guide bearing with oil supply, oil/water cooler, shaft seal.
- Thrust bearing (when part of the hydraulic machine supply); bearing support, thrust block, rotating ring, thrust bearing pads and pivots, oil sump with oil supply (common with guide bearing, if any), oil/water coolers, instrumentation.
- Miscellaneous components: walkways, lifting fixtures, special tools, standard tools, turbine
 pit hoist, nameplate, runner inspection platform (if required).
- Auxiliary systems; bearing lubrication systems (if required), tailwater air admission system, turbine pit drainage (if required) sturbine housing syentilation, tailwater depression (if required).
- Instrumentation: controls, indication and protection.
- Spare parts: basic spare parts.
- Model acceptance tests: test requirements.
- Site installation and commissioning tests: Installation procedures and commissioning tests.
- Field acceptance tests: scope of field tests, reports and inspection of cavitation pitting.

An example of the proposed table of contents for Tendering documents for a Francis turbine is given in annex A of IEC 61366-1. The example does not include technical specifications for the control system, or high-pressure side valves which, at the Employer's option, may be included in the Tendering documents for the Pelton turbine or may be specified in separate Tendering documents.

Chapter 6 (technical specifications) of the Tendering documents should be arranged as follows:

- 6.1 Technical requirements;
- 6.2 Technical specifications for fixed/embedded components;
- 6.3 Technical specifications for stationary/removable components;
- 6.4 Technical specifications for deflector/cut-in deflector regulating apparatus;
- 6.5 Technical specifications for rotating parts, guide bearings and seals;
- 6.6 Technical specifications for thrust bearing;
- 6.7 Technical specifications for miscellaneous components;
- 6.8 Technical specifications for auxiliary systems;
- 6.9 Technical specifications for instrumentation;

61366-3 © IEC:1998(E)

-9-

- 6.10 Spare parts;
- 6.11 Model acceptance tests;
- 6.12 Site installation and commissioning tests;
- 6.13 Field acceptance tests.

1 Scope

This Technical Report, referred to herein as "Guide", is intended to assist in the preparation of Tendering documents and Tendering proposals and in the evaluation of tenders for hydraulic machines. This part of IEC 61366 provides guidelines for Pelton turbines.

2 Reference documents

IEC 60041:1992, Field acceptance tests to determine the hydraulic performance of hydraulic turbines, storage pumps and pump-turbines

IEC 60193:1965, International code for model acceptance tests of hydraulic turbines

IEC 60308:1970, International code for testing of speed governing systems for hydraulic turbines

IEC 60545:1976, Guide for commissioning, operation an maintenance of hydraulic turbines

IEC 60609-2:1997, Cavitation pitting evaluation in hydraulic turbines, storage pumps and pump-turbines – Part 2: Evaluation in Pelton turbines (Standards.iteh.ai)

IEC 60994:1991, Guide for field measurement of vibrations and pulsations in hydraulic machines (turbines, storage pumps and pump-turbines)

IEC 60995:1991, Determination of the prototype performance from model acceptance tests of hydraulic machines with consideration of scale effects 366-3-1999

IEC 61362,— Guide to specification of hydro-turbine control systems 1)

ISO 3740:1980, Acoustics – Determination of sound power levels of noise sources – Guidelines for the use of basic standards and for the propagation of noise test codes

3 Technical requirements

3.1 Scope of work

This subclause should describe the scope of work and the responsibilities which are to be conferred upon the Contractor. The general statement of scope of work presented in TD $^{2)}$ section 2.1 (5.1) shall be consistent with what is presented here. In a similar manner, pay items in the tender form, TD section 1.2 (subclause 4.2) should be defined directly from TD subsection 6.1.1.

The scope of work should begin with a general statement which outlines the various elements of the work including (where applicable) the design, model testing, supply of materials and labour, fabrication, machining, quality assurance, quality control, shop assembly, shop testing, spare parts, transportation to site, site installation, commissioning, acceptance testing, warranty and other services specified or required for the items of work. The general statement should be followed by a specific and detailed list of the major items which the Employer wishes to have as separate payment items in the tender form, for example:

¹⁾ To be published.

²⁾ All references to Tendering documents (TD) apply to annex A of IEC 61366-1.

Item Description

- Two (2) vertical shaft Pelton type hydraulic turbines each with a specified power of not less than 180 000 kW under a specified specific hydraulic energy of 11 500 J/kg (specified head of 1 172 m);
- 2 Turbine model testing;
- 3 Tools, slings and handling devices required for maintenance of the turbines;
- 4 Transportation and delivery to site;
- 5 Site installation, commissioning, and acceptance testing of the turbines;
- 6 Preparation and submission of operation and maintenance manual and training of Employer's operating and maintenance staff in the optimum use of these manuals; and
- 7 Spare parts required for operation and maintenance.

3.2 Limits of the contract

This subclause, making reference to Employer's drawings and data, should describe the limits of the contract considering the following:

- details of the design and supply limits of the high and low-pressure sides of the machine;
- details, location, and responsibility for field connection of manifold/branch pipe to penstock or valve on high-pressure side;
- details and location of the downstream termination of the turbine housing (including inspection platform, if required); ANDARD PREVIEW
- details and location of gate(s) on low-pressure side (if required);
- orientation and location of turbine/generator shaft flange interface;
- responsibility for supply and installation of stallation of
- responsibility for supply and installation of bolts, fluts, gaskets at piping terminations;
- termination of governor piping;
- termination of manifold dewatering piping;
- termination of manifold or branch pipe air exhaust piping (if any);
- termination of pit drainage piping (if required);
- termination of bearing lubricating oil piping (if required);
- termination of shaft seal piping (if specified);
- termination of cooling water piping for bearings;
- turbine mounted thrust bearing (if desired);
- termination points and junction boxes for wiring for power, control, indication, protection, and lighting;
- compressed air for service and other functions.

NOTE – Contract limits will change if other major items of equipment (such as hydro-turbine control systems, valves, gates, generators, excitation systems, control metering and relaying systems, switchgear, and power transformers) are included with the hydraulic machine in a common set of Tendering documents.

3.3 Supply by Employer

This subclause should be complementary to 5.6 of IEC 61366-1 (TD section 2.6) and should list the items and services which will be the responsibility of the Employer. The following items should be considered:

- services during site installation and testing;
- temporary enclosures for site storage of turbine parts or for erection;