

INTERNATIONAL STANDARD

Arc welding equipment – **STANDARD PREVIEW**
Part 14: Calibration, validation and consistency testing
(standards.iteh.ai)

[IEC 60974-14:2018](#)

<https://standards.iteh.ai/catalog/standards/sist/6430b09e-79f0-4601-ba77-4c57ed4eb641/iec-60974-14-2018>



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2018 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 21 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC STANDARD PREVIEW
(standards.iteh.ai)
IEC 60874-1:2018
https://standards.iteh.ai/catalog/standards/iec-60874-1-2018
4c57ed4eb641/iec-60874-1-2018

INTERNATIONAL STANDARD

Arc welding equipment –
Part 14: Calibration, validation and consistency testing

STANDARD PREVIEW
(standards.iteh.ai)

[IEC 60974-14:2018](https://standards.iteh.ai/catalog/standards/sist/6430b09e-79f0-4601-ba77-4c57ed4eb641/iec-60974-14-2018)

<https://standards.iteh.ai/catalog/standards/sist/6430b09e-79f0-4601-ba77-4c57ed4eb641/iec-60974-14-2018>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 25.160.30

ISBN 978-2-8322-6165-1

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references	7
3 Terms and definitions	7
4 Safety precautions.....	9
5 Testing personnel.....	9
6 VERIFICATION accuracies – permitted deviations.....	9
7 Arc welding power sources.....	11
7.1 Selection related to CALIBRATION, VALIDATION or CONSISTENCY TESTING of process-relevant parameters.....	11
7.1.1 VERIFICATION method	11
7.1.2 Special features for AC determination of welding power source output mode for VERIFICATION	12
7.2 Testing equipment and test setup	14
7.2.1 Test setup	14
7.2.2 Reference instruments.....	14
7.2.3 Test load.....	15
7.2.4 Conventional load test values.....	15
7.3 CALIBRATION, VALIDATION and CONSISTENCY TESTING procedure.....	16
7.3.1 General	16
7.3.2 CALIBRATION of DISPLAYED VALUE reading.....	16
7.3.3 VALIDATION of SET VALUES.....	17
7.3.4 CONSISTENCY TEST of SET VALUES.....	17
8 Wire feeder.....	17
8.1 General.....	17
8.2 Requirements for VERIFICATION.....	18
8.3 Method	18
9 Frequency of VERIFICATION.....	18
10 Marking and VERIFICATION report.....	19
10.1 Marking.....	19
10.2 VERIFICATION report.....	19
Annex A (informative) Diagrams of VERIFICATION accuracies	20
A.1 CALIBRATION accuracies of DISPLAYED VALUES	20
A.2 VALIDATION accuracies of SET VALUES	20
Annex B (informative) Measured value formation	22
B.1 General.....	22
B.2 Averaging of measurement values	22
B.2.1 Arithmetic mean.....	22
B.2.2 Arithmetic rectified value	22
B.2.3 Root mean square (effective value)	23
Annex C (informative) Slope, pulse and synergic controls.....	24
C.1 VERIFICATION accuracy	24
C.2 Requirements for VERIFICATION.....	24
C.3 Method	25
C.4 Pulsed MIG and synergic controls.....	25

Annex D (informative) Precautions to be taken with TIG welding equipment.....	26
Annex E (informative) Samples of VERIFICATION reports.....	27
E.1 Sample of CALIBRATION report.....	27
E.2 Sample of VALIDATION report.....	28
E.3 Sample of CONSISTENCY TEST report	29
Bibliography.....	30
Figure 1 – Determination of VERIFICATION method.....	12
Figure 2 – Determination of VERIFICATION based on power source type	13
Figure 3 – Test setup example.....	14
Figure 4 – Example 10 kHz filter with reference voltmeter	15
Figure A.1 – Diagrams of CALIBRATION accuracies	20
Figure A.2 – Diagrams of VALIDATION accuracies	21
Table 1 – CALIBRATION accuracies of DISPLAYED VALUES	10
Table 2 – VALIDATION accuracies of SET VALUES.....	10

iTeh STANDARD PREVIEW **(standards.iteh.ai)**

[IEC 60974-14:2018](https://standards.iteh.ai/catalog/standards/sist/6430b09e-79f0-4601-ba77-4c57ed4eb641/iec-60974-14-2018)

<https://standards.iteh.ai/catalog/standards/sist/6430b09e-79f0-4601-ba77-4c57ed4eb641/iec-60974-14-2018>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ARC WELDING EQUIPMENT –

Part 14: CALIBRATION, VALIDATION and CONSISTENCY TESTING

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
<https://standards.iteh.ai/catalog/standards/sii/61301-00-790-1601-1a77>
<https://www.iteh.com/standards/iec/60974-14-2018>
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60974-14 has been prepared by IEC technical committee TC 26: Electric welding.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
26/661/FDIS	26/666/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

In this standard, the following print types are used:

- terms used throughout this standard which have been defined in clause 3: SMALL ROMAN CAPITALS.

A list of all parts of the IEC 60974 series can be found, under the general title *Arc welding equipment*, on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[IEC 60974-14:2018](https://standards.iteh.ai/catalog/standards/sist/6430b09e-79f0-4601-ba77-4c57ed4eb641/iec-60974-14-2018)

<https://standards.iteh.ai/catalog/standards/sist/6430b09e-79f0-4601-ba77-4c57ed4eb641/iec-60974-14-2018>

INTRODUCTION

This document is the first international edition for CALIBRATION, VALIDATION and CONSISTENCY TESTING of arc welding equipment. It is based on the European Standard EN 50504:2008 and will replace it. A brief history helps to understand the origin and development of this document.

In Great Britain, BS 7570:1992, *Code of practice for the validation of arc welding equipment*, was published and it became the equivalent European pre-standard ENV 50184:1996 (withdrawn).

The revised second edition of BS 7570 was published in 2000 and was later replaced by the equivalent EN 50504:2008.

For quality management in the field of welding, this document should be used in conjunction with ISO 17662.

The significant changes in respect to EN 50504:2008 are the following:

- terms VERIFICATION and VALIDATION aligned to ISO/IEC Guide 99:2007;
- wire feed equipment moved from the annex to main part of the document;
- new preferred requirement for digital instrument CALIBRATION with fixed tolerance values;
- flow charts for determination of VERIFICATION methods and sample reports added;
- EN 50504:2008 Annex E *Validation of ancillary components in a welding system* and Annex F *Voltage drops in the welding circuit* deleted.

[IEC 60974-14:2018](https://standards.iteh.ai/catalog/standards/sist/6430b09e-79fd-4601-ba77-4c57ed4eb641/iec-60974-14-2018)

<https://standards.iteh.ai/catalog/standards/sist/6430b09e-79fd-4601-ba77-4c57ed4eb641/iec-60974-14-2018>

ARC WELDING EQUIPMENT –

Part 14: CALIBRATION, VALIDATION and CONSISTENCY TESTING

1 Scope

This part of IEC 60974 specifies requirements for the VERIFICATION of arc welding and external monitoring equipment. This document also serves for practical implementation of the VERIFICATION procedure for arc welding equipment.

This document can be applied at the time of installation and any other times or intervals the user deems appropriate to ensure the equipment is capable of operating to the manufacturer's specification or other specifications deemed applicable by the user.

This document is not applicable to

- plasma systems used for cutting and gouging;
- arc striking and stabilizing devices;
- arc welding equipment designed in accordance with IEC 60974-6.

NOTE 1 Other components in welding systems such as for example robots, turning devices, gas consoles, etc. also have influence on the welding result and can be verified, if necessary. Additional information can be found in ISO 17662.

NOTE 2 Periodic inspection and testing for arc welding equipment is covered in IEC 60974-4.

This document is applicable for the user, service shop or manufacturer. It can be used

- stand alone;
- in conjunction with manufacturer's instructions; or
- as the basis for an equivalent VERIFICATION procedure written by the manufacturer for specific equipment.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60974-1:2017, *Arc welding equipment – Part 1: Welding power sources*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1 displayed value

<at equipment> measured value by internal instrument and shown at the equipment

Note 1 to entry: In some cases, the same display can be used for both SET VALUES and measured values. In such cases the DISPLAYED VALUE is usually visible during welding.

3.2 set value

value chosen and set by the operator or by an automatic system

[SOURCE: IEC 60050-811:2017, 811-11-34, modified – Reference to motor vehicle and driver removed.]

3.3 reference value

measurement value obtained by the reference instrument and used as a basis for comparison with values of the same kind

3.4 expert competent person skilled person

person who can judge the work assigned and recognize possible hazards on the basis of professional training, knowledge, experience and knowledge of the relevant equipment

Note 1 to entry: Several years of practice in the relevant technical field can be taken into consideration in assessment of professional training.

[SOURCE: IEC 60050-851:2008, 851-11-10]

<https://standards.iteh.ai/catalog/standards/sist/6430b09e-79f0-4601-ba77-4c57ed4eb641/iec-60974-14-2018>

3.5 verification

operations for the purpose of demonstrating that an item of welding equipment or a welding system conforms to the operating parameters for that welding equipment or system

3.6 calibration

set of operations which establishes, by reference to standards, the relationship which exists, under specified conditions, between a DISPLAYED VALUE and a REFERENCE VALUE

[SOURCE: IEC 60050-311:2001, 311-01-09, modified – Notes removed and terms "DISPLAYED VALUE" and "REFERENCE VALUE" used.]

3.7 validation

operations for the purpose of demonstrating that a SET VALUE meets the REFERENCE VALUE (within specified limits)

3.8 consistency test

test to determine the repeatability of the equipment output over a period of time

3.9 standard grade

equipment verified to meet the accuracy for indication and meters required by IEC 60974-1 or IEC 60974-5

3.10

precision grade

equipment verified to a higher level of accuracy for indication and meters than required by IEC 60974-1 or IEC 60974-5

4 Safety precautions

VERIFICATION requirements and procedures for power sources depend on the type of welding power source, i.e. whether these are power sources with "drooping characteristic" or with "flat characteristic".

NOTE Drooping characteristic is related to MMA/TIG welding (typically constant current) and flat characteristic is related to MIG/MAG/FCAW welding (typically constant voltage).

The output of a power source with flat characteristic should not be short-circuited, because a very high current can result. A load resistance shall be used.

Care should be taken that testing instruments are not damaged. See Annex D.

For tungsten inert gas (TIG) equipment, the arc striking and stabilizing device shall be switched off or be deactivated by other means. See Annex D.

If verifying with an arc, follow all local and national safety regulation and safety precautions specified by the manufacturer.

5 Testing personnel

Welding equipment shall be tested by an EXPERT with suitable qualifications, corresponding experience and sufficient training in welding and measurement technology, with knowledge of electrical hazards that may occur and the required protective measures.

6 VERIFICATION accuracies – permitted deviations

For welding equipment that measures and displays current, voltage and/or wire feed speed (DISPLAYED VALUE), the CALIBRATION accuracies given in Table 1 shall be used for the tests. Current and voltage CALIBRATION are performed according to 7.3.2. For wire feed speed, instructions in 8.3 apply.

Table 1 – CALIBRATION accuracies of DISPLAYED VALUES

Measurement	Type of measuring instrument	STANDARD GRADE	PRECISION GRADE	Reference
Current	Analog	± 2,5 %	± 1 %	from upper range value of instrument
	Digital	± 2,5 %	± 1 %	of highest rated value for welding current according to rating plate
Voltage	Analog	± 2,5 %	± 1 %	from upper range value of instrument
	Digital	± 1,5 V or ± 2,5 %	± 0,6 V or ± 1 %	preferred method or of rated no-load voltage (U_0) or according to manufacturer's specifications
Wire feed speed	Analog or Digital	± 2,5 %		of maximum setting below 25 % of maximum setting
		± 10 %		of REFERENCE VALUE between 25 % and 100 % of maximum setting
	Analog or Digital		± 2,5 %	of maximum setting below 40 % of maximum setting
			± 6,25 %	of REFERENCE VALUE between 40 % and 100 % of maximum setting

iTech STANDARD PREVIEW
(standards.itech.ai)

For welding equipment that uses SET VALUES for current, voltage and/or wire feed speed classified in physical units (e.g. V, A) VALIDATION accuracies given in Table 2 shall be used for the tests. Current and voltage VALIDATION are performed according to 7.3.3. For wire feed speed instructions in 8.3 apply.

NOTE For example a manual metal arc (MMA) typically has only a current SET VALUE.

Table 2 – VALIDATION accuracies of SET VALUES

SET VALUE	Grade	Accuracy	Reference	VALIDATION range
Current	Standard	± 2,5 %	of highest SET VALUE	below 25 % of highest SET VALUE
		± 10 %	of REFERENCE VALUE	25 % to 100 % of highest SET VALUE
	Precision	± 1 %	of highest SET VALUE	below 40 % of highest SET VALUE
		± 2,5 %	of REFERENCE VALUE	40 % to 100 % of highest SET VALUE
Voltage	Standard	± 2,5 %	of highest SET VALUE	below 25 % of highest SET VALUE
		± 10 %	of REFERENCE VALUE	25 % to 100 % of highest SET VALUE
	Precision	± 2 %	of highest SET VALUE	below 40 % of highest SET VALUE
		± 5 %	of REFERENCE VALUE	40 % to 100 % of highest SET VALUE
Wire feed speed	Standard	± 2,5 %	of highest setting	below 25 % of highest setting
		± 10 %	of REFERENCE VALUE	between 25 % and 100 % of highest setting
	Precision	± 2,5 %	of highest setting	below 40 % of highest setting
		± 6,25 %	of REFERENCE VALUE	between 40 % and 100 % of highest setting

See Annex A for diagrams of VERIFICATION accuracies established in Table 1 and Table 2.