



SLOVENSKI STANDARD

SIST EN 61169-40:2011

01-julij-2011

Radiofrekvenčni konektorji - 40. del: Področna specifikacija za konektorje RF serije 2.4 (IEC 61169-40:2010)

Radio-frequency connectors - Part 40: Sectional specification for 2.4 series RF connectors (IEC 61169-40:2010)

Hochfrequenz-Steckverbinder - Teil 40: Rahmenspezifikation für HF-Steckverbinder der Serie 2.4 (IEC 61169-40:2010)

Connecteurs pour fréquences radioélectriques - Partie 40: Spécification intermédiaire pour les connecteurs RF série 2.4 (CEI 61169-40:2010)

<https://standards.iteh.ai/catalog/standards/sist/2ee84202-0f02-465a-8087-7fc8870213/sist-en-61169-40-2011>

Ta slovenski standard je istoveten z: EN 61169-40:2011

ICS:

33.120.30 Radiofrekvenčni konektorji R.F. connectors
(RF)

SIST EN 61169-40:2011

en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 61169-40:2011](#)

[https://standards.iteh.ai/catalog/standards/sist/2ee84202-0f02-465a-8087-
fe7fc8870213/sist-en-61169-40-2011](https://standards.iteh.ai/catalog/standards/sist/2ee84202-0f02-465a-8087-fe7fc8870213/sist-en-61169-40-2011)

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 61169-40

May 2011

ICS 33.120.30

English version

**Radio-frequency connectors -
Part 40: Sectional specification for 2.4 series RF connectors
(IEC 61169-40:2010)**

Connecteurs pour fréquences
radioélectriques -
Partie 40: Spécification intermédiaire pour
les connecteurs RF série 2.4
(CEI 61169-40:2010)

Hochfrequenz-Steckverbinder -
Teil 40: Rahmenspezifikation für HF-
Steckverbinder der Serie 2.4
(IEC 61169-40:2010)

iTeh STANDARD PREVIEW

This European Standard was approved by CENELEC on 2011-01-03. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 46F/167/CDV, future edition 1 of IEC 61169-40, prepared by SC 46F, R.F. and microwave passive components, of IEC TC 46, Cables, wires, waveguides, R.F. connectors, R.F. and microwave passive components and accessories, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 61169-40 on 2011-01-03.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN and CENELEC shall not be held responsible for identifying any or all such patent rights.

The following dates were fixed:

- | | | |
|--|-------|------------|
| – latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement | (dop) | 2011-10-03 |
| – latest date by which the national standards conflicting with the EN have to be withdrawn | (dow) | 2014-01-03 |

Annex ZA has been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 61169-40:2010 was approved by CENELEC as a European Standard without any modification. (standards.iteh.ai)

In the official version, for Bibliography, the following note has to be added for the standard indicated:

IEC 61169-32 <https://standards.iteh.ai/catalog/standards/sist/2ee84202-0f02-465a-8087-fe7fc8870213/sist-en-61169-40-2011>
 NOTE Harmonized as EN 61169-32

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60068-1	-	Environmental testing - Part 1: General and guidance	EN 60068-1	-
IEC 61169-1	1992	Radio-frequency connectors -	EN 61169-1	1994
+ A1	1996	Part 1: Generic specification - General	+ A1	1996
+ A2	1997	requirements and measuring methods	+ A2	1997

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 61169-40:2011](#)

<https://standards.iteh.ai/catalog/standards/sist/2ee84202-0f02-465a-8087-fe7fc8870213/sist-en-61169-40-2011>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 61169-40:2011](#)

[https://standards.iteh.ai/catalog/standards/sist/2ee84202-0f02-465a-8087-
fe7fc8870213/sist-en-61169-40-2011](https://standards.iteh.ai/catalog/standards/sist/2ee84202-0f02-465a-8087-fe7fc8870213/sist-en-61169-40-2011)



IEC 61169-40

Edition 1.0 2010-11

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Radio-frequency connectors –
Part 40: Sectional specification for 2.4 series RF connectors

Connecteurs pour fréquences radioélectriques –
Partie 40: Spécification intermédiaire pour les connecteurs RF série 2.4

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX

T

ICS 33.120.30

ISBN 978-2-88912-255-4

CONTENTS

FOREWORD.....	4
1 Scope	6
2 Normative references	6
3 Mating face and gauge information	7
3.1 Dimensions – High performance connectors – Grade 1.....	7
3.1.1 Connector with pin-centre contact	7
3.1.2 Connector with socket-centre contact	8
3.2 Gauges	9
3.2.1 Gauge pins for socket-centre contact.....	9
3.2.2 Test procedure.....	9
3.3 Dimensions – Standard test connectors – Grade 0	10
3.3.1 Connector with pin-centre contact	10
3.3.2 Connector with socket-centre contact	11
4 Quality assessment procedure	12
4.1 General.....	12
4.2 Rating and characteristics (see Clause 6 of IEC 61169-1)	12
4.3 Test schedule and inspection requirements	15
4.3.1 Acceptance tests	15
4.3.2 Periodic tests	15
4.4 Procedures.....	17
4.4.1 Quality conformance inspection.....	17
4.4.2 Qualification approval and its maintenance	17
5 Instructions for preparation of detail specifications	17
5.1 General.....	17
5.2 Identification of the detail specification.....	17
5.3 Identification of the component	17
5.4 Performance.....	18
5.5 Marking, ordering information and related matters	18
5.6 Selection of tests, test conditions and severities.....	18
6 Blank detail specification pro-forma for 2.4 connectors	19
Bibliography	24
Figure 1 – Connector with pin-centre contact (for dimensions and notes, see Table 1)	7
Figure 2 – Connector with socket-centre contact (for dimensions and notes, see Table 2).....	8
Figure 3 – Gauge pins for socket-centre contact (for dimensions and notes, see Table 3).....	9
Figure 4 – Connector with pin-centre contact (for dimensions and notes, see Table 4)	10
Figure 5 – Connector with socket-centre contact (for dimensions and notes, see Table 5).....	11

Table 1 – Dimensions of connector with pin-centre contact	7
Table 2 – Dimensions of connector with socket-centre contact	8
Table 3 – Dimensions of gauge pins for socket-centre contact	9
Table 4 – Dimensions of connector with pin-centre contact	10
Table 5 – Dimensions of connector with socket-centre contact	11
Table 6 – Preferred climatic categories (see IEC 60068-1).....	12
Table 7 – Rating and characteristics.....	13
Table 8 – Acceptance tests	15
Table 9 – Periodic tests	15

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 61169-40:2011](https://standards.iteh.ai/catalog/standards/sist/2ee84202-0f02-465a-8087-fe7fc8870213/sist-en-61169-40-2011)

[https://standards.iteh.ai/catalog/standards/sist/2ee84202-0f02-465a-8087-
fe7fc8870213/sist-en-61169-40-2011](https://standards.iteh.ai/catalog/standards/sist/2ee84202-0f02-465a-8087-fe7fc8870213/sist-en-61169-40-2011)

INTERNATIONAL ELECTROTECHNICAL COMMISSION

RADIO-FREQUENCY CONNECTORS –**Part 40: Sectional specification for 2.4 series RF connectors**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61169-40 has been prepared by subcommittee 46F: R.F. and microwave passive components, of IEC technical committee 46: Cables, wires, waveguides, R.F. connectors, R.F. and microwave passive components and accessories.

This first edition cancels and replaces IEC/PAS 61169-40, published in 2008, of which it constitutes a minor revision. The changes with respect to the PAS are solely editorial.

The text of this standard is based on the following documents:

CDV	Report on voting
46F/167/CDV	46F/180/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61169 series, published under the general title *Radio-frequency connectors*, can be found on the IEC website.

The committee has decided that the contents of this amendment and the base publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 61169-40:2011](https://standards.iteh.ai/catalog/standards/sist/2ee84202-0f02-465a-8087-fe7fc8870213/sist-en-61169-40-2011)

[https://standards.iteh.ai/catalog/standards/sist/2ee84202-0f02-465a-8087-
fe7fc8870213/sist-en-61169-40-2011](https://standards.iteh.ai/catalog/standards/sist/2ee84202-0f02-465a-8087-fe7fc8870213/sist-en-61169-40-2011)

RADIO-FREQUENCY CONNECTORS –

Part 40: Sectional specification for 2.4 series RF connectors

1 Scope

This part of IEC 61169 provides information and rules for preparation of detail specification of 2.4 series R.F connectors together with the pro-forma blank detail specification.

The 2.4 series thread mated connectors with characteristic impedance 50 Ω are used for millimeter wave applications, connecting with RF cables or microstrips. The operating frequency limit is up to 50 GHz.

These connectors can be intermated with 1,85 mm (IEC 61169-32 and IEEE 287-2007) connectors.

It also prescribes mating face dimensions for high performance connectors grade 1, dimensional detail of standard test connectors grade 0, gauging information and tests selected from IEC 61169-1 applicable to all detail specifications relating to 2.4 series RF connectors.

iTeh STANDARD PREVIEW

This specification indicates recommended performance characteristics to be considered when writing a detail specification and it covers test schedules and inspection requirements for assessment levels M and H.

SIST EN 61169-40:2011

NOTE Metric dimension are original dimensions. <https://standards.iteh.ai/catalog/standards/sist/2ee84202-0f02-465a-8087-fe7fc8870213/sist-en-61169-40-2011>

All undimensioned pictorial configurations are for reference purpose only.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61169-1:1992, *Radio-frequency connectors – Part 1: Generic specification – General requirements and measuring methods*¹

Amendment 1 (1996)

Amendment 2 (1997)

IEC 60068-1, *Environmental testing – Part 1: General and guidance*

¹ There exists a consolidated edition 1.2 (1998) that comprises IEC 61169-1:1992, its Amendment 1:1996 and its Amendment 2:1997.