

Edition 2.0 2018-01

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Connectors for electrical and electronic equipment. Tests and measurements – Part 15-2: Connector tests (mechanical) – Test 15b: Insert retention in housing (axial)

Connecteurs pour équipements électriques et électroniques — Essais et mesures — Partie 15-2: Essais (mécaniques) des connecteurs — Essai 15b: Rétention de l'isolant dans le boîtier (axial)





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2018 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office Tel.: +41 22 919 02 11

3, rue de Varembé info@iec.ch CH-1211 Geneva 20 www.iec.ch

Switzerland

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a 2 variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 21/000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67,000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 21 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.



Edition 2.0 2018-01

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Connectors for electrical and electronic equipment — Tests and measurements — Part 15-2: Connector tests (mechanical) — Test 15b: Insert retention in housing (axial)

IEC 60512-15-2:2018

Connecteurs pour équipements électriques et électroniques et Essais et mesures – Partie 15-2: Essais (mécaniques) des connecteurs – Essai 15b: Rétention de l'isolant dans le boîtier (axial)

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

ICS 31.220.10 ISBN 978-2-8322-5254-3

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

F	FOREWORD3				
1		ıe			
2		Normative references			
3		ms and definitions5			
4		aration			
·	4.1	Test equipment			
	4.2	Preparation of specimen			
	4.3	Mounting of specimen			
5	Test / measuring method		6		
	5.1	Pre-conditioning	6		
	5.2	Initial measurements	6		
	5.3	Tests			
	5.4	Recovery	7		
	5.5	Final measurements			
6	Deta	Details to be specified			
Bi	Bibliography8				

iTeh STANDARD PREVIEW (standards.iteh.ai)

IEC 60512-15-2:2018 https://standards.iteh.ai/catalog/standards/sist/9b128f0b-3169-4b9a-810c-f9b46e777def/iec-60512-15-2-2018

INTERNATIONAL ELECTROTECHNICAL COMMISSION

CONNECTORS FOR ELECTRICAL AND ELECTRONIC EQUIPMENT – TESTS AND MEASUREMENTS –

Part 15-2: Connector tests (mechanical) – Test 15b: Insert retention in housing (axial)

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60512-15-2 has been prepared by subcommittee 48B: Electrical connectors, of IEC technical committee 48: Electrical connectors and mechanical structures for electrical and electronic equipment.

This second edition cancels and replaces the first edition, published in 2008. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- The test method B (pressure method) suitable for testing hermetic connector has been added.
- This edition reflects IEC 60512-1-101, Blank detail specification.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
48B/2614/FDIS	48B/2621/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60512 series, published under the general title Connectors for electrical and electronic equipment - Tests and measurements, can be found on the IEC website.

Future standards in this series will carry the new general title as cited above. Titles of existing standards in this series will be updated at the time of the next edition.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn, iTeh STANDARD PREVIEW
- replaced by a revised edition, or (standards.iteh.ai) amended.

IEC 60512-15-2:2018 https://standards.iteh.ai/catalog/standards/sist/9b128f0b-3169-4b9a-810cf9b46e777dcf/iec-60512-15-2-2018

CONNECTORS FOR ELECTRICAL AND ELECTRONIC EQUIPMENT -**TESTS AND MEASUREMENTS -**

Part 15-2: Connector tests (mechanical) – Test 15b: Insert retention in housing (axial)

Scope

This part of IEC 60512, when required by the detail (product) specification, is used for testing connectors within the scope of technical committee 48. It may also be used for similar devices when specified in a detail (product) specification.

The object of this document is to detail a standard test method to assess the effectiveness of the retaining system of a connector insert within a connector housing to withstand axial forces likely to be encountered during normal use, i.e. the highest insertion and withdrawal forces into/from a mating counterpart, without the connector insert being dislodged from the connector housing.

NOTE The test method detailed in this document is a companion to the one detailed in IEC 60512-15-3 (see Bibliography).

iTeh STANDARD PREVIEW

Normative references (standards.iteh.ai)

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document for dated references, only the edition cited applies. For undated references the latest edition of the referenced document (including f9b46e777dcf/iec-60512-15-2-2018 any amendments) applies.

IEC 60050-581, International Electrotechnical Vocabulary - Part 581: Electromechanical components for electronic equipment

IEC 60512-1, Connectors for electronic equipment - Tests and measurements -Part 1: General

IEC 60512-1-1, Connectors for electronic equipment – Tests and measurements – Part 1-1: General examination - Test 1a: Visual examination

Terms and definitions

For the purposes of this document, terms and definitions given in IEC 60050-581 and IEC 60512-1 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at http://www.iso.org/obp

4 Preparation

4.1 Test equipment

For the application of the axial forces, a suitable device able to provide the controls on the forces (intensity, rate of increase, time of constant force application) shall be required (e.g.: a universal materials testing machine).

In the case of the axial forces being applied by air or gas pressure, a chamber to contain connectors that may be ejected in case of retention failure shall be provided. If hydraulic pressure is used, such a chamber may not be necessary. However compatibility between materials contained within the specimen and such fluids shall be ensured.

NOTE 1 Where air pressure is used, there is a possibility that contacts, inserts or other objects being ejected at high velocity. Accordingly, it can be necessary to put in place appropriate safety measures.

NOTE 2 If the detail (product) specification requires special preconditioning of the specimen, all the necessary equipment detailed in the relevant documents describing such conditioning would also be required.

4.2 Preparation of specimen

The specimen shall consist of a connector with its terminations, and may be wired if so specified in the detail (product) specification. Cable fittings and accessories shall not be fitted.

4.3 Mounting of specimen

Mounting of the specimen shall be as specified in the detail (product) specification.

(standards.iteh.ai)

5 Test / measuring method

IEC 60512-15-2:2018

5.1 Pre-conditioning standards.iteh.ai/catalog/standards/sist/9b128f0b-3169-4b9a-810c-f9b46e777dcf/iec-60512-15-2-2018

Specimens shall be subjected to the preconditioning if required in the detail (product) specification.

5.2 Initial measurements

Visual examination according to IEC 60512-1-1 shall be done.

5.3 Tests

The connector housing shall be fixed in such a manner as not to influence the retention means of the connector insert.

The test shall be carried out using the following test method as specified in the detail (product) specification

Unless otherwise specified, method A shall be used.

Method A

Axial force specified in the detail (product) specification shall be applied in both directions consecutively, at a constant rate of 25 mm/min, until the specified force is achieved. This shall then be maintained for 1 min.

Method B

The pressure specified in the detail (product) specification shall be applied in both directions consecutively, at a rate of 5 kPa/s until the specified pressure is achieved. This shall then be maintained for 1 min.

NOTE Method B is suitable to test the hermetic connector.

5.4 Recovery

Specimens shall be subjected to the recovery, if required in the detail (product) specification.

5.5 Final measurements

Displacement caused by the specified force or pressure shall be measured. Any residual displacement after the specified force or pressure is removed shall be measured. These displacements shall be recorded.

Visual examination according to IEC 60512-1-1 shall be done.

6 Details to be specified

When this test is required by the detail (product) specification, the following details shall be specified:

- a) the number of specimen;
- b) parameters for preconditioning and/or recovery, if required;
- c) wiring of the specimen, if necessary;
- d) mounting of the specimen;
- e) method to be used (Method A or Method B),
- f) axial force or pressure to be applied dards.iteh.ai)
- g) requirements, including displacement;
- h) any other deviation from the standard test method and/or conditions. https://standards.iteh.av/catalog/standards/sist/9b128f0b-3169-4b9a-810c-

f9b46e777dcf/iec-60512-15-2-2018

Bibliography

IEC 60512-15-3, Connectors for electronic equipment – Tests and measurements – Part 15-3: Connector tests (mechanical) – Test 15c: Insert retention in housing (torsional)

iTeh STANDARD PREVIEW (standards.iteh.ai)

IEC 60512-15-2:2018 https://standards.iteh.ai/catalog/standards/sist/9b128f0b-3169-4b9a-810c-f9b46e777dct/iec-60512-15-2-2018

iTeh STANDARD PREVIEW (standards.iteh.ai)

IEC 60512-15-2:2018 https://standards.iteh.ai/catalog/standards/sist/9b128f0b-3169-4b9a-810c-f9b46e777dcf/iec-60512-15-2-2018