



SLOVENSKI STANDARD

SIST EN 61784-3-2:2010

01-oktober-2010

Nadomešča:

SIST EN 61784-3-2:2008

Industrijska komunikacijska omrežja - Profili - 3-2. del: Funkcijska varnost procesnih vodil - Dodatne specifikacije za CPF 2 (IEC 61784-3-2:2010)

Industrial communication networks - Profiles - Part 3-2: Functional safety fieldbuses - Additional specifications for CPF 2 (IEC 61784-3-2:2010)

Industrielle Kommunikationsnetze - Profile - Teil 3-2: Funktionale sichere Übertragung bei Feldbussen - Zusätzliche Festlegungen für die Kommunikationsprofilfamilie 2 (IEC 61784-3-2:2010)

Réseaux de communication industriels - Partie 3-2: Bus de terrain à sécurité fonctionnelle - Spécifications complémentaires pour le CPF 2 (CEI 61784-3-2:2010)

Ta slovenski standard je istoveten z: EN 61784-3-2:2010

ICS:

25.040.40	Merjenje in krmiljenje industrijskih postopkov	Industrial process measurement and control
35.100.05	Večslojne uporabniške rešitve	Multilayer applications

SIST EN 61784-3-2:2010

en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 61784-3-2:2010

<https://standards.iteh.ai/catalog/standards/sist/5d3aeaad-74cf-4dec-801e-2ddd1ae227c7/sist-en-61784-3-2-2010>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 61784-3-2

August 2010

ICS 25.040.40; 35.100.05

Supersedes EN 61784-3-2:2008

English version

**Industrial communication networks -
Profiles -
Part 3-2: Functional safety fieldbuses -
Additional specifications for CPF 2
(IEC 61784-3-2:2010)**

Réseaux de communication industriels -
Partie 3-2: Bus de terrain à sécurité
fonctionnelle -
Spécifications complémentaires
pour le CPF 2
(CEI 61784-3-2:2010)

Industrielle Kommunikationsnetze -
Profile -
Teil 3-2: Funktional sichere Übertragung
bei Feldbussen -
Zusätzliche Festlegungen
für die Kommunikationsprofilfamilie 2
(IEC 61784-3-2:2010)

It's a STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 61784-3-2:2010](https://standards.iteh.ai/catalog/standards/sist/5d3aeaaad-74cf-4dec-801e-11d1-4050a0476503)

[https://standards.iteh.ai/catalog/standards/sist/5d3aeaaad-74cf-4dec-801e-](https://standards.iteh.ai/catalog/standards/sist/5d3aeaaad-74cf-4dec-801e-11d1-4050a0476503)

This European Standard was approved by CENELEC on 2010-07-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 65C/591A/FDIS, future edition 2 of IEC 61784-3-2, prepared by SC 65C, Industrial networks, of IEC TC 65, Industrial-process measurement, control and automation, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 61784-3-2 on 2010-07-01.

This European Standard supersedes EN 61784-3-2:2008.

The main technical changes with respect to EN 61784-3-2:2008 are listed below:

- updates in relation with changes in EN 61784-3;
- addition or modification of the following subclauses to support the Extended Format:
- 6.3.2.1, 6.3.3.4, 6.3.11, 6.6.7.5, 6.8.5.13, 6.8.5.14, 7.1.1, 7.5.5, 7.6.10.10, 7.6.10.12, 8.2, 8.10.2.4.4, 9.5.2;
- modification of all pseudo code in 7.5 to support Extended Format;
- addition of Attribute 15 in 6.7.3.1;
- addition of subclauses 8.11, 8.12 and 8.13 to clarify requirements for CP 2/2, CP 2/3 and CP 16/3 respectively.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN and CENELEC shall not be held responsible for identifying any or all such patent rights.

iTeh STANDARD PREVIEW

The following dates were fixed: **(standards.iteh.ai)**

- latest date by which the EN has to be implemented
at national level by publication of an identical
national standard or by endorsement **(dop)** 2011-04-01
- latest date by which the national standards conflicting
with the EN have to be withdrawn **(dow)** 2013-07-01

Annex ZA has been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 61784-3-2:2010 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60204-1	NOTE	Harmonized as EN 60204-1.
IEC 61158 series	NOTE	Harmonized in EN 61158 series (not modified).
IEC 61496 series	NOTE	Harmonized in EN 61496 series (partially modified).
IEC 61508-1:2010	NOTE	Harmonized as EN 61508-1:2010 (not modified).
IEC 61508-4:2010	NOTE	Harmonized as EN 61508-4:2010 (not modified).
IEC 61508-5:2010	NOTE	Harmonized as EN 61508-5:2010 (not modified).
IEC 61508-6:2010	NOTE	Harmonized as EN 61508-6:2010 (not modified).
IEC 61511 series	NOTE	Harmonized in EN 61511 series (not modified).
IEC 61784-5 series	NOTE	Harmonized in EN 61784-5 series (not modified).
IEC 61800-5-2	NOTE	Harmonized as EN 61800-5-2.
IEC 62061	NOTE	Harmonized as EN 62061.
ISO 10218-1	NOTE	Harmonized as EN ISO 10218-1.
ISO 12100-1	NOTE	Harmonized as EN ISO 12100-1.
ISO 13849-2	NOTE	Harmonized as EN ISO 13849-2.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 61784-3-2:2010](https://standards.iteh.ai/catalog/standards/sist/5d3aeaad-74cf-4dec-801e-2ddd1ae227c7/sist-en-61784-3-2-2010)

<https://standards.iteh.ai/catalog/standards/sist/5d3aeaad-74cf-4dec-801e-2ddd1ae227c7/sist-en-61784-3-2-2010>

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61131-2	-	Programmable controllers - Part 2: Equipment requirements and tests	EN 61131-2	-
IEC 61131-3	-	Programmable controllers - Part 3: Programming languages	EN 61131-3	-
IEC 61158-2	-	Industrial communication networks - Fieldbus specifications - Part 2: Physical layer specification and service definition	EN 61158-2	-
IEC 61158-3-2	-	Industrial communication networks - Fieldbus specifications - Part 3-2: Data-link layer service definition - Type 2 elements	EN 61158-3-2	-
IEC 61158-4-2	-	Industrial communication networks - Fieldbus specifications - Part 4-2: Data-link layer protocol specification - Type 2 elements	EN 61158-4-2	-
IEC 61158-5-2	-	Industrial communication networks - Fieldbus specifications - Part 5-2: Application layer service definition - Type 2 elements	EN 61158-5-2	-
IEC 61158-6-2	-	Industrial communication networks - Fieldbus specifications - Part 6-2: Application layer protocol specification - Type 2 elements	EN 61158-6-2	-
IEC 61326-3-1	-	Electrical equipment for measurement, control and laboratory use - EMC requirements - Part 3-1: Immunity requirements for safety- related systems and for equipment intended to perform safety-related functions (functional safety) - General industrial applications	EN 61326-3-1	-
IEC 61326-3-2	-	Electrical equipment for measurement, control and laboratory use - EMC requirements - Part 3-2: Immunity requirements for safety- related systems and for equipment intended to perform safety-related functions (functional safety) - Industrial applications with specified electromagnetic environment	EN 61326-3-2	-

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61508	Series	Functional safety of electrical/electronic/programmable electronic safety-related systems	EN 61508-1	Series
IEC 61784-1	-	Industrial communication networks - Profiles - Part 1: Fieldbus profiles	EN 61784-1	-
IEC 61784-2	-	Industrial communication networks - Profiles - Part 2: Additional fieldbus profiles for real-time networks based on ISO/IEC 8802-3	EN 61784-2	-
IEC 61784-3	2010	Industrial communication networks - Profiles - Part 3: Functional safety fieldbuses - General rules and profile definitions	EN 61784-3	2010
IEC 61784-5-2	-	Industrial communication networks - Profiles - Part 5-2: Installation of fieldbuses - Installation profiles for CPF 2	EN 61784-5-2	-
IEC 61918	-	Industrial communication networks - Installation of communication networks in industrial premises	EN 61918	-
IEC 62026-3	-	Low-voltage switchgear and controlgear - Controller-device interfaces (CDIs) - Part 3: DeviceNet	EN 62026-3	-
ISO 13849-1	-	Safety of machinery - Safety-related parts of control systems - Part 1: General principles for design	EN ISO 13849-1	-
ISO 15745-2	2003	Industrial automation systems and integration - Open systems application integration framework - Part 2: Reference description for ISO 11898-based control systems	-	-
ISO 15745-3	2003	Industrial automation systems and integration - Open systems application integration framework - Part 3: Reference description for IEC 61158 based control systems	-	-
ISO 15745-4	2003	Industrial automation systems and integration - Open systems application integration framework - Part 4: Reference description for Ethernet-based control systems	-	-

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 61784-3-2:2010

<https://standards.iteh.ai/catalog/standards/sist/5d3aeaad-74cf-4dec-801e-2ddd1ae227c7/sist-en-61784-3-2-2010>



IEC 61784-3-2

Edition 2.0 2010-06

INTERNATIONAL STANDARD



**Industrial communication networks – Profiles –
Part 3-2: Functional safety fieldbuses – Additional specifications for CPF 2**

STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 61784-3-2:2010
<https://standards.iteh.ai/catalog/standards/sist/5d3aeaad-74cf-4dec-801e-2ddd1ae227c7/sist-en-61784-3-2-2010>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

PRICE CODE

XL

ICS 25.040.40; 35.100.05

ISBN 978-2-88910-977-7

CONTENTS

FOREWORD.....	12
0 Introduction	14
0.1 General.....	14
0.2 Patent declaration	16
1 Scope.....	17
2 Normative references	17
3 Terms, definitions, symbols, abbreviated terms and conventions	18
3.1 Terms and definitions	18
3.1.1 Common terms and definitions	19
3.1.2 CPF 2: Additional terms and definitions	23
3.2 Symbols and abbreviated terms.....	23
3.2.1 Common symbols and abbreviated terms	23
3.2.2 CPF 2: Additional symbols and abbreviated terms	24
3.3 Conventions	25
4 Overview of FSCP 2/1 (CIP Safety™).....	25
4.1 General.....	25
4.2 FSCP 2/1	25
5 General	26
5.1 External documents providing specifications for the profile	26
5.2 Safety functional requirements	27
5.3 Safety measures	27
5.4 Safety communication layer structure	28
5.5 Relationships with FAL (and DLL, PhL)	28
5.5.1 General	28
5.5.2 Data types.....	28
6 Safety communication layer services	29
6.1 Introduction	29
6.2 Connection object	29
6.2.1 General	29
6.2.2 Class attribute extensions	29
6.2.3 Service extensions	30
6.2.4 Explicit message response format for SafetyOpen and SafetyClose	30
6.3 Connection Manager object.....	31
6.3.1 General	31
6.3.2 ForwardOpen for safety	31
6.3.3 Safety network segment	33
6.3.4 Originator rules for calculating the connection parameter CRC	36
6.3.5 SafetyOpen processing flowcharts.....	36
6.3.6 Checks required by Multipoint producers with existing connections	39
6.3.7 Electronic key usage for safety	40
6.3.8 RPI vs. API in safety connections	40
6.3.9 Application path construction for safety	40
6.3.10 Safety Validator connection types.....	41
6.3.11 Application reply data in a successful SafetyOpen response.....	43
6.3.12 Unsuccessful SafetyOpen response	45
6.3.13 ForwardClose for safety.....	47

6.4	Identity object.....	48
6.4.1	General	48
6.4.2	Changes to common services	48
6.5	Link objects	48
6.5.1	DeviceNet object changes	48
6.5.2	TCP/IP Interface object changes	49
6.6	Safety Supervisor object.....	49
6.6.1	General	49
6.6.2	Safety Supervisor class attributes.....	50
6.6.3	Subclasses	50
6.6.4	Safety Supervisor instance attributes.....	50
6.6.5	Semantics	53
6.6.6	Subclasses	60
6.6.7	Safety Supervisor common services	60
6.6.8	Safety Supervisor behavior.....	71
6.7	Safety Validator object	78
6.7.1	General	78
6.7.2	Class attributes	78
6.7.3	Instance attributes	79
6.7.4	Class services	84
6.7.5	Instance services.....	85
6.7.6	Object behavior.....	85
6.8	Connection Configuration Object.....	88
6.8.1	General	88
6.8.2	Class attribute extensions	88
6.8.3	Instance attributes, additions and extensions	88
6.8.4	Instance attribute semantics extensions or restrictions for safety.....	90
6.8.5	Special Safety Related Parameters – (Attribute 13)	95
6.8.6	Object-specific services.....	101
6.8.7	Common service extensions for safety.....	101
6.8.8	Object behavior	103
7	Safety communication layer protocol	104
7.1	Safety PDU format	104
7.1.1	Safety PDU encoding	104
7.1.2	Safety CRC	116
7.2	Communication protocol behavior.....	117
7.2.1	Sequence of safety checks	117
7.2.2	Connection termination.....	117
7.2.3	Cross checking error	117
7.3	Time stamp operation.....	118
7.4	Protocol sequence diagrams	119
7.4.1	General	119
7.4.2	Normal safety transmission.....	119
7.4.3	Lost, corrupted and delayed message transmission.....	120
7.4.4	Lost, corrupted or delayed message transmission with production repeated.....	122
7.4.5	Point-to-point ping	124
7.4.6	Multipoint ping on CP 2/3 Safety.....	125
7.4.7	Multipoint ping on CP 2/2 safety networks	127

7.4.8	Multipoint ping – retry with success	127
7.4.9	Multipoint ping – retry with timeout	128
7.5	Safety protocol definition	129
7.5.1	General	129
7.5.2	High level view of a safety device	129
7.5.3	Safety Validator object	130
7.5.4	Relationship between SafetyValidatorServer and SafetyValidatorClient	130
7.5.5	Extended Format time stamp rollover handling	131
7.5.6	SafetyValidatorClient function definition	135
7.5.7	SafetyValidatorServer function definition	143
7.6	Safety message and protocol data specifications	156
7.6.1	Mode octet	156
7.6.2	Time Stamp Section	157
7.6.3	Time Coordination Message	157
7.6.4	Time correction message	158
7.6.5	Safety data production	158
7.6.6	Producer dynamic variables	166
7.6.7	Producer per consumer dynamic variables	168
7.6.8	Consumer data variables	169
7.6.9	Consumer input static variables	171
7.6.10	Consumer dynamic variables	172
8	Safety communication layer management	174
8.1	Overview	174
8.2	Definition of the measures used during connection establishment	174
8.3	Originator-Target relationship validation	178
8.4	Detection of mis-routed connection requests	179
8.5	SafetyOpen processing	179
8.6	Ownership management	179
8.7	Bridging different physical layers	180
8.8	Safety connection establishment	182
8.8.1	Overview	182
8.8.2	Basic facts for connection establishment	182
8.8.3	Configuring safety connections	182
8.8.4	Network time expectation multiplier	184
8.8.5	Establishing connections	185
8.8.6	Recommendations for consumer number allocation	188
8.8.7	Recommendations for connection establishment	189
8.8.8	Ownership establishment	189
8.8.9	Ownership use cases	190
8.8.10	PID/CID usage and establishment	193
8.8.11	Proper PID/CID usage in multipoint and point-to-point connections	193
8.8.12	Network supported services	195
8.8.13	FSCP 2/1 safety device type	196
8.9	Safety configuration process	200
8.9.1	Introduction to safety configuration	200
8.9.2	Configuration goals	200
8.9.3	Configuration overview	201
8.9.4	User configuration guidelines	202

8.9.5	Configuration process SIL3 justification	203
8.9.6	Device functions for tool configuration	204
8.9.7	Password security	204
8.9.8	SNCT interface services	204
8.9.9	Configuration lock	204
8.9.10	Effect of configuration lock on device behavior	205
8.9.11	Configuration ownership	206
8.9.12	Configuration mode	206
8.9.13	Measures used to ensure integrity of configuration process	206
8.9.14	Download process	208
8.9.15	Verification process	211
8.9.16	Verification process	214
8.9.17	Configuration error analysis	215
8.10	Electronic Data Sheets extensions for safety	218
8.10.1	General rules for EDS based safety devices	218
8.10.2	EDS extensions for safety	219
8.11	Requirements for CP 2/2	223
8.11.1	EPI rules for safety messages that travel over CP 2/2	223
8.11.2	Default safety I/O service	223
8.11.3	Duplicate IP detection	224
8.11.4	Priority for safety connections	224
8.12	Requirements for CP 2/3	224
8.12.1	Allocation of CP 2/3 identifiers	224
8.12.2	Additional requirements	227
8.13	CP 16/3 requirements	227
8.13.1	Transport layer requirements	227
8.13.2	Multicast connections	227
8.13.3	CIP Safety and the CP 16/3 device model	227
8.13.4	UNID assignment on CP 16/3	228
9	System requirements	230
9.1	Indicators and switches	230
9.1.1	General indicator requirements	230
9.1.2	LED indications for setting the device UNID	230
9.1.3	Module Status LED	230
9.1.4	Indicator warning	231
9.1.5	Network Status LED	231
9.1.6	Switches	232
9.2	Installation guidelines	235
9.3	Safety function response time	235
9.3.1	Overview	235
9.3.2	Network time expectation	235
9.3.3	Equations for calculating network reaction times	236
9.4	Duration of demands	238
9.5	Constraints for calculation of system characteristics	238
9.5.1	Number of nodes	238
9.5.2	Network PFH	238
9.5.3	Bit Error Rate (BER)	241
9.6	Maintenance	242
9.7	Safety manual	242

10 Assessment.....	242
Annex A (informative) Additional information for functional safety communication profiles of CPF 2.....	243
A.1 Hash function example code.....	243
A.2	257
Annex B (informative) Information for assessment of the functional safety communication profiles of CPF 2	258
Bibliography.....	259
Table 1 – Communications errors and detection measures matrix.....	27
Table 2 – New class attributes	29
Table 3 – Service extensions	30
Table 4 – SafetyOpen and SafetyClose response format	30
Table 5 – Safety network segment identifier.....	33
Table 6 – Safety network segment definition.....	33
Table 7 – Safety network segment router format	35
Table 8 – Safety Network Segment Extended Format	35
Table 9 – Multipoint producer parameter evaluation rules.....	40
Table 10 – ForwardOpen setting options for safety connections.....	42
Table 11 – Network connection parameters for safety connections	43
Table 12 – CP 2/3 Safety target application reply (size: 10 octets).....	44
Table 13 – EF CP 2/3 Safety target application reply (size: 14 octets).....	44
Table 14 – SafetyOpen target application reply (size: 18 octets).....	45
Table 15 – EF SafetyOpen target application reply (size: 22 octets).....	45
Table 16 – New and extended error codes for safety	46
Table 17 – SafetyOpen error event guidance table.....	46
Table 18 – Identity object common service changes	48
Table 19 – New DeviceNet object instance attribute	48
Table 20 – New TCP/IP Interface object Instance Attribute	49
Table 21 – Safety Supervisor class attributes	50
Table 22 – Safety Supervisor instance attributes	50
Table 23 – Device status attribute state values	54
Table 24 – Exception status attribute format	55
Table 25 – Common exception detail attribute values	56
Table 26 – Exception detail format summary.....	57
Table 27 – Summary of device behavior for various CFUNID values	59
Table 28 – Safety Supervisor common services	61
Table 29 – Safety Supervisor object specific services	61
Table 30 – Configure_Request message structure	63
Table 31 – Validate_Configuration message structure.....	63
Table 32 – Validate_Configuration success message structure	63
Table 33 – Validate_Configuration error code	64
Table 34 – Validate_Configuration extended codes.....	64

Table 35 – Set_Password message structure.....	66
Table 36 – Reset_Password message structure.....	66
Table 37 – Configuration_Lock/Unlock message structure	67
Table 38 – Mode_Change message structure	67
Table 39 – Safety_Reset message structure	67
Table 40 – Safety Supervisor safety reset types	68
Table 41 – Attribute bit map parameter	68
Table 42 – Reset processing rules for rest types.....	68
Table 43 – Propose_TUNID service	69
Table 44 – Apply_TUNID service	70
Table 45 – Safety Supervisor events.....	72
Table 46 – State event matrix for Safety Supervisor.....	73
Table 47 – Configuration owner control vs. device state.....	76
Table 48 – State mapping of Safety Supervisor to Identity object.....	77
Table 49 – Safety Supervisor object event mapping.....	77
Table 50 – Identity object event mapping.....	78
Table 51 – Safety Validator class attributes	79
Table 52 – Safety Validator instance attributes	79
Table 53 – Safety Validator state assignments.....	81
Table 54 – Safety Validator type, bit field assignments.....	82
Table 55 – Multipoint producer SafetyOpen parameter evaluation rules	83
Table 56 – Safety Validator class services.....	84
Table 57 – Safety Validator instance services.....	85
Table 58 – Safety Validator Get_Attributes_All service data.....	85
Table 59 – Safety Validator state event matrix	87
Table 60 – State mapping between Safety Supervisor and Safety Validator objects	87
Table 61 – Connection configuration object class attribute extensions	88
Table 62 – Connection Configuration Object instance attribute additions/extensions.....	88
Table 63 – Connection flag bit definitions.....	90
Table 64 – O-to-T connection parameters	92
Table 65 – T-to-O connection parameters	93
Table 66 – Data map formats.....	94
Table 67 – Data map format 0.....	95
Table 68 – Data map format 1.....	95
Table 69 – Target device's SCCRC values.....	97
Table 70 – Target device's SCTS values.....	98
Table 71 – Time correction connection parameters for multipoint connection	98
Table 72 – Format Type attribute meaning.....	99
Table 73 – Format Status attribute meaning.....	100
Table 74 – Connection Configuration Object-specific services	101
Table 75 – Get_Attributes_All Response service data (added attributes)	101
Table 76 – Get_Attributes_All Response service data (added parameters)	102
Table 77 – Set_Attributes_All Request service data (added attributes)	102