

Edition 4.0 2018-08

INTERNATIONAL STANDARD



Industrial communication networks—Profiles REVIEW
Part 5-3: Installation of fieldbuses – Installation profiles for CPF 3
(Standards.iten.al)

<u>IEC 61784-5-3:2018</u> https://standards.iteh.ai/catalog/standards/sist/ef522df9-a3be-4c8f-924e-07e45979854a/iec-61784-5-3-2018





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2018 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland

Tel.: +41 22 919 02 11

info@iec.ch www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and

IEC publications search - webstore. iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications. standard

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and a lf you wish to give us your feedback on this publication or also once a month by emailtitips://standards.itch.ai/catalog/standardeed.further assistance/please-contact the Customer Service

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 21 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

07e45979854a/iec-Gentre sales@iec.ch.



Edition 4.0 2018-08

INTERNATIONAL STANDARD



Industrial communication networks - Profiles - REVIEW
Part 5-3: Installation of fieldbuses - Installation profiles for CPF 3

<u>IEC 61784-5-3:2018</u> https://standards.iteh.ai/catalog/standards/sist/ef522df9-a3be-4c8f-924e-07e45979854a/iec-61784-5-3-2018

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 25.040.40; 35.100.40

ISBN 978-2-8322-5939-9

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOF	REWO	RD	7
INTI	RODU	ICTION	9
1	Scop	e	10
2	Norm	native references	10
3	Term	is, definitions and abbreviated terms	10
4	CPF	3: Overview of installation profiles	10
5	Insta	llation profile conventions	11
6	Conf	ormance to installation profiles	11
Ann		normative) CP 3/1 (PROFIBUS) specific installation profile	
	•	llation profile scope	
		native references	
		llation profile terms, definitions, and abbreviated terms	
	۸.3.1	Terms and definitions	
-		Abbreviated terms	_
Д	.3.3	Conventions for installation profiles	14
A.4	Insta	llation planning	14
Д	\.4.1	General Planning requirements ANDARD PREVIEW	14
Д	1.4.2		
Α	1.4.3	Network capabilities (standards.iteh.ai)	16
	1.4.4	Selection and use of cabling components	
	1.4.5	Cabling planning documentation61.784-5-3:2018	
	1.4.6	Verification of cabling planning specification 522df9-a3be-4c8f-924e- llation implementation 07e45979854a/iec-61784-5-3-2018	28
		·	
	1.5.1	General requirements	
	A.5.2 A.5.3	Cable installation Connector installation	
	1.5.3 1.5.4	Terminator installation	
	v.5.4 v.5.5	Device installation	
		Coding and labelling	
	1.5.7	Earthing and bonding of equipment and device and shielded cabling	
Α	1.5.8	As-implemented cabling documentation	
A.6	Insta	llation verification and installation acceptance test	36
Α	A.6.1	General	36
A	1.6.2	Installation verification	36
Д	۸.6.3	Installation acceptance test	38
A.7	Insta	llation administration	43
8.A	Insta	llation maintenance and installation troubleshooting	43
Ann	ex B (normative) CP 3/2 (PROFIBUS) specific installation profile	44
B.1	Insta	llation profile scope	44
B.2	Norm	native references	44
B.3	Insta	llation profile terms, definitions, and abbreviated terms	44
В	3.3.1	Terms and definitions	44
В	3.3.2	Abbreviated terms	45
В	3.3.3	Conventions for installation profiles	45

B.4.1 General B.4.2 Planning requirements B.4.3 Network capabilities B.4.4 Selection and use of cabling components B.4.5 Cabling planning documentation B.4.6 Verification of cabling planning specification	47 54 60 75 75 75 75
B.4.3 Network capabilities B.4.4 Selection and use of cabling components B.4.5 Cabling planning documentation B.4.6 Verification of cabling planning specification	54 60 75 75 75 75
B.4.4 Selection and use of cabling components B.4.5 Cabling planning documentation B.4.6 Verification of cabling planning specification	60 75 75 75 75 75
B.4.5 Cabling planning documentation	75 75 75 75 75
B.4.6 Verification of cabling planning specification	75 75 75 75
	75 75 75
	75 75
B.5 Installation implementation	75
B.5.1 General requirements	
B.5.2 Cable installation	
B.5.3 Connector installation	76
B.5.4 Terminator installation	77
B.5.5 Device installation	77
B.5.6 Coding and labelling	77
B.5.7 Earthing and bonding of equipment and device and shielded cabling	77
B.5.8 As-implemented cabling documentation	77
B.6 Installation verification and installation acceptance test	77
B.6.1 General	77
B.6.2 Installation verification	78
B.6.3 Installation acceptance test	78
B.6.3 Installation acceptance test. B.7 Installation administration	79
B.8 Installation maintenance and installation troubleshooting.)	79
Annex C (normative) CP 3/3, CP 3/4, CP 3/5, CP 3/6 (PROFINET) specific installation	
profile	80
C.1 Installation profiles://stapdards.iteh.ai/catalog/standards/sist/ef522df9-a3be-4c8f-924e-	80
07e45979854a/iec-61784-5-3-2018 C.2 Normative references	80
C.3 Installation profile terms, definitions, and abbreviated terms	
C.3.1 Terms and definitions	
C.3.2 Abbreviated terms	
C.3.3 Conventions for installation profiles	
C.4 Installation planning	
C.4.1 General	
C.4.2 Planning requirements	
C.4.3 Network capabilities	
C.4.4 Selection and use of cabling components	
C.4.5 Cabling planning documentation	
C.4.6 Verification of cabling planning specification	
C.5 Installation implementation	
C.5.1 General requirements	
C.5.1 General requirements	
C.5.3 Connector installation	
C.5.4 Terminator installation	
C.5.5 Device installation	
C.5.6 Coding and labelling	
C.5.7 Earthing and bonding of equipment and device and shielded cabling1	
C.5.8 As-implemented cabling documentation	
C.6 Installation verification and installation acceptance test	
	12

C.6.2 Installation verification	112
C.6.3 Installation acceptance test	113
C.7 Installation administration	114
C.8 Installation maintenance and installation troubleshooting	114
Bibliography	115
Figure 1 – Standards relationships	9
Figure A.1 – Recommended combination of shielding and earthing for CP 3/1 networks with RS 485-IS	26
Figure A.2 – Sub-D connector pin numberings (front view)	31
Figure A.3 – 5-pin M12 female socket	32
Figure A.4 – 5-pin M12 male plug for CP 3/1	33
Figure A.5 – Test circuit A – Resistance measurement of data line B and shield	39
Figure A.6 – Test circuit B – Resistance measurement of data line A and shield	39
Figure A.7 – Test circuit C – Resistance measurement of data line A, data line B, and shield	39
Figure A.8 – Test circuit D – Resistance measurement between data line A and B	40
Figure A.9 – Resistance measurement without 9-pin Sub-D plug	40
Figure A.10 – Loop core resistance (cable type A)	41
Figure A.10 – Loop core resistance (cable type A)	41
Figure A.12 – Action and resolution tree for measurement 2 (RS 485 and RS 485-IS)	42
Figure A.13 – Action and resolution tree for measurement 3 (RS 485 and RS 485-IS)	
Figure B.1 – Connection of CP 3/1 networks tandards/sist/ef522tf9-a3be-4c8f-924e	47
Figure B.2 – Typical fieldbus architectures544/icc-61784-5-3-2018.	
Figure B.3 – Fieldbus with stations supplied by auxiliary power sources	
Figure B.4 – Fieldbus model	53
Figure B.5 – Current modulation (Manchester II code)	53
Figure B.6 – Tree topology	55
Figure B.7 – Bus topology	
Figure B.8 – Combination of the tree topology and the bus topology	56
Figure B.9 – Fieldbus extension	
Figure B.10 – Recommended combination of shielding and earthing	70
Figure B.11 – Ideal combination of shielding and earthing	
Figure B.12 – Capacitive earthing	
Figure B.13 – Galvanic isolated field device	73
Figure B.14 – Pin assignment of the male and female connectors IEC 60947-5-2 (A-coding)	
Figure C.1 – Definition of End-to-end link	
Figure C.2 – End-to-end link without interconnections	
Figure C.3 – Assembled End-to-end link	
Figure C.4 – Connectionless optical fibre link	
Figure C.5 – Assembled optical fibre link	
Figure C.6 – Shielded connectors for CP 3/3, CP 3/4, CP 3/5 and CP 3/6 fieldbus	102
networks	108
Figure C.7 – Pin-assignment for a straight cable	109

Table A.1 – Excerpt of MICE definition	16
Table A.2 – Basic network characteristics for balanced cabling not based on Ethernet (ISO/IEC 8802-3)	17
Table A.3 – Network characteristics for optical fibre cabling	18
Table A.4 – Information relevant to copper cable: fixed cables	19
Table A.5 – Information relevant to optical fibre cables	20
Table A.6 – Connectors for copper cabling CPs not based on Ethernet	21
Table A.7 – Optical fibre connecting hardware	21
Table A.8 – Relationship between FOC and fibre types (CP 3/1)	
Table A.9 – Parameters for balanced cables	29
Table A.10 – Parameters for silica optical fibre cables	29
Table A.11 – Parameters for POF optical fibre cables	29
Table A.12 – Parameters for hard clad silica optical fibre cables	30
Table A.13 – Use of 9 pin Sub-D connector pins (RS 485)	31
Table A.14 – Use of 9 pin Sub-D connector pins (RS 485-IS)	32
Table A.15 – Use of M12 connector pins (RS 485)	33
Table A.16 – Use of M12 connector pins (RS 485-IS)	34
Table A.17 – Maximum fibre channel attenuation for CP 3/1 (PROFIBUS)	43
Table B.1 – Valid parameter range of the FISCO model for use as EEx ib IIC / IIB	51
Table B.2 – Valid parameter range of the FISCO model for use as EEx ia IIC	
Table B.3 – Power supply (operational Values)4-5-3:2018.	58
Table B.4 – Line lengths which can be achieved 1/2459/9854a/iec-61784-5-3-2018	58
Table B.5 – Limit values for distortion, reflection and signal delay	59
Table B.6 – Recommended maximum cable lengths including spurs	59
Table B.7 – Recommended length of the spurs	60
Table B.8 – Maximum length of the splices	60
Table B.9 – Information relevant to copper cable: fixed cables	61
Table B.10 – Safety limit values for the fieldbus cable	62
Table B.11 – Connectors for copper cabling CPs not based on Ethernet	63
Table B.12 – Mixing devices from different categories	65
Table B.13 – Electrical characteristics of fieldbus interfaces	66
Table B.14 – Recommended data sheet specifications for CP 3/2 devices	67
Table B.15 – Parameters for balanced cables	75
Table B.16 – Contact assignments for the external connector for harsh industrial environments	76
Table C.1 – General transmission media selection information	82
Table C.2 – Network characteristics for balanced cabling based on Ethernet (ISO/IEC 8802-3)	83
Table C.3 – Network characteristics for optical fibre cabling	
Table C.4 – Information relevant to copper cable: CP 3/3, CP 3/4, CP 3/5 and CP 3/6 type A fixed cables	85
Table C.5 – Information relevant to copper cable: CP 3/3, CP 3/4, CP 3/5 and CP 3/6 type B flexible cables	86

Table C.6 – Information relevant to copper cable: CP 3/3, CP 3/4, CP 3/5 and CP 3/6 type C special cables	87
Table C.7 – Information relevant to copper cable: CP 3/3, CP 3/4, CP 3/5 and CP 3/6 of cabinet cord sets	88
Table C.8 – Requirement data cable inside and outside cabinet: CP 3/3, CP 3/4, CP 3/5 and CP 3/6 type B flexible cables	89
Table C.9 – Requirement to copper cable inside and outside cabinet: CP 3/3, CP 3/4, CP 3/5 and CP 3/6 type B flexible cables	90
Table C.10 – Information relevant to optical fibre cables	91
Table C.11 – Requirements for plastic and hard clad silica optical fibre cables	91
Table C.12 – Requirements for glass multimode optical fibre cables	93
Table C.13 – Requirements for glass singlemode optical fibre cables	94
Table C.14 – Requirements of industrial FO-cord sets	95
Table C.15 – Standard of test of industrial FO-cord sets	96
Table C.16 – Information relevant to hybrid cables (application type B)	96
Table C.17 – Information relevant to hybrid cables (application type C)	97
Table C.18 – Connectors for balanced cabling CPs based on Ethernet	99
Table C.19 – Connectors for balanced cabling CPs not based on Ethernet	99
Table C.20 – Connectors for balanced cabling CPs based on Ethernet	
Table C.21 – Optical fibre connecting hardware	100
Table C.22 – Relationship between FOC and fibre types (CP 3/3, CP 3/4, CP 3/5, CP3/6)	100
Table C.23 – Typical fibre channels common for industrial applications.	103
Table C.24 - Parameter's for balance'd cables ndards/sist/ef522df9-a3be-4c8f-924e-	
Table C.25 – Parameters for silica optical fibre cables	107
Table C.26 – Parameters for POF optical fibre cables	107
Table C.27 – Parameters for hard clad silica optical fibre cables	108
Table C.28 – Colour coding of 2 pair cabling for CP 3/3, CP 3/4, CP 3/5 and CP 3/6 connectors	109
Table C.29 – Colour coding of 4 pair cabling for CP 3/3, CP 3/4, CP 3/5 and CP 3/6 connectors	109
Table C.30 – Contact arrangement M12 2 pair to M12 4 pair for CP 3/3, CP 3/4, CP 3/5 and CP 3/6 connectors	110
Table C.31 – Maximum fibre channel attenuation for CP 3/3, CP 3/4, CP 3/5 and CP 3/6 (PROFINET)	114

INTERNATIONAL ELECTROTECHNICAL COMMISSION

INDUSTRIAL COMMUNICATION NETWORKS – PROFILES –

Part 5-3: Installation of fieldbuses – Installation profiles for CPF 3

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees. A NID A DID INVIEW.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, (IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61784-5-3 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation.

This fourth edition cancels and replaces the third edition published in 2013. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) an addition of 4-pair cabling (see C.4.4.1.2.1and C.5.3.2);
- b) an addition of the connector M12 X-Coding (see C.4.4.2.2);
- c) an addition of the definition of End-to-end links (see C.4.4.3.1);

- d) a revision of Table C.17 (see C.5.2.1);
- e) a formula for the NEXT limits of End-to-end links (see C.6.3.2.1.2).

This standard is to be used in conjunction with IEC 61918:2018

The text of this international standard is based on the following documents:

FDIS	Report on voting
65C/924/FDIS	65C/925/RVD

Full information on the voting for the approval of this international standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of IEC 61784-5 series, under the general title *Industrial communication* networks – *Profiles* – *Installation of fieldbuses*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- iTeh STANDARD PREVIEW
- withdrawn,
- replaced by a revised edition grandards.iteh.ai)
- amended

A bilingual version of this publication may be issued at a later date. https://standards.iieh.avcatalog/standards/sisvef522di9-a3be-4c8f-924e-07e45979854a/iec-61784-5-3-2018

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This International Standard is one of a series produced to facilitate the use of communication networks in industrial control systems.

IEC 61918:2018 provides the common requirements for the installation of communication networks in industrial control systems. This installation profile standard provides the installation profiles of the communication profiles (CP) of a specific communication profile family (CPF) by stating which requirements of IEC 61918 fully apply and, where necessary, by supplementing, modifying, or replacing the other requirements (see Figure 1).

For general background on fieldbuses, their profiles, and relationship between the installation profiles specified in this document, see IEC 61158-1.

Each CP installation profile is specified in a separate annex of this document. Each annex is structured exactly as the reference standard IEC 61918 for the benefit of the persons representing the roles in the fieldbus installation process as defined in IEC 61918 (planner, installer, verification personnel, validation personnel, maintenance personnel, administration personnel). By reading the installation profile in conjunction with IEC 61918, these persons immediately know which requirements are common for the installation of all CPs and which are modified or replaced. The conventions used to draft this document are defined in Clause 5.

The provision of the installation profiles in one standard for each CPF (for example IEC 61784-5-3 for CPF 3), allows readers to work with standards of a convenient size.




Figure 1 - Standards relationships

INDUSTRIAL COMMUNICATION NETWORKS – PROFILES –

Part 5-3: Installation of fieldbuses – Installation profiles for CPF 3

1 Scope

This part of IEC 61784-5 specifies the installation profiles for CPF 3 (PROFIBUS/PROFINET)1.

The installation profiles are specified in the annexes. These annexes are read in conjunction with IEC 61918:2018.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

Teh STANDARD PREVIEW

IEC 61918:2018, Industrial communication networks – Installation of communication networks in industrial premises

The normative references of IEC 61918 2018 Clause 2, apply. https://standards.iteh.ai/catalog/standards/sist/ef522di9-a3be-4c8f-924e

NOTE For profile specific normative references, see Clause(s) A.2, B.2 and C.2.

3 Terms, definitions and abbreviated terms

For the purposes of this document, the terms, definitions and abbreviated terms of IEC 61918:2018, Clause 3, apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at http://www.iso.org/obp

NOTE For profile specific terms, definitions and abbreviated terms see Clause(s) A.3, B.3 and C.3.

4 CPF 3: Overview of installation profiles

CPF 3 consists of six communication profiles as specified in IEC 61784-1 and IEC 61784-2.

PROFIBUS and PROFINET are trade names of the non-profit organization PROFIBUS Nutzerorganisation e.V. (PNO). This information is given for the convenience of users of this document and does not constitute an endorsement by IEC of the trade names holder or any of its products. Compliance to this profile does not require use of the trade names. Use of the trade names PROFIBUS and PROFINET requires permission of the trade name holder.

The installation requirements for CP 3/1 (PROFIBUS with physical layer according to RS 485, RS 485-IS, and fibre) are specified in Annex A.

The installation requirements for CP 3/2 (PROFIBUS with physical layer according to MBP, MBP-IS, MBP-LP) are specified in Annex B.

The installation requirements for CP 3/3, CP 3/4, CP 3/5, and CP 3/6 (PROFINET) are specified in Annex C.

5 Installation profile conventions

The numbering of the clauses and subclauses in the annexes of this document corresponds to the numbering of IEC 61918 main clauses and subclauses.

The annex clauses and subclauses of this document supplement, modify, or replace the respective clauses and subclauses in IEC 61918.

Where there is no corresponding subclause of IEC 61918 in the normative annexes in this document, the subclause of IEC 61918 applies without modification.

The annex heading letter represents the installation profile assigned in Clause 4. The annex (sub)clause numbering following the annex letter shall represent the corresponding (sub)clause numbering of IEC 61918 ANDARD PREVIEW

EXAMPLE "Subclause B.4.4" in IEC 61784-5-3 means that CP 3/2 specifies the subclause 4.4 of IEC 61918.

All main clauses of IEC 61918 are cited and apply in full unless otherwise stated in each normative installation profile annex. IEC 61784-5-3:2018

https://standards.iteh.ai/catalog/standards/sist/ef522df9-a3be-4c8f-924e-

If all subclauses of a (sub)clause are omitted; then the corresponding IEC 61918 (sub)clause applies.

If in a (sub)clause it is written "Not applicable.", then the corresponding IEC 61918 (sub)clause does not apply.

If in a (sub)clause it is written "Addition:", then the corresponding IEC 61918 (sub)clause applies with the additions written in the profile.

If in a (sub)clause it is written "Replacement:", then the text provided in the profile replaces the text of the corresponding IEC 61918 (sub)clause.

NOTE A replacement can also comprise additions.

If in a (sub)clause it is written "*Modification:*", then the corresponding IEC 61918 (sub)clause applies with the modifications written in the profile.

If all (sub)clauses of a (sub)clause are omitted but in this (sub)clause it is written "(Sub)clause x has addition" (or "replacement", or "modification") or "(Sub)clause is not applicable.", then (sub)clause x becomes valid as declared and all the other corresponding IEC 61918 (sub)clauses apply.

6 Conformance to installation profiles

Each installation profile within this document includes part of IEC 61918:2018. It may also include defined additional specifications.

A statement of compliance to an installation profile of this document shall be stated² as either

Compliance to IEC 61784-5-3:201x³ for CP 3/m <name> or Compliance to IEC 61784-5-3 (Ed.4.0) for CP 3/m <name>

where the name within the angle brackets < > is optional and the angle brackets are not to be included. The m within CP 3/m shall be replaced by the profile number 1 to 6.

NOTE The name may be the name of the profile, for example PROFIBUS or PROFINET.

If the name is a trade name then the permission of the trade name holder shall be required.

Product standards shall not include any conformity assessment aspects (including quality management provisions), neither normative nor informative, other than provisions for product testing (evaluation and examination).

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>IEC 61784-5-3:2018</u> https://standards.iteh.ai/catalog/standards/sist/ef522df9-a3be-4c8f-924e-07e45979854a/iec-61784-5-3-2018

² In accordance with ISO/IEC Directives.

³ The date should not be used when the edition number is used.

Annex A

(normative)

CP 3/1 (PROFIBUS) specific installation profile

A.1 Installation profile scope

Addition:

This annex specifies the installation profile for Communication Profile CP 3/1 (PROFIBUS with a physical layer according to RS 485, RS 485-IS, and fibre). The CP 3/1 is specified in IEC 61784-1.

A.2 Normative references

Addition:

IEC 60079-14, Explosive atmospheres – Part 14: Electrical installations design, selection and erection

IEC 60079-11:2011, Explosive atmospheres – Part 11: Equipment protection by intrinsic safety "i" **Teh STANDARD PREVIEW**

IEC 60512-6-3, Connectors for electronic equipment - Tests and measurements - Part 6-3: Dynamic stress tests - Test 6c: Shock

IEC 61784-5-3:2018

IEC 60512-6-4, Connectors for electronic equipment & Tests and measurements — Part 6-4: Dynamic stress tests — Test 6d: Vibration (sinusoidal) 5-3-2018

IEC 61508 (all parts), Functional safety of electrical/electronic/programmable electronic safety-related systems

ANSI TIA/EIA-485-A, Electrical Characteristics of Generators and Receivers for Use in Balanced Digital Multipoint Systems

A.3 Installation profile terms, definitions, and abbreviated terms

A.3.1 Terms and definitions

Addition:

A.3.1.87

hazard

potential source of harm

Note 1 to entry: The term includes danger to persons arising within a short time scale (for example fire and explosion) and also those that have a long term effect on a person's health (for example release of a toxic substance).

[SOURCE: IEC 61508-4:2010, 3.1.2, modified – the note to entry has been added]