

SLOVENSKI STANDARD SIST EN 60475:2012

01-marec-2012

Metoda vzorčenja izolacijskih tekočin			
Method of sampling insulating liquids			
Verfahren zur Probennahme von Isolierflüssigkeiten			
Méthode d'échantillonnage des liquides isolants DPREVIEW			
(standards.iteh.ai) Ta slovenski standard je istoveten z: EN 60475:2011			
<u>SIST EN 60475:2012</u> https://standards.iteb.ai/catalog/standards/sist/d9f585cf-85b0-4097-907c-			
dab006530dca/sist-en-60475-2012			
ICS:			
29.040.01 Izolacijski fluidi na splošno Insulating fluids in general			
SIST EN 60475:2012 en			



iTeh STANDARD PREVIEW (standards.iteh.ai)



EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 60475

December 2011

ICS 29.040

English version

Method of sampling insulating liquids (IEC 60475:2011)

Méthode d'échantillonnage des liquides isolants (CEI 60475:2011)

Verfahren zur Probennahme von Isolierflüssigkeiten (IEC 60475:2011)

This European Standard was approved by CENELEC on 2011-11-24. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

© 2011 CENELEC - All rights of exploitation in any form and by any means reserved worldwide for CENELEC members.

Foreword

The text of document 10/848/FDIS, future edition 2 of IEC 60475, prepared by IEC/TC 10 "Fluids for electrotechnical applications" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 60475:2011.

The following dates are fixed:

•	latest date by which the document has to be implemented at national level by publication of an identical national standard or by and argument	(dop)	2012-08-24
•	latest date by which the national standards conflicting with the document have to be withdrawn	(dow)	2014-11-24

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 60475:2011 was approved by CENELEC as a European Standard without any modification. (standards.iteh.ai)

- 3 -

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

Publication	Year	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60567	2011	Oil-filled electrical equipment - Sampling of gases and analysis of free and dissolved gases - Guidance	EN 60567	2011
IEC 60970	-	Insulating liquids - Methods for counting and sizing particles	EN 60970	-

iTeh STANDARD PREVIEW (standards.iteh.ai)



iTeh STANDARD PREVIEW (standards.iteh.ai)



Edition 2.0 2011-10

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Method of sampling insulating liquids RD PREVIEW (standards.iteh.ai) Méthode d'échantillonnage des liquides isolants

> SIST EN 60475:2012 https://standards.iteh.ai/catalog/standards/sist/d9f585cf-85b0-4097-907cdab006530dca/sist-en-60475-2012

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

PRICE CODE CODE PRIX



ICS 29.040

ISBN 978-2-88912-767-2

CONTENTS

- 2 -

FO	REWC)RD		3
INT	RODU	JCTION		5
1	Scop	e		6
2	Normative references			6
3	Terms and definitions			6
4	General principles for the sampling of insulating liquids			7
4.1 New insulating liquids in delivery containers				7
	7.1	4.1.1	Place of sampling	7
		4.1.2	Quantity of sample to be taken	7
		4.1.3	Sampling equipment	7
		4.1.4	Sampling procedure	.11
	4.2	Sampli	ng of oil from oil-filled equipment	.13
		4.2.1	General remarks	. 13
		4.2.2	Sampling of oil by syringe	. 19
		4.2.3	Sampling of oil by ampoule	. 20
		4.2.4	Sampling of oil by flexible metal bottles	.21
		4.2.5	Sampling of oil by glass and rigid metal bottles	. 22
		4.2.6	Sampling of oil by plastic bottles	.23
	4.3	Storage	e and transportation of samples	.23
	4.4	Labelli	ng of samples. (Stanuarus.iten.ai)	. 23
Anr	nex A	(informa	tive) Procedure for sampling at intermediate levels (making up of the	25
ave A m	aye a	(information	https://standards.iteb.ai/catalog/standards/sist/d9f585cf-85b0-4097-907c-	. 20
Anr	iex B	(informa	dab006530dca/sist-en-60473-2012	.20
Fig	ure 1 ·	– Thief (dipper	8
Fig	ure 2 ·	- Crean	n dipper	9
Fig	ure 3 -	- Pipett	9	. 10
Fig	ure 4 -	– Sipho	۱	. 10
Fig	ure 5 -	- Sampl	ing of oil by syringe	. 15
Fig	ure 6 -	- Sampl	ing of oil by ampoule	. 16
Fig	ure 7 -	- Sampl	ing of oil by bottle	. 17
Tab	ole 1 –	Types	of samples of new insulating liquids	. 11
Tab	ole 2 –	Sample	e containers for oil tests (Y = Yes)	. 18
Tab	ole 3 –	Informa	ation required on oil sample labels	.24

- 3 -

INTERNATIONAL ELECTROTECHNICAL COMMISSION

METHOD OF SAMPLING INSULATING LIQUIDS

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies. https://standards.itch.ai/catalog/standards/sist/d9f585cf-85b0-4097-907c-
- 6) All users should ensure that they have the latest edition of this publication.
- dabu06530dca/sist-en-60475-2012
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60475 has been prepared by IEC technical committee 10: Fluids for electrotechnical applications.

This second edition cancels and replaces the first edition, published in 1974, and constitutes a technical revision.

The main changes with respect to the previous edition are listed below:

- since the publication of the first edition of this standard, askarels have been banned and therefore have been withdrawn from this second edition;
- recommendations concerning general health, safety and environmental protection have been added as an Introduction;
- the first edition was mainly about sampling from drums and tank cars. This second edition
 addresses in more detail the sampling of oil from electrical equipment, using various types
 of sampling devices appropriate for the different types of oil tests to be performed in the
 laboratory, including dissolved gas analysis (DGA).

60475 © IEC:2011

The text of this standard is based on the following documents:

FDIS	Report on voting
10/848/FDIS	10/871/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

iTeh STANDARD PREVIEW (standards.iteh.ai)

INTRODUCTION

General caution, health, safety and environmental protection

This International Standard does not purport to address all the safety problems associated with its use. It is the responsibility of the user of the standard to establish appropriate health and safety practices and determine the applicability of regulatory limitations prior to use.

The insulating oils which are the subject of this standard should be handled with due regard to personal hygiene. Direct contact with the eyes may cause irritation. In the case of eye contact, irrigation with copious quantities of clean running water should be carried out and medical advice sought. Some of the tests specified in this standard involve the use of processes that could lead to a hazardous situation. Attention is drawn to the relevant standard for guidance.

Environment

This standard is applicable to mineral oils and non-mineral oils, chemicals and used sample containers.

Attention is drawn to the fact that, some mineral oils in service may still be contaminated to some degree by PCBs. If this is the case, safety countermeasures should be taken to avoid risks to workers, the public and the environment during the life of the equipment, by strictly controlling spills and emissions. Disposal or decontamination of these oils should be carried out strictly according to local regulations. Every precaution should be taken to prevent release of mineral oil and non-mineral oil into the environment.

(standards.iteh.ai)

METHOD OF SAMPLING INSULATING LIQUIDS

1 Scope

This International Standard is applicable to the procedure to be used for insulating liquids in delivery containers and in electrical equipment such as power and instrument transformers, reactors, bushings, oil-filled cables, oil-filled tank-type capacitors, switchgear and load tap changers (LTCs).

This standard applies to liquids the viscosity of which at the sampling temperature is less than 1500 mm^2 /s (or cSt). It applies to mineral oils and non-mineral oils (such as synthetic esters, natural esters, vegetable oils or silicones).

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60567:2011, Oil-filled electrical equipment – Sampling of gases and analysis of free and dissolved gases – Guidance (standards.iteh.ai)

IEC 60970, Insulating liquids – Methods for counting and sizing particles

https://standards.iteh.ai/catalog/standards/sist/d9f585cf-85b0-4097-907c-

3 Terms and definitions dab006530dca/sist-en-60475-2012

For the purposes of this document, the following terms and definitions apply.

3.1

delivery containers

containers such as drums, rail tankers, road tankers or flexible plastic bags used to store, transport and deliver batches of oil

3.2

electrical equipment

equipment filled with insulating oil such as power and instrument transformers, reactors, bushings, oil-filled cables, oil-filled tank-type capacitors, switchgear and load tap changers (LTCs)

3.3

sampling equipment

equipment used for sampling oil from delivery containers (e.g. sampling probes, such as dippers or siphons) and from electrical equipment (e.g. connecting tubing and drain valve adapters)

NOTE This also includes sample containers, waste oil containers and other accessories.

3.4

sample containers

containers such as syringes, bottles, ampoules or other devices used to store and transport samples of oil for analysis