

Edition 2.0 2020-02

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Overhead lines - Requirements and tests for spacers IF.W

Lignes aériennes – Exigences et essais applicables aux entretoises

<u>IEC 61854:2020</u> https://standards.iteh.ai/catalog/standards/sist/fb24216e-95a6-40e8-8443-85315db90046/iec-61854-2020





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2020 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office Tel.: +41 22 919 02 11

3, rue de Varembé info@iec.ch CH-1211 Geneva 20 www.iec.ch

Switzerland

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and 85.67,000 electrotechnical terminology entries in English and once a month by email. https://standards.iteh.ai/catalog/standards

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online. 21

IEC Glossary - std.iec.ch/glossary

French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been IEC Customer Service Centre - webstore.iec.ch/cscb90046/iccollected from earlier publications of IEC TC 37, 77, 86 and CISPR.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.



Edition 2.0 2020-02

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Overhead lines - Requirements and tests for spacers IEW

Lignes aériennes – Exigences et essais applicables aux entretoises

<u>IEC 61854:2020</u> https://standards.iteh.ai/catalog/standards/sist/fb24216e-95a6-40e8-8443-85315db90046/iec-61854-2020

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

ICS 29.240.20 ISBN 978-2-8322-7798-0

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

F	OREWO	RD	4
1	Scop	e	6
2	Norm	native references	6
3	Term	s and definitions	7
4		eral requirements	
•	4.1	Design	
	4.1	Materials	
	4.2.1		
	4.2.1		
	4.2.2	Mass, dimensions and tolerances	
	4.3 4.4	Protection against corrosion	
	4.5	Manufacturing appearance and finish	
	4.6	Marking	
	4.7	Installation instructions	
_	4.8	Specimen	
5		ity assurance	
6	Class	sification of tests. Type tests ITeh STANDARD PREVIEW	10
	6.1		
	6.1.1	General (standards.iteh.ai)	10
	6.1.2	Application	10
	6.2	Sample tests	10
	6.2.1	General//standards.iteh.ai/catalog/standards/sist/fb24216e-95a6-40e8-8443-	10
	6.2.2	Application 85315db90046/iec-61854-2020	10
	6.2.3	Sampling and acceptance criteria	11
	6.3	Routine tests	11
	6.3.1	General	11
	6.3.2	Application and acceptance criteria	11
	6.4	Table of tests to be applied	11
7	Test	methods	13
	7.1	Visual examination	13
	7.2	Verification of dimensions, materials and mass	_
	7.3	Corrosion protection test	
	7.3.1	•	
	7.0.1	wires)	13
	7.3.2	,	
		hot dip galvanizing	14
	7.3.3	Stranded galvanized steel wires	14
	7.3.4	Corrosion caused by non-metallic components	14
	7.4	Non-destructive tests	14
	7.5	Mechanical tests	14
	7.5.1	Clamp slip tests	14
	7.5.2	Tests on bolt sets	19
	7.5.3	Simulated short-circuit current test and compression and tension tests	21
	7.5.4	·	
	7.5.5		
	7.5.6	•	
		•	

7.6 Tests to characterise elastomers	36
7.6.1 General	36
7.6.2 Tests	36
7.6.3 Ozone resistance test	36
7.7 Electrical tests	
7.7.1 Corona and radio interference voltage (RIV) tests	
7.7.2 Electrical resistance test	
7.8 Verification of vibration behaviour of the bundle/spacer system	39
Annex A (normative) Minimum technical details to be agreed between purchaser and supplier	40
Annex B (informative) Compressive forces in the simulated short-circuit current test	
Annex C (informative) Characterisation of the elastic and damping properties Stiffness-Damping Method	
Annex D (informative) Verification of vibration behaviour of the bundle/spacer system	
D.1 General	44
D.2 Aeolian vibration	44
D.3 Subspan oscillation	45
Annex E (informative) Description of HT conductors as given in	40
CIGRE TB 695-2017 [7]	
iTeh STANDARD PREVIEW	47
Figure 1 – Test arrangements fordongitudinal slip tests hai.	16
Figure 2 – Test arrangement for torsional slip tests	19
Figure 3 – Test arrangement for the sprin <mark>g force test at room temperature</mark>	20
https://standards.iteh.ai/catalog/standards/sist/fb24216e-95ae-40e8-8443- Figure 4 – Test arrangement for permanent load test on conical washers	21
Figure 5 – Test arrangements for simulated short-circuit current tests	
Figure 6 – Test arrangements for compression and tension test	26
Figure 7 – Typical logaritmic decrement graph	30
Figure 8 – Sketch of longitudinal displacement test	
Figure 9 – Sketch of vertical displacement test	
Figure 10 – Sketch of conical displacement test	
Figure 11 – Sketch of transverse horizontal displacement test	
Figure 12 – Test arrangements for subspan oscillation tests	34
Figure 13 – Test arrangement for aeolian vibration test	36
Figure C.1 – Rotation of spacer arm around the centre of the hinge	
Figure C.2 – Vector representation of formula C.2	
Table 1 – Tests on spacers	12
Table 2 – Tests on elastomers	37

INTERNATIONAL ELECTROTECHNICAL COMMISSION

OVERHEAD LINES – REQUIREMENTS AND TESTS FOR SPACERS

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter
- 5) IEC itself does not provide any attestation of conformity. Ondependent certification bodies provide conformity assessment services tand tin some areas access to IEC markst of conformity techs not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61854 has been prepared by IEC technical committee 11: Overhead lines.

This second edition cancels and replaces the first edition published in 1998. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) Consider the application of spacers on high temperature conductors specifying additional high temperature tests in clamp slip tests and for the characterization of elastic and damping properties;
- b) Specify as far as possible test parameters and acceptance values;
- c) Avoid as far as possible the alternative procedures for the same test;
- d) Introduce a simpler test device for the simulated short circuit current test;
- e) Introduce test at low temperature on fastener components such as break away bolts and conical spring washers;

- f) Prescribe a different procedure for subspan oscillation tests on spacers equipped with clamps having rod attachments;
- g) Modify the test procedure for the aeolian vibration tests;
- h) Prescribe a different procedure for aeolian vibration tests on spacers equipped with clamps having rod attachments;
- i) Re-edit all the figures in order to make them more clear and homogeneous;
- j) Introduce an additional test device for the simulated short circuit current test.

The text of this standard is based on the following documents:

FDIS	Report on voting
11/265/FDIS	11/272/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

reconfirmed, iTeh STANDARD PREVIEW

• withdrawn, (standards.iteh.ai)

replaced by a revised edition, or

• amended. <u>IEC 61854:2020</u>

https://standards.iteh.ai/catalog/standards/sist/fb24216e-95a6-40e8-8443-85315db90046/iec-61854-2020

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

OVERHEAD LINES – REQUIREMENTS AND TESTS FOR SPACERS

1 Scope

This document applies to spacers for conductor bundles of overhead lines. It covers rigid spacers, flexible spacers and spacer dampers.

It does not apply to interphase spacers, hoop spacers and bonding spacers.

NOTE This document is written to cover the line design practices and spacers most commonly used at the time of writing. There may be other spacers available for which the specific tests reported in this document may not be applicable.

In some cases, test procedures and test values are left to agreement between purchaser and supplier and are stated in the procurement contract. The purchaser is best able to evaluate the intended service conditions, which should be the basis for establishing the test severity.

In Annex A, the minimum technical details to be agreed between purchaser and supplier are listed.

iTeh STANDARD PREVIEW

2 Normative references

(standards.iteh.ai)

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

85315db90046/iec-61854-2020

IEC 60050(466):1990, International Electrotechnical vocabulary (IEV) – Chapter 466: Overhead lines

IEC 60888:1987, Zinc-coated steel wires for stranded conductors

IEC 61284:1997, Overhead lines – Requirements and tests for fittings

ISO 34-1:2015, Rubber, vulcanized or thermoplastic – Determination of tear strength – Part 1: Trouser, angle and crescent test pieces

ISO 34-2:2015, Rubber, vulcanized or thermoplastic – Determination of tear strength – Part 2: Small (Delft) test pieces

ISO 37:2017, Rubber, vulcanized or thermoplastic – Determination of tensile stress-strain properties

ISO 188:2011, Rubber, vulcanized or thermoplastic – Accelerated ageing or heat resistance tests

ISO 812:2017, Rubber, vulcanized or thermoplastic – Determination of low-temperature brittleness

ISO 815-1:2014, Rubber, vulcanized or thermoplastic – Determination of compression set – Part 1: At ambient or elevated temperatures

ISO 815-2:2014, Rubber, vulcanized or thermoplastic – Determination of compression set – Part 2: At low temperatures

ISO 868:2003, Plastics and ebonite – Determination of indentation hardness by means of a durometer (Shore hardness)

ISO 1183-1: 2019, Plastics — Methods for determining the density of non-cellular plastics — Part 1: Immersion method, liquid pycnometer method and titration method

ISO 1431-1:2012, Rubber, vulcanized or thermoplastic – Resistance to ozone cracking – Part 1: Static and dynamic strain testing

ISO 1461:2009, Hot dip galvanized coatings on fabricated iron and steel articles – Specifications and test methods

ISO 1817:2015, Rubber, vulcanized or thermoplastic – Determination of the effect of liquids

ISO 2781:2018, Rubber, vulcanized or thermoplastic – Determination of density

ISO 2859-1:1999/AMD1: 2011, Sampling procedures for inspection by attributes – Part 1: Sampling schemes indexed by acceptable quality limit (AQL) for lot-by-lot inspection

ISO 2859-2:1985, Sampling procedures for inspection by attributes – Part 2: Sampling plans indexed by limiting quality level (LQ) for isolated lot inspection

ISO 2921:2011, Rubber, vulcanized – Determination of low-temperature retraction (TR test)

ISO 3951-1:2013, Sampling procedures for inspection by variables -- Part 1: Specification for single sampling plans indexed by acceptance quality limit (AQL) for lot-by-lot inspection for a single quality characteristic and a single AQL (1854-202)

ISO 3951-2:2013, Sampling procedures for inspection by variables -- Part 2: General specification for single sampling plans indexed by acceptance quality limit (AQL) for lot-by-lot inspection of independent quality characteristics

ISO 4649:2017, Rubber, vulcanized or thermoplastic – Determination of abrasion resistance using a rotating cylindrical drum device

ISO 4662:2017, Rubber, vulcanized or thermoplastic – Determination of rebound resilience

ISO 6502-2:2018, Rubber – Measurement of vulcanization characteristics using curemeters – Part 2: Oscillating disc curemeter

ISO 9001:2015, Quality management systems – Requirements

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60050-466 apply as well as the following.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at http://www.iso.org/obp

3.1

rigid spacer

spacer allowing no relative movement between the subconductors at the spacer location

3.2

flexible spacer

spacer allowing relative movements between the subconductors at the spacer location

3.3

spacer system

complex of spacers and the relevant in-span distribution

3.4

high temperature conductors

HTC

conductors which are designed to have a maximum continuous operating temperature over 95 $^{\circ}\mathrm{C}$

Note 1 to entry: HTCa: conductors using annealed wires; HTCna: conductors using non-annealed wires.

3 5

maximum continuous operating temperature

conductor temperature specified by the manufacturer and measured at the outer wire layers

4 General requirements STANDARD PREVIEW (standards.iteh.ai)

4.1 Design

The spacer shall be designed as to: IEC 61854:2020

https://standards.iteh.ai/catalog/standards/sist/fb24216e-95a6-40e8-8443-

- maintain subconductor spacing (at spacer locations). Within any prescribed limits, under all conditions of service excluding short-circuit currents;
- prevent, in subspans between spacers, physical contact between subconductors, except during the passage of short circuit currents when the possibility of contact is accepted provided that the specified spacing is restored immediately following fault clearance;
- withstand mechanical loads imposed on the spacer during installation, maintenance and service (including short circuit conditions) without any component failure or unacceptable permanent deformation;
- avoid damage to the subconductor under specified service conditions;
- be free from unacceptable levels of corona and radio interference under specified service conditions;
- be suitable for safe and easy installation. For the bolted and latching clamp the design shall retain all parts when opened for attachment to the conductor;
- ensure that individual components will not become loose in service;
- be capable of being removed and re-installed on the subconductors without damage to the spacer or subconductors;
- maintain its function over the entire service temperature range;
- avoid audible noise.

Other desirable characteristics, which are not essential to the basic functions of the spacer but which may be advantageous to the purchaser, include:

- verification of proper installation from the ground,
- · ease of installation and removal from energized lines

Detailed information on design, best practice and experience of spacers and spacer dampers is given in [6]¹.

4.2 Materials

4.2.1 General

Spacers shall be made of any materials suitable for their purpose. Unless additional requirements are stated, the material shall conform to the requirements of IEC 61284.

4.2.2 Non-metallic materials

In addition to the requirements of IEC 61284, the conductivity of the various non-metallic components shall be such that when properly installed

- potential differences between metallic components do not cause damage due to discharge;
- line current including short circuit current and any current flow through the spacer do not degrade spacer components

4.3 Mass, dimensions and tolerances

Spacer mass and significant dimensions, including appropriate tolerances, shall be shown on contract drawings.

Tolerances applied to the mass and to the dimensions should ensure that the spacers meet their specified mechanical and electrical requirements.

4.4 Protection against corresion adards.iteh.ai)

In addition to the applicable requirements of JEC₄61284, stranded steel wires, if used, shall be protected against corrosion in accordance with JEC 60888 $_{16e-95a6-40e8-8443-}$

85315db90046/jec-61854-2020

4.5 Manufacturing appearance and finish

The spacers shall be free of defects and irregularities; all outside surfaces shall be smooth and all edges and corners well-rounded.

4.6 Marking

The fitting marking requirements of IEC 61284 shall be applied to all clamp assemblies including those using breakaway bolts.

Correct position of the top of the spacer (for example arrows pointing upward), if necessary, shall also be provided.

4.7 Installation instructions

The supplier shall provide a clear and complete description of the installation procedure and, if required, the in-span location of the spacers.

The supplier shall make available any special installation tool that is required.

4.8 Specimen

All tests described in this document are based on bolted clamps and clamps with helical fixation. If other types of clamps are tested, the clamps should be installed according the suppliers installation instruction.

Numbers in square brackets refer to the Bibliography.

Quality assurance

A quality assurance programme taking into account the requirements of this document can be used by agreement between the purchaser and the supplier to verify the quality of the spacers during the manufacturing process.

Detailed information on the use of quality assurance is given in a system as per ISO 9001 or similar.

It is recommended that test and measuring equipment used to verify compliance to this document is routinely maintained and calibrated in accordance with a relevant quality standard.

Classification of tests

6.1 Type tests

6.1.1 General

Type tests are intended to establish design characteristics. They are normally made once and repeated only when the design or the material of the spacer is changed. The results of type tests are recorded as evidence of compliance with design requirements.

Application iTeh STANDARD PREVIEW 6.1.2

Spacers shall be subjected to type tests as per Table 1. Each type test shall be performed on three samples which are identical, in all essential respects, with the spacers to be supplied under contract to the purchaser. All units shall pass the tests.

https://standards.iteh.ai/catalog/standards/sist/fb24216e-95a6-40e8-8443-The spacers used for tests during which no damage occurs to the units or their components may be used in subsequent tests.

NOTE The unit subjected to type tests can be either a complete spacer or a component of the spacer as appropriate to the test.

6.2 Sample tests

6.2.1 General

Sample tests are required to verify that the spacers meet the performance specifications of the type test samples. In addition, they are intended to verify the quality of materials and workmanship.

6.2.2 **Application**

Spacers shall be subjected to sample tests as per Table 1. The samples to be tested shall be selected at random from the lot offered for acceptance. The purchaser has the right to make the selection.

The spacers used for tests during which no damage occurs to the units or their components may be used in subsequent tests.

The unit subjected to sample tests can be either a complete spacer or a component of the spacer as appropriate to the test.

6.2.3 Sampling and acceptance criteria

The sampling plan procedures according to ISO 2859-1 and ISO 2859-2 (inspection by attributes) and ISO 3951 (inspection by variables) and the detailed procedures (inspection level, AQL, single, double or multiple sampling, etc.) shall be agreed between purchaser and supplier for each different attribute or variable.

Sampling inspection by variables is an acceptance sampling procedure to be used in place of inspection by attributes when it is more appropriate to measure on some continuous scale the characteristic(s) under consideration. In the case of failure load tests and similar expensive tests, better discrimination between acceptable quality and objective quality is available with acceptance sampling by variables than by attributes for the same sample size.

The purpose of the sampling process may also be important in the choice between a variables or attributes plan. For example, a customer may choose to use an attributes acceptance sampling plan to assure that parts in a shipment lot are within a required dimensional tolerance; the manufacturer may make measurements under a variables sampling plan of the same dimensions because of concern with gradual trends or changes which may affect the ability to provide shipment lots which meet the AQL.

6.3 Routine tests

6.3.1 General

Routine tests are intended to prove conformance of spacers to specific requirements and are made on every spacer. The tests shall not damage the spacers.

6.3.2 Application and acceptance criteria

Whole lots of spacers may be subjected to routine tests. Any spacer which does not conform to the requirements shall be a discarded talog/standards/sist/fb24216e-95a6-40e8-8443-

85315db90046/iec-61854-2020

6.4 Table of tests to be applied

Table 1 indicates the tests which shall be performed. These are marked with an "X" in the table.

However, the purchaser may specify additional tests which are included in the table and marked with an "O".

Units or components damaged during the tests shall be excluded from the delivery to the customer.

Table 1 – Tests on spacers

			Spacer damper	ıper		Flexible spacer	acer		Rigid spacer	ser
Clause	Test TAND	Type test	Sample Test	Routine test	Type test	Sample test	Routine test	Type test	Sample test	Routine test
7.1	Visual examination	×	×	0	×	×	0	×	×	0
7.2	Verification of dimensions, material and Camas	IFAS	itekai)	0	×	×	0	×	×	0
7.3	Corrosion protection tests	(X 1)	(1 X 1)		× 1)	X 1)		(X	X 1)	
7.4	Non-destructive tests	randards/s	st/fb24916e-95	a6-40e8-8443-	0	0	0	0	0	0
7.5	Mechanical tests 85315db90	046/ie	$\overline{}$							
7.5.1	 clamp slip tests 	×	0		×	0		×	0	
7.5.2	 tests on bolt sets 	×	×		×	×		×	×	
7.5.3	 simulated short-circuit current test and compression and tension tests 	×	0		×	0		×	0	
7.5.4	 characterisation of the elastic and damping properties 	×	0		0	0				
7.5.5	 flexibility tests 	×	0		×	0				
7.5.6	 fatigue tests 	×			0					
9.7	Tests to characterise elastomers	×	0		× ()	0 1)				
7.7	Electrical tests									
7.7.1	 corona and radio interference voltage (RIV) tests 	×			×			×		
7.7.2	 electrical resistance test 	×	0		×	0 1)		0 1)		
7.8	Verification of vibration behaviour of the bundle/spacer system									
D.2	 aeolian vibration 	0			0 2)					
D.3	 subspan oscillation 	0			0					
1) If ann	If annicable									

¹⁾ If applicable.

 $^{2)}\,\,$ When used in conjunction with vibration dampers.

The supplier should state in the tender quality plan, or other tender documentation, which testing is already complete (i.e. which type test) and which tests (sample or routine) are included in the tender, subject to the approval or change required by the purchaser.

7 Test methods

7.1 Visual examination

Type tests shall include visual examination to ascertain conformity of the spacers, in all essential respects, with the manufacturing or contract drawings. Deviations from the drawings shall be subject to the approval of the purchaser and shall be appropriately documented as an agreed concession.

Sample tests and, if required, routine tests shall include visual examination to ensure conformity of manufacturing process, shape, coating and surface finish of the spacer with the contract drawings. Particular attention shall be given to the markings required and to the finish of surfaces which come into contact with the conductor.

The sample test procedures and acceptance criteria shall be agreed between purchaser and supplier.

For spacers subject to corona type tests, the sample test shall include a comparison of shape and surface finish with one of the corona type test samples when specified or agreed by the purchaser.

7.2 Verification of dimensions, materials and mass

Type, sample and, if required, routine tests shall include verification of dimensions to ensure that spacers are within the dimensional tolerances stated on contract drawings. The purchaser may choose to witness the measurement of selected dimensions or may inspect the supplier's documentation when this is available.

IEC 61854:2020

Type, sample and https://equired.it.coutine_tests|shall_valse_include_verification of materials to ensure that they are in accordance with contract drawings and documents. This verification shall normally be carried out by the purchaser inspecting the supplier's documentation relating to material specifications, certificates of conformity or other quality documentation.

The total mass of the spacer complete with all its components shall comply with the mass shown on the contract drawing (within given tolerances).

7.3 Corrosion protection test

7.3.1 Hot dip galvanized components (other than stranded galvanized steel wires)

Hot dip galvanized components other than stranded galvanized steel wires shall be tested in accordance with the requirements specified in: ISO 1461.

The coating thicknesses shall conform to Tables 3 and 4 unless otherwise agreed between purchaser and supplier. However, for the purpose of this document, Tables 3 and 4 of ISO 1461:2009 shall apply to the following categories of items (and not to the categories specified in ISO 1461).

Table 3 of ISO 1461:2009: coating thickness on all samples except:

- washers;
- threaded components;
- small parts which are centrifuged (significant surface area < 1 000 mm²).