

# INTERNATIONAL STANDARD

# ISO/IEC 10164-6

First edition  
1993-06-15

**AMENDMENT 1**  
1996-05-15

---

---

## Information technology — Open Systems Interconnection — Systems Management: Log control function

**iTeh STANDARD PREVIEW**  
AMENDMENT 1: Implementation conformance  
statement proformas  
(standards.iteh.ai)

ISO/IEC 10164-6:1993/Amd 1:1996  
<https://standards.iteh.ai/catalog/standards/sist/d6e4-193e-4b83-af6a-0c5069528e4e/iso-iec-10164-6-1993-amd-1-1996>  
Technologies de l'information — Interconnexion de systèmes ouverts  
(OSI) — Gestion-systèmes: Fonction de contrôle de journal

AMENDEMENT 1: Proformes ICS



Reference number  
ISO/IEC 10164-6:1993/Amd.1:1996(E)

## Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Amendment 1 to International Standard ISO/IEC 10164-6 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 21, *Open systems interconnection, data management and open distributed processing*, in collaboration with ITU-T. The identical text is published as ITU-T Rec. X.735/Amd.1.

[ISO/IEC 10164-6:1993/Amd 1:1996](https://standards.iteh.ai/catalog/standards/sist/dc0ecf64-193b-4b85-af6c-0c5069528e4e/iso-iec-10164-6-1993-amd-1-1996)

<https://standards.iteh.ai/catalog/standards/sist/dc0ecf64-193b-4b85-af6c-0c5069528e4e/iso-iec-10164-6-1993-amd-1-1996>

© ISO/IEC 1996

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

ISO/IEC Copyright Office • Case Postale 56 • CH-1211 Genève 20 • Switzerland

Printed in Switzerland

## Introduction

This amendment includes tables, which document the mandatory and optional management information specific to the Log Control Management Function. This amendment will be used by Profile specifiers, for example those developing International Standardizes Profiles (ISPs), to specify an explicit subset of capability, which will afford interoperability between implementations. The tables also include a column for equipment vendors to state the capability of their products in terms of the Profiles or base specification. The table structures comply with the Guidelines for Implementation Conformance Statement Proformas specified in ITU-T Recommendation X.724 | ISO/IEC 10165-6.

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[ISO/IEC 10164-6:1993/Amd 1:1996](https://standards.iteh.ai/catalog/standards/sist/dc0ecf64-193b-4b85-af6c-0c5069528e4e/iso-iec-10164-6-1993-amd-1-1996)

<https://standards.iteh.ai/catalog/standards/sist/dc0ecf64-193b-4b85-af6c-0c5069528e4e/iso-iec-10164-6-1993-amd-1-1996>

**iTeh STANDARD PREVIEW**  
This page intentionally left blank  
**(standards.iteh.ai)**

ISO/IEC 10164-6:1993/Amd 1:1996

<https://standards.iteh.ai/catalog/standards/sist/dc0ecf64-193b-4b85-af6c-0c5069528e4e/iso-iec-10164-6-1993-amd-1-1996>

## INTERNATIONAL STANDARD

## ITU-T RECOMMENDATION

INFORMATION TECHNOLOGY – OPEN SYSTEMS INTERCONNECTION –  
SYSTEMS MANAGEMENT: LOG CONTROL FUNCTIONAMENDMENT 1  
(to ITU-T Rec. X.735 | ISO/IEC 10164-6)

## Implementation conformance statement proformas

- 1) *Add the following footnote to the first list item in 2.1:*  
 “<sup>1)</sup> As amended by ITU-T Rec. X.701/Cor.2 | ISO/IEC 10040/Cor.2”
- 2) *Add the following reference to 2.1:*  
 “– ITU-T Recommendation X.724 (1993) | ISO/IEC 10165-6:1994, *Information technology – Open Systems Interconnection – Structure of management information: Requirements and guidelines for implementation conformance statement proformas associated with OSI management.*”
- 3) *Add the following references to 2.2:*  
 “– CCITT Recommendation X.291 (1992), *OSI conformance testing methodology and framework for protocol Recommendations for CCITT applications – Abstract test suite specification.*  
 ISO/IEC 9646-2:1991, *Information technology – Open Systems Interconnection – Conformance testing methodology and framework – Part 2: Abstract test suite specification.*  
 – ITU-T Recommendation X.296<sup>2)</sup>, *OSI conformance testing methodology and framework for protocol Recommendations for ITU-T applications – Implementation conformance statements.*  
 ISO/IEC 9646-7:1995, *Information technology – Open Systems Interconnection – Conformance testing methodology and framework – Part 7: Implementation Conformance Statements.*  
 And then add the following footnote: [ISO/IEC 10164-6:1993/Amd 1:1996](https://standards.iteh.ai/catalog/standards/sist/dc0ecf64-193b-4b85-af6c-0c5069528e4e/iso-iec-10164-6-1993-amd-1-1996)  
<sup>2)</sup> Presently at the stage of draft. <https://standards.iteh.ai/catalog/standards/sist/dc0ecf64-193b-4b85-af6c-0c5069528e4e/iso-iec-10164-6-1993-amd-1-1996>
- 4) *Apply the following changes to 3.4:*  
 Replace “dependent conformance” with “managed object conformance statement (MOCS)”.  
 Replace “general conformance” with “management information conformance statement (MICS)”.  
 Relabel items f) through i) as h) through k) and insert the following new items:  
 “f) MICS proforma;  
 g) MOCS proforma;”
- 5) *Apply the following change to 3.7:*  
 Replace “system conformance statement” with the following:  
 “a) PICS proforma;  
 b) protocol implementation conformance statement;  
 c) system conformance statement.”
- 6) *Renumber 3.8 as 3.9 and insert the following new subclause:*

**“3.8 Implementation conformance statement proforma definitions**

This Recommendation | International Standard makes use of the following terms defined in ITU-T Rec. X.724 | ISO/IEC 10165-6:

- a) Managed Relationship Conformance Statement (MRCS);
- b) Management Conformance Summary (MCS);
- c) MCS proforma;
- d) MRCS proforma.”

- 7) *Add the following abbreviations to clause 4:*
- “ICS Implementation Conformance Statement
  - MCS Management Conformance Summary
  - MICS Management Information Conformance Statement
  - MOCS Managed Object Conformance Statement
  - MRCS Managed Relationship Conformance Statement
  - PICS Protocol Implementation Conformance Statement”
- 8) *Replace clause 13 with the following:*

## “13 Conformance

Implementations claiming to conform to this Recommendation | International Standard shall comply with the conformance requirements as defined in the following subclauses.

### 13.1 Static conformance

The implementation shall conform to the requirements of this Recommendation | International Standard in the manager role, the agent role, or both roles. A claim of conformance to at least one role shall be made in Table A.1.

If a claim of conformance is made for support in the manager role, the implementation shall support at least one management operation or notification of the log managed object or at least one management operation of a subclass of the log record managed object specified by this Recommendation | International Standard. The conformance requirements in the manager role for those management operations and notifications are identified in Table A.3 and further tables referenced by Annex A.

If a claim of conformance is made for support in the agent role, the implementation shall support one or more instances of the log managed object class identified in Table A.4. In the agent role, conformance may also be claimed to subclasses of the log record object class.

The implementation shall support the transfer syntax derived from the encoding rules specified in CCITT Rec. X.209 | ISO/IEC 8825 named `{joint-iso-ccitt asn1(1) basicEncoding(1)}` for the abstract data types referenced by the definitions for which support is claimed.

NOTE – Prior to the publication of this amendment, this Recommendation | International Standard identified general and dependent conformance classes. A claim of conformance similar to general conformance class can be made by stating support in the manager role, the agent role, or both roles, for the log control functional unit in Table A.2. A claim of conformance similar to dependent conformance class can be made by stating support for at least one of the items in Tables A.3 or A.4.

### 13.2 Dynamic conformance

Implementations claiming to conform to this Recommendation | International Standard shall support the elements of procedure and definitions of semantics corresponding to the definitions for which support is claimed.

### 13.3 Management implementation conformance statement requirements

Any MCS proforma, MICS proforma, MOCS proforma, and MRCS proforma which conforms to this Recommendation | International Standard shall be technically identical to the proformas specified in Annexes A, B, C and D preserving table numbering and the index numbers of items, and differing only in pagination and page headers.

The supplier of an implementation which is claimed to conform to this Recommendation | International Standard shall complete a copy of the Management Conformance Summary (MCS) provided in Annex A as part of the conformance requirements together with any other ICS proformas referenced as applicable from that MCS. An ICS which conforms to this Recommendation | International Standard shall:

- describe an implementation which conforms to this Recommendation | International Standard;
- have been completed in accordance with the instructions for completion given in ITU-T Rec. X.724 | ISO/IEC 10165-6;
- include the information necessary to uniquely identify both the supplier and the implementation.”

- 9) Relabel Annexes A and B as E and F respectively, and insert the following annexes:

## Annex A

### MCS proforma<sup>3)</sup>

(This annex forms an integral part of this Recommendation | International Standard)

#### A.1 Introduction

##### A.1.1 Purpose and structure

The Management Conformance Summary (MCS) is a statement by a supplier that identifies an implementation and provides information on whether the implementation claims conformance to any of the listed set of documents that specify conformance requirements to OSI management.

The MCS proforma is a document in the form of a questionnaire that when completed by the supplier of an implementation becomes the MCS.

##### A.1.2 Instructions for completing the MCS proforma to produce a MCS

The supplier of the implementation shall enter an explicit statement in each of the boxes provided. Specific instruction is provided in the text which precedes each table.

##### A.1.3 Symbols, abbreviations and terms

For all annexes of this Recommendation | International Standard, the following common notations, defined in CCITT Rec. X.291 | ISO/IEC 9646-2 and ITU-T Rec. X.296 | ISO/IEC 9646-7, are used for the Status column:

|   |                                 |
|---|---------------------------------|
| m | Mandatory;                      |
| o | Optional;                       |
| c | Conditional;                    |
| x | Prohibited;                     |
| – | Not applicable or out of scope. |

#### NOTES

1 'c', 'm', and 'o' are prefixed by "c:" when nested under a conditional or optional item of the same table;

2 'o' may be suffixed by ".N" (where N is a unique number) for selectable options among a set of status values. Support of at least one of the choices (from the items with the same value of N) is required.

For all annexes of this Recommendation | International Standard, the following common notations, defined in CCITT Rec. X.291 | ISO/IEC 9646-2 and ITU-T Rec. X.296 | ISO/IEC 9646-7, are used for the Support column:

|    |  |
|----|--|
| Y  | Implemented;   |
| N  | Not implemented;   |
| –  | No answer required;  |
| Ig | The item is ignored (i.e. processed syntactically but not semantically). |

##### A.1.4 Table format

Some of the tables in this Recommendation | International Standard have been split because the information is too wide to fit on the page. Where this occurs, the index number of the first block of columns are the index numbers of the corresponding rows of the remaining blocks of columns. A complete table reconstructed from the constituent parts should have the following layout:

|       |                        |                         |      |
|-------|------------------------|-------------------------|------|
| Index | First block of columns | Second block of columns | Etc. |
|-------|------------------------|-------------------------|------|

<sup>3)</sup> Users of this Recommendation | International Standard may freely reproduce the MCS proforma in this annex so that it can be used for its intended purpose, and may further publish the completed MCS. Instructions for the MCS proforma are specified in ITU-T Rec. X.724 | ISO/IEC 10165-6.

In this Recommendation | International Standard the constituent parts of the table appear consecutively, starting with the first block of columns.

When a table with sub-rows is too wide to fit on a page, the continuation table(s) have been constructed with index numbers identical to the index numbers in the corresponding rows of the first table, and with sub-index numbers corresponding to the sub-rows within each indexed row. For example, if Table X.1 has 2 rows and the continuation of Table X.1 has 2 sub-rows for each row, the tables are presented as follows:

**Table X.1 – Title**

| Index | A | B | C | D | Support |   | G |
|-------|---|---|---|---|---------|---|---|
|       |   |   |   |   | E       | F |   |
| 1     | a | b | – |   |         |   |   |
| 2     | a | b | – |   |         |   |   |

**Table X.1 (concluded) – Title**

| Index | Sub-index | H | I | J | K | L |
|-------|-----------|---|---|---|---|---|
| 1     | 1.1       | h | i | j |   |   |
|       | 1.2       | h | i | j |   |   |
| 2     | 2.1       | h | i | j |   |   |
|       | 2.2       | h | i | j |   |   |

iTech STANDARD PREVIEW  
(standards.iteh.ai)

A complete table reconstructed from the constituent parts should have the following layout:

<https://standards.iteh.ai/catalog/standards/sist/dc0ecf64-193b-4b85-af6c-0c5069528e4e/iso-iec-10164-6-1993-amd-1-1996>

| Index | A | B | C | D | Support |   | G | Sub-index | H | I | J | K | L |
|-------|---|---|---|---|---------|---|---|-----------|---|---|---|---|---|
|       |   |   |   |   | E       | F |   |           |   |   |   |   |   |
| 1     | a | b | – |   |         |   |   | 1.1       | h | i | j |   |   |
|       |   |   |   |   |         |   |   | 1.2       | h | i | j |   |   |
| 2     | a | b | – |   |         |   |   | 2.1       | h | i | j |   |   |
|       |   |   |   |   |         |   |   | 2.2       | h | i | j |   |   |

References made to cells within tables shall be interpreted as references within reconstructed tables. In the example above, the reference X.1/1d corresponds to the blank cell in column G for row with Index 1, and X.1/1.2b corresponds to the blank cell in column L for row with Sub-index 1.2.

**A.2 Identification of the implementation**

**A.2.1 Date of statement**

The supplier of the implementation shall enter the date of this statement in the box below. Use the format DD-MM-YYYY.

|                   |
|-------------------|
| Date of statement |
|-------------------|



**A.2.2 Identification of the implementation**

The supplier of the implementation shall enter information necessary to uniquely identify the implementation and the system(s) in which it may reside, in the box below.

**A.2.3 Contact**

The supplier of the implementation shall provide information on whom to contact if there are any queries concerning the contents of the MCS or any referenced implementation conformance statement, in the box below.

**iTeh STANDARD PREVIEW**  
(standards.iteh.ai)

**A.3 Identification of the Recommendations | International Standards in which the management information is defined**

The supplier of the implementation shall enter the title, reference number and date of the publication of the Recommendations | International Standards which specify the management information to which conformance is claimed, in the box below.

ISO/IEC 10164-6:1993/Amd.1:1996  
<https://standards.iteh.ai/catalog/standards/sist/dc0ec164-193b-4b85-af6c-0c5069528e4e/iso-iec-10164-6-1993-amd-1-1996>

Recommendations | International Standards to which conformance is claimed

**A.3.1 Technical corrigenda implemented**

The supplier of the implementation shall enter the reference numbers of implemented technical corrigenda which modify the identified Recommendations | International Standards, in the box below.

**A.3.2 Amendments implemented**

The supplier of the implementation shall state the titles and reference numbers of implemented amendments to the identified Recommendations | International Standards, in the box below.

**A.4 Management conformance summary**

The supplier of the implementation shall state the capabilities and features supported and provide a summary of conformance claims to Recommendations | International Standards using the tables in this annex.

The supplier of the implementation shall specify the roles that are supported, in Table A.1.

**Table A.1 – Roles**

| Index | Roles supported      | Status | Support | Additional information |
|-------|----------------------|--------|---------|------------------------|
| 1     | Manager role support | o.1    |         |                        |
| 2     | Agent role support   | o.1    |         |                        |

The supplier of the implementation shall specify support for the systems management functional units, in Table A.2.

**Table A.2 – Systems management functional units**

| Index  | Systems management functional unit name | Manager |         | Agent  |         | Additional information |
|--|---|---------|---------|--------|---------|------------------------|
|  |   | Status  | Support | Status | Support |                        |
| 1  | log control functional unit             | c1      |         | c2     |         |                        |
| 2  | monitor log functional unit             | c1      |         | c2     |         |                        |
| c1: if A.1/1a then o else –.<br>c2: if A.1/2a then o else –. |   |         |         |        |         |                        |

<https://standards.iteh.ai/catalog/standards/sist/dc0ecf64-193b-4b85-af6c-0c5069528e4e/iso-iec-10164-6-1993-amd-1-1996>

The supplier of the implementation shall specify support for management information in the manager role, in Table A.3.

**Table A.3 – Manager role minimum conformance requirement**

| Index  | Item  | Status | Support | Additional information |
|--|---|--------|---------|------------------------|
| 1  | Operations on managed objects                               | c3     |         |                        |
| 2  | State change notification for log managed objects           | c4     |         |                        |
| 3  | Object creation notification for log managed objects        | c4     |         |                        |
| 4  | Object deletion notification for log managed objects        | c4     |         |                        |
| 5  | Attribute value change notification for log managed objects | c4     |         |                        |
| 6  | Processing error alarm notification for log managed objects | c4     |         |                        |
| c3: if A.2/1a or A.2/2a then m else (if A.1/1a then o.2 else –).<br>c4: if A.2/1a then m else (if A.2/2a then o.2 else (if A.1/1a then o.2 else –)).<br>NOTE – Manager role minimum conformance requires support for at least one of the items identified in this table. Support for either of the functional units identified in Table A.2 mandates support for some of those items. Conditions c3 and c4 express both of these requirements. |   |        |         |                        |

The supplier of the implementation shall specify support for management information in the agent role, in Table A.4. If additional subclasses of log records are supported, the supplier of the implementation shall list the classes in the Additional information column.

**Table A.4 – Agent role minimum conformance requirement**

| Index   | Item   | Status | Support | Additional information |
|---|--|--------|---------|------------------------|
| 1   | Log managed object class   | c5     |         |                        |
| 2   | Sub-classes of log records associated with notifications emitted by the log managed object | c6     |         |                        |
| 3   | Additional sub-classes of log records  | c7     |         |                        |
| c5: if A.1/2a then m else –.<br>c6: if A.1/2a and A.5/1a then m else –.<br>c7: if A.1/2a then o else –.<br>NOTE – Condition c6 makes it mandatory, if logging is supported, to support the event log records associated with the notifications supported. |  |        |         |                        |

**Table A.5 – Logging of event records**

| Index                        |   | Status | Support | Additional information |
|------------------------------|---|--------|---------|------------------------|
| 1                            | Does the implementation support logging of event records in agent role? | c8     |         |                        |
| c8: if A.1/2a then o else –. |   |        |         |                        |

iTech STANDARD PREVIEW  
(standards.iteh.ai)

<https://standards.iteh.ai/catalog/standards/sist/dc0ecf64-193b-4b85-af6c-3200b2064106/iso-10164-6-1993-amd-1-1996>

<https://standards.iteh.ai/catalog/standards/sist/dc0ecf64-193b-4b85-af6c-3200b2064106/iso-10164-6-1993-amd-1-1996>

The supplier of the implementation shall provide information on claims of conformance to any of the Recommendations | International Standards summarized in Tables A.6 to A.9. For each Recommendation | International Standard that the supplier of the implementation claims conformance to, the corresponding conformance statement(s) shall be completed, or referenced by, the MCS. The supplier of the implementation shall complete the Support, Table numbers and Additional information columns.

In Tables A.6 to A.9, the Status column is used to indicate whether the supplier of the implementation is required to complete the referenced tables or referenced items. Conformance requirements are as specified in the referenced tables or referenced items and are not changed by the value of the MCS Status column. Similarly, the Support column is used by the supplier of the implementation to indicate completion of the referenced tables or referenced items.

**Table A.6 – PICS support summary**

| Index | Identification of the document that includes the PICS proforma | Table numbers of PICS proforma | Description            | Constraints and values | Status | Support | Table numbers of PICS | Additional information |
|-------|--|--------------------------------|------------------------|------------------------|--------|---------|-----------------------|------------------------|
| 1     | CCITT Rec. X.730   ISO/IEC 10164-1                             | Annex E all tables             | SM application context | OBJECT IDENTIFIER      | m      |         |                       |                        |

NOTE – Conformance to the MAPDUs defined in this Recommendation | International Standard can be claimed by completing the corresponding tables in the MICS and MOCS annexes of the referenced Recommendations | International Standards.