

SLOVENSKI STANDARD SIST EN 61988-2-4:2012

01-januar-2012

Plošče s plazemskim prikazovalnikom - 2-4. del: Merilne metode - Vizualna kakovost: slikovni artefakti

Plasma display panels - Part 2-4: Measuring methods - Visual quality: Image artifacts

Plasmabildschirme - Teil 2-4: Messverfahren - Visuelle Qualität: Bild-Artefakte

Panneaux d'affichage à plasma - Partie 2-4: Méthodes de mesure - Qualité visuelle: Artéfacts d'image (standards.iteh.ai)

Ta slovenski standard je istoveten z: Https://standards.tien.avcatalog/standards/sist/c1812816-e034-4adb-a6fe-143b503d9f91/sist-en-61988-2-4-2012

ICS:

31.120 Elektronske prikazovalne naprave

SIST EN 61988-2-4:2012

en

Electronic display devices

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 61988-2-4:2012

EUROPEAN STANDARD NORME FUROPÉENNE **EUROPÄISCHE NORM**

EN 61988-2-4

October 2011

ICS 31.260

English version

Plasma display panels -Part 2-4: Measuring methods -Visual quality: Image artifacts (IEC 61988-2-4:2011)

Panneaux d'affichage à plasma -Partie 2-4: Méthodes de mesure -Qualité visuelle: Artéfacts d'image (CEI 61988-2-4:2011)

Plasmabildschirme -Teil 2-4: Messverfahren -Visuelle Qualität: Bild-Artefakte (IEC 61988-2-4:2011)

iTeh STANDARD PREVIEW

This European Standard was approved by CENELEC on 2011-09-29. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration 2-4:2012

https://standards.iteh.ai/catalog/standards/sist/c1812816-e054-4adb-a6fe Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

© 2011 CENELEC -All rights of exploitation in any form and by any means reserved worldwide for CENELEC members.

Foreword

The text of document 110/260/CDV, future edition 1 of IEC 61988-2-4, prepared by IEC TC 110, "Flat panel display devices", was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61988-2-4:2011.

The following dates are fixed:

document have to be withdrawn

•	latest date by which the document has to be implemented at national level by publication of an identical national	(dop)	2012-06-29
•	standard or by endorsement latest date by which the national standards conflicting with the	(dow)	2014-09-29

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 61988-2-4:2011 was approved by CENELEC as a European Standard without any modification STANDARD PREVIEW

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 61747-6:2004 NOTE Harmonized as EN 61747-6:2004 (not modified). <u>SIST EN 61988-2-4:2012</u> IEC 61747-6-3:2011s://sNOTE d Harmonized as EN 61747-6-3:2011 (not modified) adb-a6fe-

143b503d9f91/sist-en-61988-2-4-2012

Annex ZA

- 3 -

(normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

Publication	Year	Title	<u>EN/HD</u>	Year
IEC 60068-1 + corr. October	1988 1988	Environmental testing - Part 1: General and guidance	EN 60068-1 ¹⁾	1994
IEC 60107-1	1997	Methods of measurement on receivers for television broadcast transmissions - Part 1: General considerations - Measurements at radio and video frequencies	EN 60107-1 s	1997
IEC 61988-1	2003	Plasma display panels - Part 1: Terminology and letter symbols	EN 61988-1 ²⁾	2003
IEC 61988-2-1	2002	Plasma display panels - Part 2-1: Measuring methods - Optical	EN 61988-2-1	2002
IEC 61988-2-2	2003	Plasma display panels - Part 2-2: Measuring methods - Optoelectrical	EN 61988-2-2	2003
CIE 15	2004	Colorimetry	-	-
		SIST EN 61988-2-4:2012		
https://standards.iteh.ai/catalog/standards/sist/c1812816-e054-4adb-a6fe-				

143b503d9f91/sist-en-61988-2-4-2012

 $^{^{1)}}$ EN 60068-1 includes A1 to IEC 60068-1 + corr. October .

 $^{^{\}rm 2)}$ EN 61988-1 is superseded by EN 61988-1:2011, which is based on IEC 61988-1:2011.

iTeh STANDARD PREVIEW (standards.iteh.ai)





Edition 1.0 2011-08

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Plasma display panelsh STANDARD PREVIEW Part 2-4: Measuring methods – Visual quality: Image artifacts

Panneaux d'affichage à plasma<u>ISTEN 61988-2-4:2012</u> Partie 2-4: Méthodes de mesure de Qualité visuelle: Artéfacts d'image 143b503d9f91/sist-en-61988-2-4-2012

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

PRICE CODE CODE PRIX



ICS 31.260

ISBN 978-2-88912-660-6

CONTENTS

FOI	FOREWORD4					
1	Scope6					
2	Normative references					
3	Terms and definitions6					
4	Structure of measuring equipment7					
5	Stand	dard me	asuring conditions	8		
	5.1	Genera	al	8		
	5.2	Adjustr	nent of PDP modules	8		
6	Meas	suring m	ethods	8		
	6.1	Viewing	g angle	8		
		6.1.1	Purpose			
		6.1.2	Equipment			
		6.1.3	Measuring equipment setup			
		6.1.4	Measuring method of half luminance viewing angle			
		6.1.5	Measuring method of half contrast viewing angle			
		6.1.6 6.1.7	Measuring method of 10:1 Contrast ratio viewing angle Measuring method of colour viewing angle			
	6.2					
	0.2	6.2.1	streakingch STANDARD PREVIEW	13		
		6.2.2	Equipment (standards.iteh.ai)	13		
		6.2.3	Measuring method of image streaking			
	6.3	Flicker	SIST EN 61988-2-4:2012	17		
		6.3.1	Purpose Itabioades.iteh.ai/catalog/standards/sist/c1812816-e054-4adb-a6fe- 143b503d9f91/sist-en-61988-2-4-2012 Equipment	17		
		6.3.2				
		6.3.3	Measuring method of flicker			
	6.4		picture resolution			
		6.4.1	General			
		6.4.2 6.4.3	Subjective measuring method of Moving Picture Resolution Objective measuring method of moving picture resolution			
Δnr			ative) Simulation method of moving picture resolution			
		•	,			
			ative) Technical description on moving picture resolution			
ыр	liogra	pny		35		
Fig	uro 1	Μορει	uring equipment setup and example of measuring results for			
			ertical viewing angles	9		
Fig	ure 2 ·	– Low A	PL image streaking patterns and measuring points	.15		
Figure 3 – High APL image streaking patterns and measuring points						
-		-	uring systems and its arrangement			
-			r sensitivity curve			
-	Figure 6 – Measured luminance frequency spectrum					
-	Figure 7 – Image pattern for the evaluation of resolution					
-	Figure 7 – Image pattern for the evaluation of resolution					
-			ple of captured image			
-	Figure 9 – Example of Captured Image					
-						
rigi	Figure 11 – Example of limit resolution evaluation26					

Figure A.1 – The simulation principle of motion artifacts for a 5-bit binary subfield	
arrangement	28
Figure A.2 – Set-up to measure the temporal step response	29
Figure A.3 – Simulation of modulation transfer function (MTF) at the different special frequencies	31
Figure B.1 – Example of sub-sampling	33
Figure B.2 – Effect of the sub-sampling method and 0,5 ppf motion in the resolution	34
Table 1 – Example of half luminance viewing angle	10
Table 2 – Example of half contrast viewing angle	11
Table 3 – Example of 10:1 contrast ratio viewing angle	12
Table 4 – Example of colour viewing angle	13
Table 5 – Example of image streaking ratio report	17
Table 6 – Flicker level report table	19
Table 7 – Comparison of units for moving speed	21

iTeh STANDARD PREVIEW (standards.iteh.ai)

INTERNATIONAL ELECTROTECHNICAL COMMISSION

PLASMA DISPLAY PANELS -

Part 2-4: Measuring methods – Visual quality: Image artifacts

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committee; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to EC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61988-2-4 has been prepared by IEC technical committee 110: Flat panel display devices.

The text of this standard is based on the following documents:

FDIS	Report on voting
110/260/CDV	110/297/RVC

Full information on the voting for the approval on this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all the parts in the IEC 61988 series, under the general title *Plasma display panels*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

iTeh STANDARD PREVIEW (standards.iteh.ai)

61988-2-4 © IEC:2011

PLASMA DISPLAY PANELS -

Part 2-4: Measuring methods – Visual quality: Image artifacts

1 Scope

This part of IEC 61988 determines the measuring methods for characterizing the performance of plasma display panel (PDP) modules in the following areas:

- a) viewing angle;
- b) image streaking;
- c) flicker;
- d) moving picture resolution.

2 Normative references

The following referenced documents are indispensable for the application of these standards. For standards with explicit dates, only the edition cited applies. For standards references, the latest edition of the referenced standard (including any amendments) applies.

IEC 60068-1:1988, Environmental testing – Part 1: General and guidance

IEC 60107-1:1997, Methods of measurement-2-on012 eceivers for television broadcast transmissions – Part://dandGenerali/considerationst/c+81Measurements/6at radio and video frequencies 143b503d9(91/sist-en-61988-2-4-2012

IEC 61988-1:2003, Plasma display panels – Part 1: Terminology and letter symbols

IEC 61988-2-1:2002, Plasma display panels – Part 2-1: Measuring methods – Optical

IEC 61988-2-2:2003, Plasma display panels – Part 2-2: Measuring methods – Optoelectrical

CIE 15:2004, Colorimetry, 3rd Edition

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 61988-1, IEC 60068-1, and IEC 60107-1, as well as the following apply.

3.1

viewing angle

angular range over which a display can be viewed with acceptable specified visual performance

NOTE This document specifies two types of viewing angle regarding the viewing direction, such as horizontal and vertical.

3.2

half luminance viewing angle

viewing angle over which the luminance is equal or higher than half of the luminance measured at the angle perpendicular to the screen

61988-2-4 © IEC:2011

3.3

half contrast viewing angle

viewing angle over which the contrast ratio is equal or higher than half of the contrast ratio measured at the angle perpendicular to the screen

3.4

10:1 contrast ratio viewing angle

viewing angle over which the contrast ratio is equal or higher than 10:1

3.5

colour viewing angle

viewing angle over which the chromaticity shift $\Delta(u',v')$ is equal or less than specified threshold value

3.6

image streaking

variance in luminance with changing vertical or horizontal line load

3.7

flicker

unintended but perceptible temporal periodic fluctuation in luminance

3.8

moving picture resolution perceived number of picture lines for moving pictures on the display screen

NOTE Moving picture resolution is not determined only by the physical pixel number of the panel (termed "addressability"), but also by the moving picture performance in terms of motion artefacts. The resolution is expressed in picture line in the document and it can be easily converted to well-known TV-line.

https://standards.iteh.ai/catalog/standards/sist/c1812816-e054-4adb-a6fe-

3.9 multips//standards/s

MTF

ratio of the final to the initial signal amplitude as a function of spatial frequency

NOTE MTF is the magnitude part of optical transfer function (OTF).

3.10

limit resolution

maximum number of picture lines which observer can distinguish excepting spurious resolution

NOTE See Figure 7.

3.11

spurious resolution

phenomenon occurring at a spatial frequency higher than the limit resolution in which the observed pattern of the resolution chart is different from the original pattern

NOTE Spurious resolution is usually recognized as a change of the number of lines. For example four lines become three lines or five lines. See Figure 7.

4 Structure of measuring equipment

The system diagrams and/or operating conditions of the measuring equipment shall comply with the structure specified in each item.