

Edition 1.1 2024-12 CONSOLIDATED VERSION

# INTERNATIONAL STANDARD



Electric motor-operated hand-held tools, transportable tools and lawn and garden machinery – Safety –

Part 2-10: Particular requirements for hand-held mixers

## Document Preview

IEC 62841-2-10:2017

https://standards.iteh.ai/catalog/standards/iec/01ddb8e4-db29-4f5b-a36c-34daf1dc0bdf/iec-62841-2-10-2017





### THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2024 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

**IEC Secretariat** 3, rue de Varembé CH-1211 Geneva 20 Switzerland

Tel.: +41 22 919 02 11 info@iec.ch

www.iec.ch

#### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

#### IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

#### IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

#### IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

#### Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.



Edition 1.1 2024-12 CONSOLIDATED VERSION

# INTERNATIONAL STANDARD



Electric motor-operated hand-held tools, transportable tools and lawn and garden machinery – Safety –

Part 2-10: Particular requirements for hand-held mixers

## Document Preview

IEC 62841-2-10:2017

https://standards.iteh.ai/catalog/standards/iec/01ddb8e4-db29-4f5b-a36c-34daf1dc0bdf/iec-62841-2-10-2017

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 25.140.20 ISBN 978-2-8327-0118-8

Warning! Make sure that you obtained this publication from an authorized distributor.

### **CONTENTS**

FO	REWORD	4
1	Scope	6
2	Normative references	6
3	Terms and definitions	6
4	General requirements	6
5	General conditions for the tests	7
6	Radiation, toxicity and similar hazards	7
7	Classification	7
8	Marking and instructions	7
9	Protection against access to live parts	8
10	Starting	8
11	Input and current	8
12	Heating	8
13	Resistance to heat and fire	8
14	Moisture resistance	8
15	Resistance to rusting	8
16	Overload protection of transformers and associated circuits	8
17	Endurance	9
18	Abnormal operation	9
19	Mechanical hazards	
20	Mechanical strength	10
21	Construction	
22	Internal wiring	,,,,,,11
tps://star 23	Components	11
24	Supply connection and external flexible cords	11
25	Terminals for external conductors	11
26	Provision for earthing	11
27	Screws and connections	11
28	Creepage distances, clearances and distances through insulation	12
An	nexes	15
An	nex I (informative) Measurement of noise and vibration emissions	16
An	nex K (normative) Battery tools and battery packs	20
An	nex L (normative) Battery tools and battery packs provided with mains connection	
	non-isolated sources	21
Bib	liography	22
Fig	ure 101 – Mixers with various handle and spindle configurations	12
Fig	ure 102 – Moment arm for various handle designs	13
Fig	ure 103 – Clearance between spindles	14
Fig	ure I.101 – Positions of transducers for mixers	17
Fig	ure I.102 – Simulated test mixer basket	18
Fig	ure I.103 – Wheel with unbalance	19

IEC 62841-2-10:2017+AMD1:2024 CSV	<b>-3-</b>	REDLINE VERSION
© IEC 2024		
Table 4 - Required performance levels		9

## iTeh Standards (https://standards.iteh.ai) Document Preview

IEC 62841-2-10:2017

https://standards.iteh.ai/catalog/standards/iec/01ddb8e4-db29-4f5b-a36c-34daf1dc0bdf/iec-62841-2-10-2017

### INTERNATIONAL ELECTROTECHNICAL COMMISSION

# ELECTRIC MOTOR-OPERATED HAND-HELD TOOLS, TRANSPORTABLE TOOLS AND LAWN AND GARDEN MACHINERY – SAFETY –

#### Part 2-10: Particular requirements for hand-held mixers

#### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.

IEC 62841-2-10 edition 1.1 contains the first edition (2017-02) [documents 116/303/FDIS and 116/313/RVD] and its amendment 1 (2024-12) [documents 116/723/CDV and 116/780A/RVC].

In this Redline version, a vertical line in the margin shows where the technical content is modified by amendment 1. Additions are in green text, deletions are in strikethrough red text. A separate Final version with all changes accepted is available in this publication.

IEC 62841-2-10:2017+AMD1:2024 CSV - 5 - © IEC 2024

International Standard IEC 62841-2-10 has been prepared by IEC technical committee 116: Safety of motor-operated electric tools.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

This Part 2-10 is to be used in conjunction with the first edition of IEC 62841-1 (2014).

This Part 2-10 supplements or modifies the corresponding clauses in IEC 62841-1, so as to convert it into the IEC standard: Particular requirements for hand-held mixers.

Where a particular subclause of Part 1 is not mentioned in this Part 2-10, that subclause applies as far as relevant. Where this standard states "addition", "modification" or "replacement", the relevant text in Part 1 is to be adapted accordingly.

The following print types are used:

- requirements: in roman type;
- test specifications: in italic type;
- notes: in small roman type.

The terms defined in Clause 3 are printed in **bold typeface**.

Subclauses, notes and figures which are additional to those in Part 1 are numbered starting from 101.

A list of all parts of the IEC 62841 series, under the general title: *Electric motor-operated hand-held tools, transportable tools and lawn and garden machinery* – *Safety*, can be found on the IEC website.

The committee has decided that the contents of this document and its amendment will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- · reconfirmed,
- · withdrawn, or
- revised.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

NOTE The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations may need a transitional period following publication of a new, amended or revised IEC publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests.

It is the recommendation of the committee that the content of this publication be adopted for implementation nationally not earlier than 36 months from the date of publication.

# ELECTRIC MOTOR-OPERATED HAND-HELD TOOLS, TRANSPORTABLE TOOLS AND LAWN AND GARDEN MACHINERY – SAFETY –

– 6 –

#### Part 2-10: Particular requirements for hand-held mixers

#### 1 Scope

This clause of Part 1 is applicable, except as follows:

Addition:

This part of IEC 62841 applies to **mixers**. **Mixers** are not considered to be tools with a **liquid system**.

This standard does not apply to drills and impact drills, even if they can be used as a mixer.

NOTE 101 Drills and impact drills are covered by IEC 62841-2-1.

## 2 Normative references Teh Standards

This clause of Part 1 is applicable.

## 3 Terms and definitions Ocument Preview

This clause of Part 1 is applicable, except as follows:

https://standards.iteh.ai/catalog/standards/iec/01ddb8e4-db29-4f5b-a36c-34daf1dc0bdf/iec-62841-2-10-2017 \*\*Addition:\*\*

#### 3.101

#### mixer

tool equipped with either one or more output spindles to mount **mixer baskets** specifically designed to stir liquids or to mix building materials such as concrete, plaster, etc., see Figure 101

Note 1 to entry: The output spindle(s) is/are either threaded, or has/have other coupling means such as a chuck or a hexagonal connector.

Note 2 to entry: Mixers are also commonly known as stirrers.

#### 3.102

#### mixer basket

**accessory** intended to be used with a **mixer** employing a structure of wings, spirals or helixes for moving the material in the container

Note 1 to entry: Mixer baskets are also commonly known as stirrer rods, stirrer baskets, paddles or mixer rods.

#### 4 General requirements

This clause of Part 1 is applicable.

#### 5 General conditions for the tests

This clause of Part 1 is applicable, except as follows:

#### **5.17** Addition:

The mass of the tool includes the chuck and the auxiliary handle, if any.

#### 6 Radiation, toxicity and similar hazards

This clause of Part 1 is applicable.

#### 7 Classification

This clause of Part 1 is applicable.

#### 8 Marking and instructions

This clause of Part 1 is applicable, except as follows:

#### 8.3 Addition:

Mixers with a threaded output spindle shall be marked with the spindle thread size.

Mixers with a hexagonal coupling shall be marked with the width across flats.

For mixers with a chuck, the chuck shall be marked with the maximum capacity in mm.

## **8.14.1**<sub>rd</sub> *Addition*: catalog/standards/iec/01ddb8e4-db29-4f5b-a36c-34daf1dc0bdf/iec-62841-2-10-2017

The additional safety instructions as specified in 8.14.1.101 shall be given. This part may be printed separately from the "General Power Tool Safety Warnings".

#### 8.14.1.101 Mixer safety instructions

NOTE In the below instructions, on discretion of the manufacturer, the term "mixer/mixed/mixing" is replaced by "stirrer/stirred/stirring" and the term "basket" is replaced by another appropriate term such as "rod".

- a) Hold the tool with both hands at the intended handles. Loss of control can cause personal injury.
- b) Ensure sufficient ventilation when mixing flammable materials to avoid a hazardous atmosphere. Developing vapour may be inhaled or be ignited by the sparks the power tool produces
- c) Do not mix food. Power tools and their accessories are not designed for processing food.
- d) Keep the cord away from the working area. The cord may be entangled by the mixer basket.
- e) Ensure that the mixing container is placed in a firm and secure position. A container that is not properly secured may move unexpectedly.
- f) Ensure that no liquid splashes against the housing of the power tool. Liquid that has penetrated the power tool can cause damage and lead to electric shock.
- g) Follow the instructions and warnings for the material to be mixed. Material to be mixed may be harmful.

- h) If the power tool falls into the material to be mixed, unplug the tool immediately and have the power tool checked by a qualified repair person. Reaching into the bucket with the tool still plugged in can lead to electric shock.
- i) Do not reach into the mixing container with your hands or insert any other objects into it while mixing. Contact with the mixer basket may lead to serious personal injury.
- j) Start up and run down the tool in the mixing container only. The mixer basket may bend or spin in an uncontrolled manner.

#### **8.14.2** a) Addition:

101) Information about which **mixer baskets** can be used with the tool, including their maximum diameter or width, and which extensions can be used.

#### 9 Protection against access to live parts

This clause of Part 1 is applicable.

#### 10 Starting

This clause of Part 1 is applicable.

#### 11 Input and current

This clause of Part 1 is applicable.

(https://standards.iteh.ai)

### 12 Heating

This clause of Part 1 is applicable, except as follows:

IEC 62841-2-10:2017

**12.2.1**rd *Addition*: catalog/standards/iec/01ddb8e4-db29-4f5b-a36c-34daf1dc0bdf/iec-62841-2-10-2017

The tool is operated continuously for a period of 30 min. The temperature rises are measured at the end of the 30 min.

#### 13 Resistance to heat and fire

This clause of Part 1 is applicable.

#### 14 Moisture resistance

This clause of Part 1 is applicable.

#### 15 Resistance to rusting

This clause of Part 1 is applicable.

#### 16 Overload protection of transformers and associated circuits

This clause of Part 1 is applicable.

#### 17 Endurance

This clause of Part 1 is applicable.

#### 18 Abnormal operation

This clause of Part 1 is applicable, except as follows:

#### 18.8 Replacement of Table 4:

Table 4 - Required performance levels

Type and purpose of SCF	Minimum performance level (PL)
Power switch – prevent unwanted switch-on	b
Power switch – provide desired switch-off	а
Any electronic control to pass the test of 18.3	а
Any speed limiting device	Not an SCF
Provide desired direction of rotation	Not an SCF
Prevent exceeding thermal limits as in Clause 18 18.4 and 18.5.3	а
Prevent self-resetting as required in 23.3	<b>S</b> b
Prevent unwanted lock-on of the power switch function	a
NOTE In Europe (EN 62841-2-10), the following additional requirement applies:	iten.ar)
Restart prevention as required by 21.18.1.1	<b>lew</b> b

#### IEC 62841-2-10:2017

#### https://19 Mechanical hazards.indards/jec/01ddb8e4-db29-4f5b-a36c-34daf1dc0bdf/jec-62841-2-10-2017

This clause of Part 1 is applicable, except as follows:

#### **19.1** Replacement of the first paragraph:

Moving and other dangerous parts of the tool other than the output spindle and the **mixer basket** shall be so positioned or enclosed to provide adequate protection against personal injury.

#### 19.4 Replacement:

Mixers shall be provided with at least two handles.

Compliance is checked by inspection.

**19.4.101** The design of the handle(s) shall be such that the operator can control the torque during the operation of the tool.

Compliance is checked by measurement and by calculations as follows:

The moment arm of each handle (a) is determined as illustrated in Figure 102. The sum of the moment arms of the two handles shall be greater than or equal to the diameter or width of the largest recommended **mixer basket** in accordance with 8.14.2 a) 101). If there are more than

two handles, then the worst case configuration in accordance with 8.14.2 b) 6) shall be used, with one of the handles incorporating the **power switch**.

- **19.6** This subclause is not applicable.
- **19.101** For **mixers** with more than one spindle, the spindles shall be adequately spaced in order to reduce the risk of entanglement. The minimal clearance c between rotating parts in the area of the spindle outputs and along further 100 mm down to the **mixer basket** shall be at least 40 mm, see Figure 103.

Compliance is checked by measurement.

**19.102** Chuck keys shall be so designed that they drop easily out of position when released. This requirement does not exclude the provision of clips for holding the key in place when not in use; metal clips fixed to the flexible cable or cord are not allowed.

Compliance is checked by inspection and by manual test.

The key is inserted in the chuck and, without tightening, the tool is turned such that the key is facing down. The key shall fall out.

#### 20 Mechanical strength

This clause of Part 1 is applicable, except as follows:

#### 20.3.1 Replacement:

Mixers are subjected to three impacts that result from the tool being tipped over to strike a concrete surface. The tool is tipped with the longest mixer basket, including extensions, if applicable, recommended by the manufacturer in accordance with 8.14.2 a) 101). If no length of the recommended mixer basket is specified, the tip test is performed with a mixer basket of 1 m length. The tool is positioned in an upright position with the tip of the mixer basket resting on the concrete surface. The tool is then tipped in three different directions on to the concrete surface.

NOTE Typical mixer baskets have a length of 600 mm. Available extensions have a length up to 400 mm.

If attachments are provided as specified in accordance with 8.14.2, the test is repeated with each attachment or combination of attachments mounted to a separate tool sample.

20.5 This subclause is not applicable.

#### 21 Construction

This clause of Part 1 is applicable, except as follows:

#### **21.18.1.1** Addition:

A **power switch** lock-on device, if any, shall be located such that it can be activated without releasing any hand from the grasping area of the handles required in 19.4. In addition, it shall be so designed that it is not likely to be unintentionally locked on by the user's hand.

Compliance is checked by inspection or, for a **power switch** with a lock-on device within the grasping area, by the following test.