



SLOVENSKI STANDARD

SIST EN 62541-9:2012

01-november-2012

Enotna arhitektura OPC - 9. del: Alarmi in pogoji (IEC 62541-9:2012)

OPC Unified Architecture - Part 9: Alarms and Conditions (IEC 62541-9:2012)

OPC Unified Architecture - Teil 9: Alarme und Zustände (IEC 62541-9:2012)

Architecture unifiée OPC - Partie 9: Alarmes et conditions (CEI 62541-9:2012)

Ta slovenski standard je istoveten z: **EN 62541-9:2012**

[SIST EN 62541-9:2012](https://standards.iteh.ai/catalog/standards/sist/ee444ce1-cd25-40b7-8954-0c88a095fe5d/sist-en-62541-9-2012)

<https://standards.iteh.ai/catalog/standards/sist/ee444ce1-cd25-40b7-8954-0c88a095fe5d/sist-en-62541-9-2012>

ICS:

25.040.40	Merjenje in krmiljenje industrijskih postopkov	Industrial process measurement and control
35.240.50	Uporabniške rešitve IT v industriji	IT applications in industry

SIST EN 62541-9:2012

en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 62541-9:2012

<https://standards.iteh.ai/catalog/standards/sist/ee444ce1-cd25-40b7-8954-0c88a095fe5d/sist-en-62541-9-2012>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 62541-9

September 2012

ICS 25.040.40; 25.100.01

English version

**OPC unified architecture -
Part 9: Alarms and conditions
(IEC 62541-9:2012)**

Architecture unifiée OPC -
Partie 9: Alarmes et conditions
(CEI 62541-9:2012)

OPC Unified Architecture -
Teil 9: Alarme und Zustände
(IEC 62541-9:2012)

This European Standard was approved by CENELEC on 2012-08-31. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 65E/243/FDIS, future edition 1 of IEC 62541-9, prepared by SC 65E "Devices and integration in enterprise systems" of IEC/TC 65 "Industrial-process measurement, control and automation" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62541-9:2012.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2013-05-31
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2015-08-31

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 62541-9:2012 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following note has to be added for the standard indicated :

IEC 62541-7 NOTE Harmonised as EN 62541-7

<https://standards.iteh.ai/catalog/standards/sist/ee444ce1-cd25-40b7-8954-0c88a095fe5d/sist-en-62541-9-2012>

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC/TR 62541-1	-	OPC unified architecture - Part 1: Overview and concepts	CLC/TR 62541-1	-
IEC 62541-3	-	OPC unified architecture - Part 3: Address space model	EN 62541-3	-
IEC 62541-4	-	OPC unified architecture - Part 4: Services	EN 62541-4	-
IEC 62541-5	-	OPC unified architecture - Part 5: Information model	EN 62541-5	-
IEC 62541-6	-	OPC unified architecture - Part 6: Mappings	EN 62541-6	-
IEC 62541-8	-	OPC unified architecture - Part 8: Data access	EN 62541-8	-
EEMUA 191	2007	Alarm systems - A guide to design, management and procurement	-	-

<https://standards.iteh.ai/catalog/standards/sist/ee444ce1-cd25-40b7-8954-0c88a095fe5d/sist-en-62541-9-2012>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 62541-9:2012

<https://standards.iteh.ai/catalog/standards/sist/ee444ce1-cd25-40b7-8954-0c88a095fe5d/sist-en-62541-9-2012>



IEC 62541-9

Edition 1.0 2012-07

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**OPC unified architecture –
Part 9: Alarms and conditions**

**Architecture unifiée OPC –
Partie 9: Alarmes et conditions**

STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 62541-9:2012](https://standards.iteh.ai/catalog/standards/sist/ee444ce1-cd25-40b7-8954-0c88a095fe5d/sist-en-62541-9-2012)
<https://standards.iteh.ai/catalog/standards/sist/ee444ce1-cd25-40b7-8954-0c88a095fe5d/sist-en-62541-9-2012>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX

XD

ICS 25.040.40; 25.100.01

ISBN 978-2-83220-286-9

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD	7
INTRODUCTION	9
1 Scope	10
2 Normative references	10
3 Terms, definitions, abbreviations and data types	10
3.1 Terms and definitions	10
3.2 Abbreviations	12
3.3 Used data types	12
4 Concepts	12
4.1 General	12
4.2 Conditions	13
4.3 Acknowledgeable Conditions	14
4.4 Previous States of Conditions	16
4.5 Condition State Synchronization	16
4.6 Severity, Quality and Comment	17
4.7 Dialogs	17
4.8 Alarms	17
4.9 Multiple Active States	18
4.10 Condition Instances in the Address Space	19
4.11 Alarm and Condition Auditing	20
5 Model	20
5.1 General	20
5.2 Two-State State Machines	21
5.3 Condition Variables	23
5.4 Substate Reference Types	23
5.4.1 General	23
5.4.2 HasTrueSubState ReferenceType	23
5.4.3 HasFalseSubState ReferenceType	24
5.5 Condition Model	24
5.5.1 General	24
5.5.2 ConditionType	25
5.5.3 Condition and Branch Instances	28
5.5.4 Disable Method	28
5.5.5 Enable Method	29
5.5.6 AddComment Method	29
5.5.7 ConditionRefresh Method	30
5.6 Dialog Model	32
5.6.1 General	32
5.6.2 DialogConditionType	32
5.6.3 Respond Method	34
5.7 Acknowledgeable Condition Model	34
5.7.1 General	34
5.7.2 AcknowledgeableConditionType	34
5.7.3 Acknowledge Method	36
5.7.4 Confirm Method	37

5.8	Alarm Model	38
5.8.1	General	38
5.8.2	AlarmConditionType	38
5.8.3	ShelvedStateMachineType	40
5.8.4	Unshelve Method	43
5.8.5	TimedShelve Method	44
5.8.6	OneShotShelve Method	44
5.8.7	LimitAlarmType	45
5.8.8	ExclusiveLimit Types	46
5.8.9	NonExclusiveLimitAlarmType	49
5.8.10	Level Alarm	51
5.8.11	Deviation Alarm	52
5.8.12	Rate of Change	53
5.8.13	Discrete Alarms	54
5.9	ConditionClasses	56
5.9.1	Overview	56
5.9.2	Base ConditionClassType	56
5.9.3	ProcessConditionClassType	56
5.9.4	MaintenanceConditionClassType	57
5.9.5	SystemConditionClassType	57
5.10	Audit Events	57
5.10.1	Overview	57
5.10.2	AuditConditionEventType	58
5.10.3	AuditConditionEnableEventType	58
5.10.4	AuditConditionCommentEventType	59
5.10.5	AuditConditionRespondEventType	59
5.10.6	AuditConditionAcknowledgeEventType	59
5.10.7	AuditConditionConfirmEventType	59
5.10.8	AuditConditionShelvingEventType	59
5.11	Condition Refresh Related Events	60
5.11.1	Overview	60
5.11.2	RefreshStartEventType	60
5.11.3	RefreshEndEventType	60
5.11.4	RefreshRequiredEventType	61
5.12	HasCondition Reference Type	61
5.13	Alarm and Condition Status Codes	62
6	AddressSpace Organisation	62
6.1	General	62
6.2	Event Notifier and Source Hierarchy	62
6.3	Adding Conditions to the Hierarchy	63
6.4	Conditions in InstanceDeclarations	64
6.5	Conditions in a VariableType	65
Annex A	(informative) Recommended Localized Names	66
Annex B	(informative) Examples	69
Annex C	(informative) Mapping to EEMUA	74
Annex D	(informative) Mapping from OPC A&E to OPC UA A&C	75
Bibliography	89

Figure 1 – Base Condition State Model	14
Figure 2 – AcknowledgeableConditions State Model	14
Figure 3 – Acknowledge State Model	15
Figure 4 – Confirmed Acknowledge State Model	16
Figure 5 – Alarm State Machine Model.....	18
Figure 6 – Multiple Active States Example	19
Figure 7 – ConditionType Hierarchy	21
Figure 8 – Condition Model	25
Figure 9 – DialogConditionType Overview.....	32
Figure 10 – AcknowledgeableConditionType Overview	35
Figure 11 – AlarmConditionType Hierarchy Model.....	38
Figure 12 – Alarm Model.....	39
Figure 13 – Shelve state transitions	41
Figure 14 – Shelved State Machine Model	41
Figure 15 – LimitAlarmType	45
Figure 16 – ExclusiveLimitStateMachine	47
Figure 17 – ExclusiveLimitAlarmType	49
Figure 18 – NonExclusiveLimitAlarmType	50
Figure 19 – DiscreteAlarmType Hierarchy.....	54
Figure 20 – ConditionClass Type Hierarchy.....	56
Figure 21 – AuditEvent Hierarchy.....	58
Figure 22 – Refresh Related Event Hierarchy	60
Figure 23 – Typical Event Hierarchy.....	63
Figure 24 – Use of HasCondition in an Event Hierarchy	64
Figure 25 – Use of HasCondition in an InstanceDeclaration	65
Figure 26 – Use of HasCondition in a VariableType	65
Figure B.1 – Single State Example.....	69
Figure B.2 – Previous State Example.....	70
Figure B.3 – HasCondition used with Condition instances.....	72
Figure B.4 – HasCondition reference to a Condition Type	73
Figure B.5 – HasCondition used with an instance declaration	73
Figure D.1 – The Type Model of a Wrapped COM AE Server	77
Figure D.2 – Mapping UA Event Types to COM A&E Event Types.....	81
Figure D.3 – Example Mapping of UA Event Types to COM A&E Categories.....	82
Figure D.4 – Example Mapping of UA Event Types to A&E Categories with Attributes	85
Table 1 – Parameter Types defined in IEC 62541-3	12
Table 2 – Parameter Types defined in IEC 62541-4	12
Table 3 – TwoStateVariableType Definition.....	22
Table 4 – ConditionVariableType Definition.....	23
Table 5 – HasTrueSubState ReferenceType	24
Table 6 – HasFalseSubState ReferenceType	24
Table 7 – ConditionType Definition	26

Table 8 – SimpleAttributeOperand to select ConditionId.....	28
Table 9 – Disable Method AddressSpace Definition	29
Table 10 – Enable Method AddressSpace Definition	29
Table 11 – AddComment Method AddressSpace Definition	30
Table 12 – ConditionRefresh Method AddressSpace Definition	32
Table 13 – DialogConditionType Definition.....	33
Table 14 – Respond Method AddressSpace Definition	34
Table 15 – AcknowledgeableConditionType Definition	35
Table 16 – Acknowledge Method AddressSpace Definition	37
Table 17 – Confirm Method Parameters	37
Table 18 – Confirm Method AddressSpace Definition.....	38
Table 19 – AlarmConditionType Definition	39
Table 20 – ShelvedStateMachine Definition	42
Table 21 – ShelvedStateMachine Transitions.....	43
Table 22 – Unshelve Method AddressSpace Definition	44
Table 23 – TimedShelve Method AddressSpace Definition.....	44
Table 24 – OneShotShelve Method AddressSpace Definition.....	45
Table 25 – LimitAlarmType Definition.....	46
Table 26 – ExclusiveLimitStateMachineType Definition.....	47
Table 27 – ExclusiveLimitStateMachineType Transitions.....	48
Table 28 – ExclusiveLimitAlarmType Definition	49
Table 29 – NonExclusiveLimitAlarmType Definition.....	51
Table 30 – NonExclusiveLevelAlarmType Definition.....	52
Table 31 – ExclusiveLevelAlarmType Definition	52
Table 32 – NonExclusiveDeviationAlarmType Definition.....	53
Table 33 – ExclusiveDeviationAlarmType Definition	53
Table 34 – NonExclusiveRateOfChangeAlarmType Definition	54
Table 35 – ExclusiveRateOfChangeAlarmType Definition	54
Table 36 – DiscreteAlarmType Definition	55
Table 37 – OffNormalAlarmType Definition	55
Table 38 – TripAlarmType Definition	55
Table 39 – BaseConditionClassType Definition	56
Table 40 – ProcessConditionClassType Definition	57
Table 41 – MaintenanceConditionClassType Definition	57
Table 42 – SystemConditionClassType Definition	57
Table 43 – AuditConditionEventType Definition.....	58
Table 44 – AuditConditionEnableEventType Definition.....	58
Table 45 – AuditConditionCommentEventType Definition.....	59
Table 46 – AuditConditionRespondEventType Definition.....	59
Table 47 – AuditConditionAcknowledgeEventType Definition	59
Table 48 – AuditConditionConfirmEventType Definition	59
Table 49 – AuditConditionShelvingEventType Definition	59
Table 50 – RefreshStartEventType Definition.....	60

Table 51 – RefreshEndEventType Definition	60
Table 52 – RefreshRequiredEventType Definition	61
Table 53 – HasCondition ReferenceType	61
Table 54 – Alarm and Condition Result Codes	62
Table A.1 – Recommended state names for LocaleId “en”	66
Table A.2 – Recommended display names for LocaleId “en”	66
Table A.3 – Recommended state names for LocaleId “de”	67
Table A.4 – Recommended display names for LocaleId “de”	67
Table A.5 – Recommended state names for LocaleId “fr”	67
Table A.6 – Recommended display names for LocaleId “fr”	68
Table A.7 – Recommended Dialog Response Options.....	68
Table B.1 – Example of a Condition that only keeps the latest state.....	69
Table B.2 – Example of a <i>Condition</i> that maintains previous states via branches	71
Table C.1 – EEMUA Terms	74
Table D.1 – Mapping from ONEVENTSTRUCT fields to UA BaseEventType Variables.....	78
Table D.2 – Mapping from ONEVENTSTRUCT fields to UA AuditEventType Variables.....	78
Table D.3 – Mapping from ONEVENTSTRUCT fields to UA AlarmType Variables	79
Table D.4 – Event Category Attribute Mapping Table	83

ITeH STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 62541-9:2012

<https://standards.iteh.ai/catalog/standards/sist/ee444ce1-cd25-40b7-8954-0c88a095fe5d/sist-en-62541-9-2012>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

OPC UNIFIED ARCHITECTURE –

Part 9: Alarms and conditions

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62541-9 has been prepared by subcommittee 65E: Devices and integration in enterprise systems, of IEC technical committee 65: Industrial-process measurement, control and automation.

The text of this standard is based on the following documents:

FDIS	Report on voting
65E/243/FDIS	65E/268/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 62541 series, published under the general title *OPC unified architecture*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 62541-9:2012](#)

<https://standards.iteh.ai/catalog/standards/sist/ee444ce1-cd25-40b7-8954-0c88a095fe5d/sist-en-62541-9-2012>

INTRODUCTION

This International Standard is a specification intended for developers of OPC UA applications. The specification is a result of an analysis and design process to develop a standard interface to facilitate the development of applications by multiple vendors that inter-operate seamlessly together.

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 62541-9:2012

<https://standards.iteh.ai/catalog/standards/sist/ee444ce1-cd25-40b7-8954-0c88a095fe5d/sist-en-62541-9-2012>