



SLOVENSKI STANDARD
SIST EN ISO 22475-1:2007

01-julij-2007

; YchM b] bc`dfY]g_cj Ub`Y]b`dfYg_i yUb`Y`E`A YhcXY`j ncf Yb`U]b`a Yf`Yb`Y
dcXnYa bY`j cXY`E`%XY`.HM b] bU`bU YUnU]nj YXVc`XY`fGC`&& (+)!%&\$\$* Ł

Geotechnical investigation and testing - Sampling methods and groundwater measurements - Part 1: Technical principles for execution (ISO 22475-1:2006)

Geotechnische Erkundung und Untersuchung - Probenentnahmeverfahren und Grundwassermessungen - Teil 1: Technische Grundlagen der Ausführung (ISO 22475-1:2006)

(standards.iteh.ai)

Reconnaissance et essais géotechniques - Méthodes de prélèvement et mesurages piézométriques - Partie 1: Principes techniques des travaux (ISO 22475-1:2006)

Ta slovenski standard je istoveten z: EN ISO 22475-1:2006

ICS:

93.020	Zemeljska dela. Izkopavanja.	Earthworks. Excavations.
	Gradnja temeljev. Dela pod zemljo	Foundation construction. Underground works

SIST EN ISO 22475-1:2007 en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN ISO 22475-1:2007

<https://standards.iteh.ai/catalog/standards/sist/dbddc697-c02c-40c2-9400-923936cea40b/sist-en-iso-22475-1-2007>

ICS 93.020

English Version

Geotechnical investigation and testing - Sampling methods and
groundwater measurements - Part 1: Technical principles for
execution (ISO 22475-1:2006)

Reconnaissance et essais géotechniques - Méthodes de
prélèvement et mesurages piézométriques - Partie 1:
Principes techniques des travaux (ISO 22475-1:2006)

Geotechnische Erkundung und Untersuchung -
Probenentnahmeverfahren und Grundwassermessungen -
Teil 1: Technische Grundlagen der Ausführung (ISO 22475-
1:2006)

This European Standard was approved by CEN on 30 December 2005.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Foreword

This document (EN ISO 22475-1:2006) has been prepared by Technical Committee CEN/TC 341 "Geotechnical Investigation and Testing", the secretariat of which is held by ELOT, in collaboration with Technical Committee ISO/TC 182 "Geotechnics".

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2007, and conflicting national standards shall be withdrawn at the latest by March 2007.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN ISO 22475-1:2007](https://standards.iteh.ai/catalog/standards/sist/dbddc697-c02c-40c2-9400-923936cea40b/sist-en-iso-22475-1-2007)

<https://standards.iteh.ai/catalog/standards/sist/dbddc697-c02c-40c2-9400-923936cea40b/sist-en-iso-22475-1-2007>

**Geotechnical investigation and testing —
Sampling methods and groundwater
measurements —**

**Part 1:
Technical principles for execution**

*Reconnaissance et essais géotechniques — Méthodes de prélèvement
et mesurages piézométriques —
Partie 1: Principes techniques des travaux*

SIST EN ISO 22475-1:2007

<https://standards.iteh.ai/catalog/standards/sist/dbddc697-c02c-40c2-9400-923936cea40b/sist-en-iso-22475-1-2007>



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 22475-1:2007](https://standards.iteh.ai/catalog/standards/sist/dbddc697-c02c-40c2-9400-923936cea40b/sist-en-iso-22475-1-2007)

<https://standards.iteh.ai/catalog/standards/sist/dbddc697-c02c-40c2-9400-923936cea40b/sist-en-iso-22475-1-2007>

© ISO 2006

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword.....	vii
Introduction	viii
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
3.1 Site investigation methods	2
3.2 Drilling rigs and equipment	3
3.3 Sampling	3
3.4 Groundwater measurements	8
4 Drilling rigs and ancillary equipment	10
4.1 General	10
4.2 Requirements for the drilling rigs and equipment	10
4.3 Equipment scope	10
5 General requirements prior to sampling and groundwater measurements	11
5.1 General	11
5.2 Selection of techniques and methods	11
5.3 Requirements for ground investigation sites and points	11
5.4 Preliminary information needed before starting sampling and groundwater measurements	12
5.5 Backfilling and site abandonment	13
5.6 Safety and special requirements	13
6 Soil sampling methods	13
6.1 General	13
6.2 Categories of soil sampling methods	13
6.3 Sampling by drilling (continuous sampling)	14
6.4 Sampling using samplers	20
6.5 Block sampling	27
7 Rock sampling methods	29
7.1 General	29
7.2 Categories for rock sampling methods	29
7.3 Sampling by drilling	32
7.4 Block sampling	33
7.5 Integral sampling	33
8 Groundwater sampling methods for geotechnical purposes	33
8.1 General	33
8.2 Equipment	34
8.3 Techniques of groundwater sampling	34
9 Groundwater measuring stations and piezometers	35
9.1 General	35
9.2 Piezometers	36
9.3 Installation of piezometers	40
9.4 Maintenance	43
9.5 Decommissioning	44
10 Groundwater measurements	44
10.1 Calibration	44
10.2 Performance of the measurements	44

11	Handling, transport and storage of samples.....	45
11.1	General.....	45
11.2	Preservation materials and sample containers.....	46
11.3	Handling of samples.....	46
11.4	Labelling of samples.....	47
11.5	Transport of samples.....	47
11.6	Preparation of storage and shipping containers.....	49
11.7	Storage of samples.....	50
12	Report.....	50
12.1	Field report.....	50
12.2	Report of the results.....	56
Annex A	(informative) Example of a form for the preliminary information on the intended sampling and groundwater measurements.....	58
Annex B	(informative) Field reports.....	60
Annex C	(informative) Drilling and sampling equipment for soil and rock.....	69
Annex D	(informative) Vacuum bottles for groundwater sampling.....	115
Annex E	(informative) Protective measures of piezometers.....	117
Bibliography	119

Figures

Figure 1	— Definitions of the diameters D_1 , D_2 , D_3 and D_4	5
Figure 2	— Application of fracture state terms for rock cores.....	6
Figure 3	— Lengths of core run and sample.....	7
Figure 4	— Examples of open-tube samplers (OS) for recovering samples from boreholes.....	24
Figure 5	— Schematic thin-walled stationary piston sampler (PS) for sampling from borehole bottom.....	26
Figure 6	— Examples of open systems.....	36
Figure 7	— Examples of closed systems.....	38
Figure 8	— Closed system with filter pack and sealing in a borehole.....	42
Figure 9	— Examples of sealing and securing samples.....	48
Figure 10	— Example of the configuration of an open groundwater measuring system.....	55
Figure C.1	— Drill rods and casing.....	69
Figure C.2	— Drill rods taper threaded “Y” series.....	72
Figure C.3	— Drill rods taper threaded “J” series.....	72
Figure C.4	— Corebarrels “metric” series, according to ISO 3552-1.....	77
Figure C.5	— Corebarrels “W” series, according to ISO 3551-1.....	79
Figure C.6	— Corebarrels “W” series, according to ISO 3551-1.....	80
Figure C.7	— Wireline corebarrel assembly.....	81
Figure C.8	— Geotechnical wireline corebarrel (inner and outer tube assembly).....	83
Figure C.9	— Water-well casing with flush butt joints, according to BS 879.....	85
Figure C.10	— Water-well casing with screwed and socketed joints, according to BS 879.....	85
Figure C.11	— Three-cone milled tooth rock bit.....	88

iTeh STANDARD PREVIEW
(standards.iteh.ai)

GIST-EN-ISO-22475-1:2007
<https://standards.iteh.ai/country/standards/sist/d1dd1c697-c92e-40c2-9400-923936cea40b/sist-en-iso-22475-1-2007>

Figure C.12 — Tungsten carbide button bit.....	88
Figure C.13 — Typical corebarrel lifters.....	90
Figure C.14 — Typical sampler retainers.....	91
Figure C.15 — Thin wall sampler (Shelby tube).....	92
Figure C.16 — Hydraulic piston sampler.....	93
Figure C.17 — Stationary piston sampler with a 50-mm diameter liner — Sampling category A.....	94
Figure C.18 — Stationary piston sampler with a 50-mm liner — Parts.....	96
Figure C.19 — Stationary piston sampler with a 50-mm diameter liner — Sampling categories A and B.....	97
Figure C.20 — U100 Sampler.....	98
Figure C.21 — Standard penetration test (SPT) samplers.....	99
Figure C.22 — Typical automatic trip hammer.....	100
Figure C.23 — Window and windowless samplers.....	101
Figure C.24 — Clay cutter and shell (bailer).....	102
Figure C.25 — Sectional shell.....	103
Figure C.26 — Chisels and stubber.....	104
Figure C.27 — Continuous flight auger.....	105
Figure C.28 — Augers with diameters between 36 mm and 100 mm — Sampling category C.....	106
Figure C.29 — Hollow stem auger.....	107
Figure C.30 — Examples of sampling from trial pits.....	108
Figure C.31 — Recovering samples from trial pits — Example.....	109
Figure C.32 — Example for a thin-walled open-tube sampler.....	110
Figure C.33 — Example for a thick-walled open-tube sampler.....	111
Figure C.34 — Example of sampling from borehole bottom using a large sampler (Sherbrooke block sampler).....	112
Figure C.35 — Method of sampling using a Laval sampler.....	114
Figure D.1 — Equipment for vacuum bottle sampling.....	116
Figure E.1 — Example of termination of an open piezometer above ground level.....	117
Figure E.2 — Example of termination of an open piezometer below ground level.....	118

Tables

Table 1 — Quality classes of soil samples for laboratory testing and sampling categories to be used.....	14
Table 2 — Sampling by drilling in soils.....	16
Table 3 — Soil sampling using samplers.....	21
Table 4 — Examples on sampling methods with respect to the sampling category in different soils.....	28
Table 5 — Soil sampling using samplers.....	31
Table C.1 — Drill rods and casing “W”-series according to ISO 3551-1.....	70
Table C.2 — Drill rods and casing “metric” series according to ISO 3552-1.....	71

Table C.3 — Drill rods taper threaded “Y” series 72

Table C.4 — Drill rods taper threaded “J” series..... 72

Table C.5 — Corebarrels “W” series, according to ISO 3551-1..... 73

Table C.6 — Corebarrels “metric” series, according to ISO 3552-1 74

Table C.7 — Air flush corebarrels 75

Table C.8 — Drill rods and casing 76

Table C.9 — Corebarrels “metric” series, according to ISO 3552-1 78

Table C.10 —Wireline drill rod dimensions 82

Table C.11 — Wireline corebarrel dimensions 82

Table C.12 — Geotechnical wireline corebarrel drill pipe dimensions..... 84

Table C.13 — Geotechnical wireline corebarrel dimensions..... 84

Table C.14 — Dimensions of water-well casings with flush butt joints 85

Table C.15 — Dimensions of water-well casings with screwed and socketed joints 85

Table C.16 — Bit selection chart 86

Table C.17 — Core bit profiles — Diamond set, impregnated, TC and PCD 87

Table C.18 — Three-cone milled tooth rock bit..... 88

Table C.19 — Tungsten carbide button bit..... 89

ITeH STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 22475-1:2007](https://standards.iteh.ai/catalog/standards/sist/dbddc697-c02c-40c2-9400-923936cea40b/sist-en-iso-22475-1-2007)
<https://standards.iteh.ai/catalog/standards/sist/dbddc697-c02c-40c2-9400-923936cea40b/sist-en-iso-22475-1-2007>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 22475-1 was prepared by the European Committee for Standardization (CEN) Technical Committee CEN/TC 341, *Geotechnical investigation and testing*, in collaboration with Technical Committee ISO/TC 182, *Geotechnics*, Subcommittee SC 1 *Geotechnical investigation and testing*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

ISO 22475-1 consists of the following parts, under the general title *Geotechnical investigation and testing — Sampling methods and groundwater measurements*:

- *Part 1: Technical principles for execution*
- *Part 2: Qualification criteria for enterprises and personnel*
- *Part 3: Conformity assessment of enterprises and personnel by third party*

Introduction

ISO 22475-1 specifies the technical principles for the execution of sampling and groundwater measurements for geotechnical purposes.

The quality of these services can be proven by:

- a) a declaration of conformity by a contractor (first party control);
- b) a declaration of conformity by a client (second party control);
- c) a declaration of conformity by a conformity assessment body (third party control).

Every enterprise or individual may decide, if and how they will prove the fulfilment of the technically related criteria: by first, second or third party control because no part of ISO 22475 requires such a declaration.

ISO/TS 22475-2 specifies the qualification criteria for enterprises and personnel that perform sampling and groundwater measurements according to ISO 22475-1.

The conformity assessment by third party control can be made according to the technical principles for execution of sampling and groundwater measurements specified in ISO 22475-1, as indicated in ISO/TS 22475-2, and in the conformity assessment procedure given in ISO/TS 22475-3.

ITh STANDARD PREVIEW
(standards.iteh.ai)
SIST EN ISO 22475-1:2007
<https://standards.iteh.ai/catalog/standards/sist/dbddc697-c02c-40c2-9400-923936cea40b/sist-en-iso-22475-1-2007>

Geotechnical investigation and testing — Sampling methods and groundwater measurements —

Part 1: Technical principles for execution

1 Scope

This part of ISO 22475 deals with the technical principles of sampling of soil, rock and groundwater, and with groundwater measurements, in the context of geotechnical investigation and testing, as described in EN 1997-1 and EN 1997-2.

The aims of such ground investigations are:

- a) to recover soil and rock samples of a quality sufficient to assess the general suitability of a site for geotechnical engineering purposes and to determine the required soil and rock characteristics in the laboratory;
- b) to obtain information on the sequence, thickness and orientation of strata and joint system and faults;
- c) to establish the type, composition and condition of strata;
- d) to obtain information on groundwater conditions and recover water samples for assessment of the interaction of groundwater, soil, rock and construction material.

The quality of a sample is influenced by the geological and hydrogeological conditions, the choice and execution of the drilling and/or the sampling method, handling, transport and storage of the samples.

This part of ISO 22475 does not cover soil sampling for the purposes of agricultural and environmental soil investigation.

NOTE 1 Soil sampling for these purposes is to be found in ISO 10381.

Water sampling for the purposes of quality control, quality characterisation, and identification of sources of pollution of water, including bottom deposits and sludges is not covered.

NOTE 2 Water sampling for these purposes is to be found in ISO 5667.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 791, *Drill rigs — Safety*

EN 996, *Piling equipment — Safety requirement*

EN 1997-1, *Eurocode 7: Geotechnical design — Part 1: General rules*

EN 1997-2, *Eurocode 7: Geotechnical design — Part 2: Design assisted by laboratory testing*

ISO 22476-3, *Geotechnical investigation and testing — Field testing — Part 3: Standard penetration test*

ISO 14688-1, *Geotechnical investigation and testing — Identification and classification of soil — Part 1: Identification and description*

ISO 14689-1, *Geotechnical investigation and testing — Identification and classification of rock — Part 1: Identification and description*

ISO 3551-1, *Rotary core diamond drilling equipment — System A — Part 1: Metric units*

ISO 3552-1, *Rotary core diamond drilling equipment — System B — Part 1: Metric units*

GUM: Guide to the expression of uncertainty in measurement, BIPM/IEC/IFCC/ISO/OIML/IUPAC/IUPAP

ISO 10097-1, *Wireline diamond core drilling equipment — System A — Part 1: Metric units*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 1997-1, EN 1997-2, ISO 14688-1 and ISO 14689-1 and the following apply.

NOTE Additional terms and definitions can be found in the books and literature listed in the Bibliography.

3.1 Site investigation methods

3.1.1 trial pit

open excavation constructed to examine the ground conditions *in situ*, recover samples or carry out field testing

3.1.2 shaft

open vertical or steeply inclined excavation, typically more than 5 m deep, constructed to examine the ground conditions *in situ*, recover samples or carry out field testing

3.1.3 heading adit

small tunnel driven horizontally or with a slight inclination from a shaft or into sloping ground to examine the ground conditions *in situ*, recover samples and carry out field testing

3.1.4 borehole

hole of any predetermined diameter and length formed in any geological formation or man-made material by drilling

NOTE Investigations carried out in such a hole can be to recover rock, soil or water samples from a specified depth or to carry out *in situ* tests and measurements.

3.1.5 drilling

process by which a borehole is produced in any geological formation by rotary, rotary percussive, percussive or thrust methods and in any predetermined direction in relation to the drill rig

3.1.6 small diameter drilling

drilling in the soil with a diameter greater than 30 mm but less than 80 mm

3.1.7**drilling method**

technique employed to create and stabilise the borehole

3.2 Drilling rigs and equipment**3.2.1****drilling tool**

device attached to, or forming an integral part of, the drill string, used as a cutting tool for penetrating the geological formation

3.2.2**drill bit**

device attached to, or forming an integral part of, the drill string, used as a cutting tool to penetrate the formation being drilled by the drilling method employed

3.2.3**drill rig**

device which carries out the drilling function

3.2.4**casing**

tubing temporarily or permanently inserted into a borehole

NOTE Casing is used, e.g. to stabilise the borehole, to prevent the loss of flushing medium to the surrounding formation, or to prevent cross flow between different groundwater horizons

3.2.5**flushing medium**

liquid or gaseous medium used to move cuttings and/or samples and to lubricate and cool the drilling tool from the borehole

<https://standards.iteh.ai/catalog/standards/sist/dbddc697-c02c-40c2-9400-923936cea40b/sist-en-iso-22475-1-2007>

3.2.6**flushing additive**

substance added to the flushing medium in order to affect or change its properties to improve its functioning

3.2.7**core lifter**

split, internally slotted or serrated conical spring steel ring, grooves, flexible spring fingers, hinged wedge-shaped fingers or hinged flaps mounted in a carrier ring, to retain the core sample whilst the corebarrel is being hoisted from the borehole

3.2.8**sample retainer**

cylindrical retainer fitted with a split-ring core lifter; it is mounted at the lower end of the sampler tube and used to retain the sample in the tube as the sampler is being lifted from the ground

3.3 Sampling**3.3.1****sampling by drilling
continuous sampling**

process by which samples are obtained by the drilling tools as the borehole proceeds

NOTE The drilling process is designed to obtain complete samples of the length of the borehole. The drilling tools are used as sampling tools.