

IEC TS 60079-46

Edition 1.0 2017-08

TECHNICAL SPECIFICATION

Explosive atmospheres – Teh Standards Part 46: Equipment assemblies (https://standards.iteh.ai) Document Preview

IEC TS 60079-46:2017





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2017 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office	Tel.: +41 22 919 02 11
3, rue de Varembé	Fax: +41 22 919 03 00
CH-1211 Geneva 20	info@iec.ch
Switzerland	www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc If you wish to give us your feedback on this publication or

need further assistance, please contact the Customer Service Centre: csc@iec.ch.

<u>EC TS 60079-46:2017</u>





Edition 1.0 2017-08

TECHNICAL SPECIFICATION

Explosive atmospheres – iTeh Standards Part 46: Equipment assemblies Document Preview

IEC TS 60079-46:2017

https://standards.iteh.ai/catalog/standards/iec/8449ae7e-fe46-49fc-bcf1-be92c5a664a9/iec-ts-60079-46-2017

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 29.260.20

ISBN 978-2-8322-4763-1

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

		RD	-	
		CTION		
1	Scope			
2	Normative references			
3	Terms and definitions		7	
4	Gene	General requirements for equipment assemblies		
	4.1	4.1 General specifications		
	4.2	Explosion protection specifications	8	
	4.3	Hazardous area classification related to the equipment assembly	8	
	4.3.1	General	8	
4.3.2 Equipment asse		Equipment assembly with its own source of release	9	
	4.4	Competencies	9	
		n of equipment assemblies	9	
		General	9	
	5.2	Ex Equipment	9	
	5.2.1	Individual items	9	
	5.2.2	Specific Conditions of Use as specified on certificates		
	5.2.3			
	5.3	Other items		
	5.4	Wiring system Drawings		
	5.5	Drawings	11	
6	Cons	truction and assembly	11	
	6.1	General	11	
	6.2	Disassembly and reassembly	11	
	6.3			
6.3System interfaces6.4Ignition hazard assessment		Ignition hazard assessment		
	6.5	Calculations	12	
	6.6	Inspection & testing	12	
	6.7	Validation and documentation	13	
	6.7.1	General		
6.7.2		Other material specifications	14	
	6.7.3	Schedule Documents	14	
	6.8	Instructions	14	
7	Certi	icate	14	
8	Mark	ing		
	8.1	General		
	8.2	Determining Group marking		
	8.3	Determining temperature class or maximum surface temperature marking		
	8.4	Determining Equipment Protection Level (EPL) marking		
	8.5	Determining ambient temperature range marking		
	8.6	Determining ingress protection (IP Code) rating		

INTERNATIONAL ELECTROTECHNICAL COMMISSION

EXPLOSIVE ATMOSPHERES –

Part 46: Equipment assemblies

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
 - 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
 - 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a technical specification when

- the required support cannot be obtained for the publication of an International Standard, despite repeated efforts, or
- the subject is still under technical development or where, for any other reason, there is the future but no immediate possibility of an agreement on an International Standard.

Technical specifications are subject to review within three years of publication to decide whether they can be transformed into International Standards.

IEC TS 60079-46, which is a technical specification, has been prepared by IEC technical committee TC 31: Equipment for explosive atmospheres.

The text of this technical specification is based on the following documents:

Enquiry draft	Report on voting
31/1312/DTS	31/1327/RVDTS

Full information on the voting for the approval of this technical specification can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60079 series, published under the general title *Explosive atmospheres*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- transformed into an International standard,
- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

https://standards.iteh.a Document Preview

IEC TS 60079-46:2017

IEC TS 60079-46:2017 © IEC 2017 - 5 -

INTRODUCTION

The provision of products into end markets for installation by end users may take the form of either individual items of equipment or pre-manufactured assemblies comprising many items of equipment. Pre-manufactured equipment assemblies may be as either subsystems requiring integration as part of an installation at a site or complete functional machines which require little or no additional reassembly on site.

This document is applied when assembly of Ex Equipment(s) results in an assembly that creates a need for additional assessment that is not already completely covered by the individual equipment certificates. Additional assessment might include (but is not limited to) evaluation of wiring methods used to connect the equipment(s) or temperature rise within the assembly.

This document provides requirements for the design, construction, assembly, testing, inspection, marking, documenting and assessment of equipment assemblies such that the items of Ex Equipment and the interconnection of the items of equipment form an assembly that also meets other parts of the ISO 80079 and IEC 60079 series.

This document is intended to be used for verification of assemblies to assist in ensuring products are in compliance with the requirements of the ISO 80079 and IEC 60079 series at the time of initial installation at the end user site.

After the initial installation, the assembly is considered as part of the site installation in accordance with other parts of the ISO 80079 and IEC 60079 series.

(https://standards.iteh.ai) Document Preview

IEC TS 60079-46:2017

EXPLOSIVE ATMOSPHERES –

- 6 -

Part 46: Equipment assemblies

1 Scope

This part of IEC 60079, which is a technical specification, specifies requirements for the design, construction, assembly, testing, inspection, marking, documenting and assessment of equipment assemblies for use in explosive atmospheres under the responsibility of the manufacturer of the equipment assembly.

The requirements of this document apply to individual items according to the IEC 60079 series or ISO 80079 series that comprise the assembly and that have individual certificates. These individual items are then integrated as part of the equipment assembly. Also included are requirements to address aspects for the assembly which may be beyond the certificates of the individual items forming the assembly.

The scope of this document includes assessment of the additional requirements for assemblies for hazardous areas and does not include requirements for non-hazardous areas. It is assumed that compliance with other electrical or mechanical requirements that are applicable for non-hazardous areas will be verified by either the same or different party in addition to the requirements of this document.

This document does not apply to:

 equipment which is covered, in its entirety, by one or more IEC 60079 and ISO 80079 equipment types of protection;

 pressurized rooms, "p", in accordance with IEC 60079-13, artificial ventilation for the protection of analyzer(s) houses in accordance with IEC TR 60079-16, and other standards addressing specific Ex assemblies;

- installation at the end-user site under the scope of IEC 60079-14;
- classification of the hazardous area;
- equipment assemblies for mines susceptible to firedamp (Group I applications);
- inherently explosive situations and dust from explosives or pyrophoric substances (for example explosives manufacturing and processing);
- rooms used for medical purposes;
- electrical installations in areas where the hazard is due to flammable mist.

The specification is only intended to provide validation for the initial supply of an assembly.

NOTE 1 Additional guidance on the requirements for hazards due to hybrid mixtures of dust or flyings and flammable gas or vapour is provided in IEC 60079-14.

Where a requirement of this document conflicts with a requirement of either IEC 60079-0 or ISO 80079-36, the requirement of this document takes precedence.

NOTE 2 For this first edition, the only requirements of this document that take precedence over IEC 60079-0 or ISO 80079-36 are the markings for equipment assemblies.

IEC TS 60079-46:2017 © IEC 2017 - 7 -

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60079 (all parts), Explosive atmospheres

IEC 60079-0, Explosive atmospheres – Part 0: Equipment – General requirements

IEC 60079-10-1, *Explosive atmospheres – Part 10-1:* Classification of areas – *Explosive gas atmospheres*

IEC 60079-10-2, *Explosive atmospheres – Part 10-2: Classification of areas – Explosive dust atmospheres*

IEC 60079-14, *Explosive atmospheres – Part 14: Electrical installations design, selection and erection*

IEC 60079-25, *Explosive atmospheres – Part 25: Intrinsically safe electrical systems*

ISO 80079 (all parts), Explosive atmospheres

ISO/IEC 80079-34, Explosive atmospheres – Part 34: Application of quality systems for equipment manufacture

ISO 80079-36, Explosive atmospheres – Part 36: Non-electrical equipment for explosive atmospheres – Basic method and requirements

EC TS 60079-46:2017

https://3 an Terms and definitions ards/iec/8449ae7e-fe46-49fe-bef1-be92c5a664a9/iec-ts-60079-46-2017

For the purposes of this document, the terms and definitions given in IEC 60079-0, IEC 60079-14, ISO 80079-36 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at http://www.iso.org/obp
- 3.1

equipment assembly

pre-manufactured combination of Ex Equipment, together with other parts as necessary, that are electrically or mechanically interconnected that are pre-assembled prior to being placed into service at the end-user site, and that can be disassembled and then re-assembled at the end-user site

3.2

equipment assembly certificate

document that conveys the assurance of the conformity of an equipment assembly with specified requirements

Note 1 to entry: The certificate is either the supplier's declaration of conformity or the purchaser's recognition of conformity or certification (as a result of action by a third party) as defined in ISO/IEC 17000:2004, definition 2.

3.3

pre-manufactured

equipment assembly produced at any location(s) other than the end-user site

4 General requirements for equipment assemblies

4.1 General specifications

The equipment assembly shall be verified for suitability against the requirements of this document, IEC 60079-0, IEC 60079-14 and ISO 80079-36 as applicable.

The general specifications may be provided by the end-user or by the manufacturer for the intended use of the equipment assembly and shall cover the following as a minimum:

- manufacturer's unique equipment assembly identifier (e.g. serial number);
- input and output ratings;
- intended environmental conditions, including ambient temperature range and ingress protection;
- applicable explosion protection codes, standards and regulations;
- utility-related issues, including power supply;
- any requirements for items to be used in the equipment assembly;
- process conditions, including fluids, pressures, duty;
- external sources of heating and cooling;
- external interface parameters (e.g. for intrinsic safety, controls, shutdowns and interlocks, including details regarding failure modes).

These general specifications related to the application of the equipment assembly shall be documented by the manufacturer.

<u>C TS 60079-46:2017</u>

4.2 Explosion protection specifications 7e-fe46-49fe-bef1-be92c5a664a9/iec-ts-60079-46-2017

In addition to the general specifications of 4.1, if not specified as part of them, the manufacturer shall document the following specifications related to the installation of the equipment assembly by the end-user:

- default equipment protection level (EPL) as defined in IEC 60079-14, as a minimum requirement;
- equipment Group;
- temperature classification or maximum surface temperature;
- allowances for dust layers as applicable;
- Specific Conditions of Use ("X" conditions).

4.3 Hazardous area classification related to the equipment assembly

4.3.1 General

There are two aspects of area classification that can impact equipment assemblies. The first is due to the area in which the equipment assembly is to be installed, and the second is due to any source of release from the equipment assembly.

It is not a requirement of this document to verify either of these area classifications.

The manufacturer shall document the suitability of the equipment assembly for the intended end-site hazardous area classification and for the defined installation conditions.