

# INTERNATIONAL STANDARD



**Electricity metering data exchange – The DLMS/COSEM suite –  
Part 5-3: DLMS/COSEM application layer**

(<https://standards.iteh.ai>)

Document Preview

IEC 62056-5-3:2017

<https://standards.iteh.ai/catalog/standards/iec/2/2f1ac6ec-8666-4b26-a87d-ffd9f394dc3b/iec-62056-5-3-2017>

Withhold



**THIS PUBLICATION IS COPYRIGHT PROTECTED**  
**Copyright © 2017 IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
Fax: +41 22 919 03 00  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

**About the IEC**

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

**About IEC publications**

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

**IEC Catalogue - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)**

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

**IEC publications search - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)**

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

**IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)**

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

**Electropedia - [www.electropedia.org](http://www.electropedia.org)**

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

**IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)**

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

**IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)**

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [csc@iec.ch](mailto:csc@iec.ch).

<https://standards.iteh.ai/>

<https://standards.iteh.ai/standards/iec/2331ac6ec-8666-4b26-a87d-ffd9f394dc3b/iec-62056-5-3-2017>

# INTERNATIONAL STANDARD



Electricity metering data exchange – The DLMS/COSEM suite –  
Part 5-3: DLMS/COSEM application layer

<https://standards.iteh.ai>  
Document Preview

IEC 62056-5-3:2017

<https://standards.iteh.ai/catalog/standards/iec/2/21ac6ec-8666-4b26-a87d-ffd9f394dc3b/iec-62056-5-3-2017>

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

ICS 17.220; 35.110; 91.140.50

ISBN 978-2-8322-4599-6

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD.....	11
INTRODUCTION.....	13
1 Scope.....	14
2 Normative references .....	14
3 Terms, definitions, abbreviated terms and symbols.....	16
3.1 General DLMS/COSEM definitions.....	16
3.2 Definitions related to cryptographic security.....	19
3.3 Definitions and abbreviated terms related to the Galois/Counter Mode.....	29
3.4 General abbreviated terms.....	30
3.5 Symbols related to the Galois/Counter Mode .....	34
3.6 Symbols related the ECDSA algorithm .....	35
3.7 Symbols related to the key agreement algorithms .....	35
4 Overview of DLMS/COSEM .....	35
4.1 Information exchange in DLMS/COSEM.....	35
4.1.1 General .....	35
4.1.2 Communication model .....	36
4.1.3 Naming and addressing.....	37
4.1.4 Connection oriented operation.....	40
4.1.5 Application associations .....	41
4.1.6 Messaging patterns .....	42
4.1.7 Data exchange between third parties and DLMS/COSEM servers.....	43
4.1.8 Communication profiles.....	43
4.1.9 Model of a DLMS/COSEM metering system .....	45
4.1.10 Model of DLMS/COSEM servers.....	45
4.1.11 Model of a DLMS/COSEM client.....	47
4.1.12 Interoperability and interconnectivity in DLMS/COSEM.....	48
4.1.13 Ensuring interconnectivity: the protocol identification service.....	48
4.1.14 System integration and meter installation .....	49
4.2 DLMS/COSEM application layer main features.....	49
4.2.1 General .....	49
4.2.2 DLMS/COSEM application layer structure.....	49
4.2.3 The Association Control Service Element, ACSE .....	51
4.2.4 The xDLMS application service element .....	52
4.2.5 Layer management services .....	59
4.2.6 Summary of DLMS/COSEM application layer services .....	59
4.2.7 DLMS/COSEM application layer protocols .....	60
5 Information security in DLMS/COSEM .....	60
5.1 Overview.....	60
5.2 The DLMS/COSEM security concept.....	61
5.2.1 Overview .....	61
5.2.2 Identification and authentication .....	61
5.2.3 Security context.....	64
5.2.4 Access rights.....	64
5.2.5 Application layer message security.....	64
5.2.6 COSEM data security .....	66
5.3 Cryptographic algorithms .....	67

5.3.1	Overview .....	67
5.3.2	Hash function .....	67
5.3.3	Symmetric key algorithms .....	68
5.3.4	Public key algorithms .....	74
5.3.5	Random number generation .....	85
5.3.6	Compression .....	86
5.3.7	Security suite .....	86
5.4	Cryptographic keys – overview .....	87
5.5	Key used with symmetric key algorithms .....	87
5.5.1	Symmetric keys types .....	87
5.5.2	Key information with general-ciphering APDU and data protection .....	88
5.5.3	Key identification .....	89
5.5.4	Key wrapping .....	89
5.5.5	Key agreement .....	90
5.5.6	Symmetric key cryptoperiods .....	90
5.6	Keys used with public key algorithms .....	91
5.6.1	Overview .....	91
5.6.2	Key pair generation .....	91
5.6.3	Public key certificates and infrastructure .....	92
5.6.4	Certificate and certificate extension profile .....	95
5.6.5	Suite B end entity certificate types to be supported by DLMS/COSEM servers .....	103
5.6.6	Management of certificates .....	103
5.7	Applying cryptographic protection .....	108
5.7.1	Overview .....	108
5.7.2	Protecting xDLMS APDUs .....	108
5.7.3	Multi-layer protection by multiple parties .....	121
5.7.4	HLS authentication mechanisms .....	122
5.7.5	Protecting COSEM data .....	125
6	DLMS/COSEM application layer service specification .....	126
6.1	Service primitives and parameters .....	126
6.2	The COSEM-OPEN service .....	128
6.3	The COSEM-RELEASE service .....	133
6.4	COSEM-ABORT service .....	136
6.5	Protection and general block transfer parameters .....	136
6.6	The GET service .....	141
6.7	The SET service .....	144
6.8	The ACTION service .....	148
6.9	The ACCESS service .....	151
6.9.1	Overview – Main features .....	151
6.9.2	Service specification .....	153
6.10	The DataNotification service .....	158
6.11	The EventNotification service .....	159
6.12	The TriggerEventNotificationSending service .....	160
6.13	Variable access specification .....	161
6.14	The Read service .....	161
6.15	The Write service .....	165
6.16	The UnconfirmedWrite service .....	168
6.17	The InformationReport service .....	170

6.18	Client side layer management services: the SetMapperTable.request .....	171
6.19	Summary of services and LN/SN data transfer service mapping .....	171
7	DLMS/COSEM application layer protocol specification .....	173
7.1	The control function .....	173
7.1.1	State definitions of the client side control function .....	173
7.1.2	State definitions of the server side control function .....	174
7.2	The ACSE services and APDUs .....	175
7.2.1	ACSE functional units, services and service parameters .....	175
7.2.2	Registered COSEM names .....	179
7.2.3	APDU encoding rules .....	182
7.2.4	Protocol for application association establishment .....	182
7.2.5	Protocol for application association release .....	187
7.3	Protocol for the data transfer services .....	191
7.3.1	Negotiation of services and options – the conformance block .....	191
7.3.2	Confirmed and unconfirmed service invocations .....	192
7.3.3	Protocol for the GET service .....	193
7.3.4	Protocol for the SET service .....	197
7.3.5	Protocol for the ACTION service .....	200
7.3.6	Protocol for the ACCESS service .....	202
7.3.7	Protocol of the DataNotification service .....	204
7.3.8	Protocol for the EventNotification service .....	204
7.3.9	Protocol for the Read service .....	204
7.3.10	Protocol for the Write service .....	208
7.3.11	Protocol for the UnconfirmedWrite service .....	213
7.3.12	Protocol for the InformationReport service .....	214
7.3.13	Protocol of general block transfer mechanism .....	215
8	Abstract syntax of ACSE and COSEM APDUs .....	226
9	COSEM APDU XML schema .....	239
9.1	General .....	239
9.2	XML Schema .....	240
Annex A (normative)	Using the DLMS/COSEM application layer in various communications profiles .....	261
A.1	General .....	261
A.2	Targeted communication environments .....	261
A.3	The structure of the profile .....	261
A.4	Identification and addressing schemes .....	261
A.5	Supporting layer services and service mapping .....	262
A.6	Communication profile specific parameters of the COSEM AL services .....	262
A.7	Specific considerations / constraints using certain services within a given profile .....	262
A.8	The 3-layer, connection-oriented, HDLC based communication profile .....	262
A.9	The TCP-UDP/IP based communication profiles (COSEM_on_IP) .....	262
A.10	The wired and wireless M-Bus communication profiles .....	262
A.11	The S-FSK PLC profile .....	262
Annex B (normative)	SMS short wrapper .....	263
Annex C (normative)	Gateway protocol .....	264
C.1	General .....	264
C.2	The gateway protocol .....	265
C.3	HES in the WAN/NN acting as Initiator (Pull operation) .....	266

C.4	End devices in the LAN acting as Initiators (Push operation).....	267
C.4.1	General .....	267
C.4.2	End device with WAN/NN knowledge .....	267
C.4.3	End devices without WAN/NN knowledge .....	268
C.5	Security .....	268
Annex D (informative)	AARQ and AARE encoding examples.....	269
D.1	General.....	269
D.2	Encoding of the xDLMS InitiateRequest / InitiateResponse APDU.....	269
D.3	Specification of the AARQ and AARE APDUs .....	272
D.4	Data for the examples .....	273
D.5	Encoding of the AARQ APDU.....	274
D.6	Encoding of the AARE APDU .....	277
Annex E (informative)	Encoding examples: AARQ and AARE APDUs using a ciphered application context.....	283
E.1	A-XDR encoding of the xDLMS InitiateRequest APDU, carrying a dedicated key.....	283
E.2	Authenticated encryption of the xDLMS InitiateRequest APDU.....	284
E.3	The AARQ APDU .....	285
E.4	A-XDR encoding of the xDLMS InitiateResponse APDU.....	287
E.5	Authenticated encryption of the xDLMS InitiateResponse APDU .....	288
E.6	The AARE APDU .....	289
E.7	The RLRQ APDU (carrying a ciphered xDLMS InitiateRequest APDU) .....	291
E.8	The RLRE APDU (carrying a ciphered xDLMS InitiateResponse APDU).....	292
Annex F (informative)	Data transfer service examples .....	293
F.1	GET / Read, SET / Write examples .....	293
F.2	ACCESS service example.....	310
F.3	Compact array encoding example .....	311
F.3.1	General .....	311
F.3.2	The specification of compact-array .....	311
F.3.3	Example 1: Compact array encoding an array of five long-unsigned values.....	313
F.3.4	Example 2: Compact-array encoding of five octet-string values .....	314
F.3.5	Example 3: Encoding of the buffer of a Profile generic object .....	314
Annex G (normative)	NSA Suite B elliptic curves and domain parameters.....	317
Annex H (informative)	Example of an End entity signature certificate using P-256 signed with P-256.....	319
Annex I (normative)	Use of key agreement schemes in DLMS/COSEM .....	321
I.1	Ephemeral Unified Model C(2e, 0s, ECC CDH) scheme .....	321
I.2	One-Pass Diffie-Hellman C(1e, 1s, ECC CDH) scheme.....	324
I.3	Static Unified Model C(0e, 2s, ECC CDH) scheme .....	329
Annex J (informative)	Exchanging protected xDLMS APDUs between TP and server .....	333
J.1	General.....	333
J.2	Example 1: Protection is the same in the two directions .....	333
J.3	Example 2: Protection is different in the two directions .....	334
Annex K (informative)	Significant technical changes with respect to IEC 62056-5-3:2016.....	336
Bibliography	.....	339
Index	.....	343



Figure 1 – Client–server model and communication protocols .....	37
Figure 2 – Naming and addressing in DLMS/COSEM .....	38
Figure 3 – A complete communication session in the CO environment .....	40
Figure 4 – DLMS/COSEM messaging patterns .....	43
Figure 5 – DLMS/COSEM generic communication profile .....	44
Figure 6 – Model of a DLMS/COSEM metering system.....	45
Figure 7 – DLMS/COSEM server model .....	46
Figure 8 – Model of a DLMS/COSEM client using multiple protocol stacks .....	47
Figure 9 – The structure of the DLMS/COSEM application layers.....	50
Figure 10 – The concept of composable xDLMS messages.....	57
Figure 11 – Summary of DLMS/COSEM AL services.....	60
Figure 12 – Authentication mechanisms.....	62
Figure 13 – Client – server message security concept .....	65
Figure 14 – End-to-end message security concept.....	66
Figure 15 – Hash function.....	68
Figure 16 – Encryption and decryption.....	69
Figure 17 – Message Authentication Codes (MACs).....	70
Figure 18 – GCM functions .....	71
Figure 19 – Digital signatures .....	78
Figure 20 – C(2e, 0s) scheme: each party contributes only an ephemeral key pair.....	79
Figure 21 – C(1e, 1s) schemes: party U contributes an ephemeral key pair, and party V contributes a static key pair.....	81
Figure 22 – C(0e, 2s) scheme: each party contributes only a static key pair.....	83
Figure 23 – Architecture of a Public Key Infrastructure (example) .....	94
Figure 24 – MSC for provisioning the server with CA certificates .....	104
Figure 25 – MSC for security personalisation of the server .....	105
Figure 26 – Provisioning the server with the certificate of the client .....	106
Figure 27 – Provisioning the client / third party with a certificate of the server.....	107
Figure 28 – Remove certificate from the server.....	107
Figure 29 – Cryptographic protection of information using AES-GCM.....	111
Figure 30 – Structure of service-specific global / dedicated ciphering xDLMS APDUs .....	113
Figure 31 – Structure of general-glo-ciphering and general-ded-ciphering xDLMS APDUs.....	114
Figure 32 – Structure of general-ciphering xDLMS APDUs.....	115
Figure 33 – Structure of general-signing APDUs .....	121
Figure 34 – Service primitives.....	126
Figure 35 – Time sequence diagrams .....	127
Figure 36 – Additional service parameters to control cryptographic protection and GBT.....	137
Figure 37 – Partial state machine for the client side control function .....	173
Figure 38 – Partial state machine for the server side control function.....	174
Figure 39 – MSC for successful AA establishment preceded by a successful lower layer connection establishment.....	184
Figure 40 – Graceful AA release using the A-RELEASE service.....	189
Figure 41 – Graceful AA release by disconnecting the supporting layer .....	190



Figure 42 – Aborting an AA following a PH-ABORT indication .....	191
Figure 43 – MSC of the GET service .....	194
Figure 44 – MSC of the GET service with block transfer.....	195
Figure 45 – MSC of the GET service with block transfer, long GET aborted .....	197
Figure 46 – MSC of the SET service .....	198
Figure 47 – MSC of the SET service with block transfer .....	198
Figure 48 – MSC of the ACTION service .....	200
Figure 49 – MSC of the ACTION service with block transfer.....	202
Figure 50 – ACCESS Service with long response.....	203
Figure 51 – ACCESS Service with long request and response .....	203
Figure 52 – MSC of the Read service used for reading an attribute .....	207
Figure 53 – MSC of the Read service used for invoking a method.....	207
Figure 54 – MSC of the Read service used for reading an attribute, with block transfer .....	208
Figure 55 – MSC of the Write service used for writing an attribute .....	211
Figure 56 – MSC of the Write service used for invoking a method.....	212
Figure 57 – MSC of the Write service used for writing an attribute, with block transfer .....	213
Figure 58 – MSC of the UnconfirmedWrite service used for writing an attribute.....	214
Figure 59 – Partial service invocations and GBT APDUs.....	217
Figure 60 – GET service with GBT, switching to streaming .....	219
Figure 61 – GET service with partial invocations, GBT and streaming, recovery of 4 <sup>th</sup> block sent in the 2 <sup>nd</sup> stream .....	220
Figure 62 – GET service with partial invocations, GBT and streaming, recovery of 4 <sup>th</sup> and 5 <sup>th</sup> block .....	221
Figure 63 – GET service with partial invocations, GBT and streaming, recovery of last block.....	222
Figure 64 – SET service with GBT, with server not supporting streaming, recovery of 3 <sup>rd</sup> block.....	223
Figure 65 – ACTION-WITH-LIST service with bi-directional GBT and block recovery .....	224
Figure 66 – DataNotification service with GBT with partial invocation.....	225
Figure B.1 – Short wrapper .....	263
Figure C.1 – General architecture with gateway .....	264
Figure C.2 – The fields used for pre-fixing the COSEM APDUs .....	265
Figure C.3 – Pull message sequence chart .....	266
Figure C.4 – Push message sequence chart .....	267
Figure I.1 – MSC for key agreement using the Ephemeral Unified Model C(2e, 0s, ECC CDH) scheme .....	321
Figure I.2 – Ciphered xDLMS APDU protected by an ephemeral key established using the One-pass Diffie-Hellman (1e, 1s, ECC CDH) scheme.....	325
Figure I.3 – Ciphered xDLMS APDU protected by an ephemeral key established using the Static Unified Model C(0e, 2s, ECC CDH) scheme .....	330
Figure J.1 – Exchanging protected xDLMS APDUs between TP and server: example 1.....	334
Figure J.2 – Exchanging protected xDLMS APDUs between TP and server: example 2.....	335
Table 1 – Client and server SAPs .....	39
Table 2 – Clarification of the meaning of PDU size for DLMS/COSEM.....	58

Table 3 – Elliptic curves in DLMS/COSEM security suites .....	76
Table 4 – Ephemeral Unified Model key agreement scheme summary .....	80
Table 5 – One-pass Diffie-Hellman key agreement scheme summary .....	82
Table 6 – Static Unified Model key agreement scheme summary .....	84
Table 7 – <i>OtherInfo</i> subfields and substrings .....	85
Table 8 – Cryptographic algorithm ID-s .....	85
Table 9 – DLMS/COSEM security suites .....	86
Table 10 – Symmetric keys types .....	88
Table 11 – Key information with general-ciphering APDU and data protection .....	89
Table 12 – Asymmetric keys types and their use .....	91
Table 13 – X.509 v3 Certificate structure .....	95
Table 14 – X.509 v3 tbsCertificate fields .....	96
Table 15 – Naming scheme for the Root-CA instance (informative) .....	97
Table 16 – Naming scheme for the Sub-CA instance (informative) .....	97
Table 17 – Naming scheme for the end entity instance .....	98
Table 18 – X.509 v3 Certificate extensions .....	100
Table 19 – Key Usage extensions .....	101
Table 20 – Subject Alternative Name values .....	101
Table 21 – Issuer Alternative Name values .....	102
Table 22 – Basic constraints extension values .....	102
Table 23 – Certificates handled by DLMS/COSEM end entities .....	103
Table 24 – Security policy values (“Security setup” version 1) .....	108
Table 25 – Access rights values (“Association LN” ver 3 “Association SN” ver 4) .....	109
Table 26 – Ciphered xDLMS APDUs .....	110
Table 27 – Security control byte .....	112
Table 28 – Plaintext and Additional Authenticated Data .....	112
Table 29 – Use of the fields of the ciphering xDLMS APDUs .....	116
Table 30 – Example: glo-get-request xDLMS APDU .....	117
Table 31 – ACCESS service with general-ciphering, One-Pass Diffie-Hellman C(1e, 1s, ECC CDH) key agreement scheme .....	119
Table 32 – DLMS/COSEM HLS authentication mechanisms .....	123
Table 33 – HLS example using authentication-mechanism 5 with GMAC .....	124
Table 34 – HLS example using authentication-mechanism 7 with ECDSA .....	125
Table 35 – Codes for AL service parameters .....	128
Table 36 – Service parameters of the COSEM-OPEN service primitives .....	129
Table 37 – Service parameters of the COSEM-RELEASE service primitives .....	133
Table 38 – Service parameters of the COSEM-ABORT service primitives .....	136
Table 39 – Additional service parameters .....	138
Table 40 – Security parameters .....	139
Table 41 – APDUs used with security protection types .....	140
Table 42 – Service parameters of the GET service .....	142
Table 43 – GET service request and response types .....	143
Table 44 – Service parameters of the SET service .....	145

Table 45 – SET service request and response types .....	146
Table 46 – Service parameters of the ACTION service.....	148
Table 47 – ACTION service request and response types.....	149
Table 48 – Service parameters of the ACCESS service .....	155
Table 49 – Service parameters of the DataNotification service primitives .....	158
Table 50 – Service parameters of the EventNotification service primitives .....	159
Table 51 – Service parameters of the TriggerEventNotificationSending.request service primitive.....	160
Table 52 – Variable Access Specification.....	161
Table 53 – Service parameters of the Read service .....	162
Table 54 – Use of the Variable_Access_Specification variants and the Read.response choices .....	163
Table 55 – Service parameters of the Write service .....	166
Table 56 – Use of the Variable_Access_Specification variants and the Write.response choices .....	167
Table 57 – Service parameters of the UnconfirmedWrite service.....	169
Table 58 – Use of the Variable_Access_Specification variants.....	169
Table 59 – Service parameters of the InformationReport service.....	170
Table 60 – Service parameters of the SetMapperTable.request service primitives .....	171
Table 61 – Summary of ACSE services.....	171
Table 62 – Summary of xDLMS services.....	172
Table 63 – Functional Unit APDUs and their fields .....	177
Table 64 – COSEM application context names.....	180
Table 65 – COSEM authentication mechanism names .....	181
Table 66 – Cryptographic algorithm ID-s.....	182
Table 67 – xDLMS Conformance block .....	192
Table 68 – GET service types and APDUs .....	194
Table 69 – SET service types and APDUs .....	197
Table 70 – ACTION service types and APDUs .....	200
Table 71 – Mapping between the GET and the Read services.....	205
Table 72 – Mapping between the ACTION and the Read services.....	206
Table 73 – Mapping between the SET and the Write services (1 of 2).....	209
Table 74 – Mapping between the ACTION and the Write service.....	210
Table 75 – Mapping between the SET and the UnconfirmedWrite services .....	214
Table 76 – Mapping between the ACTION and the UnconfirmedWrite services .....	214
Table 77 – Mapping between the EventNotification and InformationReport services.....	215
Table B.1 – Reserved Application Processes .....	263
Table D.1 – Conformance block .....	270
Table D.2 – A-XDR encoding of the xDLMS InitiateRequest APDU .....	271
Table D.3 – A-XDR encoding of the xDLMS InitiateResponse APDU .....	272
Table D.4 – BER encoding of the AARQ APDU .....	275
Table D.5 – Complete AARQ APDU .....	277
Table D.6 – BER encoding of the AARE APDU .....	278
Table D.7 – The complete AARE APDU .....	282



## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**ELECTRICITY METERING DATA EXCHANGE –  
THE DLMS/COSEM SUITE –****Part 5-3: DLMS/COSEM application layer**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The International Electrotechnical Commission (IEC) draws attention to the fact that it is claimed that compliance with this International Standard may involve the use of a maintenance service concerning the stack of protocols on which the present standard IEC 62056-5-3 is based.

The IEC takes no position concerning the evidence, validity and scope of this maintenance service.

The provider of the maintenance service has assured the IEC that he is willing to provide services under reasonable and non-discriminatory terms and conditions for applicants throughout the world. In this respect, the statement of the provider of the maintenance service is registered with the IEC. Information may be obtained from:

DLMS<sup>1</sup> User Association  
Zug/Switzerland  
www.dlms.com

<sup>1</sup> Device Language Message Specification.

International Standard IEC 62056-5-3 has been prepared by IEC technical committee 13: Electrical energy measurement and control.

This third edition cancels and replaces the second edition of IEC 62056-5-3, published in 2016. It constitutes a technical revision.

The significant technical changes with respect to the previous edition are listed in Annex K (Informative).

The text of this International Standard is based on the following documents:

FDIS	Report on voting
13/1744/FDIS	13/1747/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all the parts in the IEC 62056 series, published under the general title *Electricity metering data exchange – The DLMS/COSEM suite*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

<https://standards.iteh.ai/> <https://standards.iteh.ai/standards/iec/2331ac6ec-8666-4b26-a87d-ffd9f394dc3b/iec-62056-5-3-2017>

A bilingual version of this publication may be issued at a later date.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**