IEC 62684

Edition 2.0 2018-02

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Interoperability specifications of common external power supplies (EPS) for use with data-enabled mobile telephones

Spécifications d'interopérabilité des alimentations externes (EPS) communes destinées aux téléphones mobiles avec service de données

IEC 62684:2018-02(en-fr)

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC
The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications
The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform
The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, …). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc
If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC online collection - oc.iec.ch
Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org
The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 18 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

A propos de l'IEC
La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC
Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC - webstore.iec.ch/advsearchform
La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, …). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished
Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc
Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC online collection - oc.iec.ch
Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org
Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

IEC 62684

Edition 2.0 2018-02

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Interoperability specifications of common external power supplies (EPS) for use with data-enabled mobile telephones

Spécifications d'interopérabilité des alimentations externes (EPS) communes destinées aux téléphones mobiles avec service de données

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

ICS 29.200; 35.100.05; 35.200

ISBN 978-2-8322-9256-3

Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

INTERNATIONAL ELECTROTECHNICAL COMMISSION

INTEROPERABILITY SPECIFICATIONS OF COMMON EXTERNAL POWER SUPPLIES (EPS) FOR USE WITH DATA-ENABLED MOBILE TELEPHONES

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.

4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.

5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62684 has been prepared by technical area 14: Interfaces and methods of measurement for personal computing equipment, of IEC technical committee 100: Audio, video and multimedia systems and equipment.

This second edition cancels and replaces the first edition published in 2011. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

a) Clause 1 is modified to include updated references to IEC Universal Serial Bus interface standards;
b) Clause 2 is expanded to include references to IEC Universal Serial Bus interface standards;
c) Subclause 4.1 is expanded to include requirements for non USB Micro-B plug DC plug connectors;

d) Subclause 4.4 is modified to remove obsolete requirements for common mode noise and reference requirements of IEC Universal Serial Bus interface standards;

e) Subclause 4.5 is modified to reference appropriate safety standards.

The text of this standard is based on the following documents:

CDV	Report on voting
100/2872/CDV	100/2966/RVC

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

INTEROPERABILITY SPECIFICATIONS OF COMMON EXTERNAL POWER SUPPLIES (EPS) FOR USE WITH DATA-ENABLED MOBILE TELEPHONES

1 Scope

This document specifies the interoperability of common external power supplies for use with data-enabled mobile telephones. It defines the common charging capability and specifies interface requirements for the external power supply.

Safety and EMC aspects are not covered by this document. Safety is covered by IEC 60950-1 or IEC 62368-1 and EMC is covered by regional /national standards.

This document defines interoperability based on legacy USB technologies and does not cover charging interfaces that implement IEC 62680-1-3 (USB Type-C™[1]), IEC 62680-1-2 (USB PD) and IEC 63002.

NOTE The content of this document is based on Annex II dated 12 January 2010 to the MoU regarding Harmonisation of a Charging Capability for Mobile Phone.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60950-1, *Information technology equipment – Safety – Part 1: General requirements*

IEC 62368-1, *Audio/video, information and communication technology equipment – Part 1: Safety requirements*

IEC 62680-1-1, *Universal Serial Bus interfaces for data and power – Part 1-1: Common components – USB Battery Charging Specification, Revision 1.2*

IEC 62680-2-1:2015, *Universal Serial Bus interfaces for data and power – Part 2-1: Universal Serial Bus specification, Revision 2.0*

IEC 62680-2-2, *Universal Serial Bus interfaces for data and power – Part 2-2: USB Micro-USB Cables and Connectors Specification, Revision 1.01*

3 Terms, definitions and abbreviated terms

3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org
- ISO Online browsing platform: available at http://www.iso.org/obp

[1] USB Type-C™ is a trademark of the USB Implementers Forum (USB-IF). This information is given for the convenience of users of this document and does not constitute an endorsement by IEC of this product.

3.1.1
adapter
device for connecting from a USB Micro-B receptacle/plug defined in IEC 62680-2-2 to a specific non Micro-USB connector

Note 1 to entry: An adapter can also be a cable.

3.2 Abbreviated terms

AC alternating current

DC direct current

EPS external power supply

ESR equivalent series resistance

EUT equipment under test

GND ground

USB Universal Serial Bus

4 EPS specification

4.1 DC plug connector specification

The cable assembly supplied with the EPS shall terminate in a USB Micro-B plug, defined in IEC 62680-2-2. The cable assembly may be permanently connected to the EPS or may be a detachable cable. In either case, the terminating USB Micro-B plug shall be compliant with the USB Micro-B cables and connectors specification, IEC 62680-2-2.

The cable assembly supplied with the EPS may also terminate in a non USB Micro-B plug if a manufacturer makes available an adaptor from the Micro-USB connector of a common EPS to a specific non-Micro-USB socket in the mobile phone.[2]

An EPS provided with a detachable cable shall be equipped with a USB Standard-A receptacle to connect to the EPS. The detachable cable assembly, supplied for use with the EPS, shall have USB Standard-A and USB Micro-B plugs and meet the USB-IF cable assembly requirements in IEC 62680-2-2.

The above requirement also applies to a cable used as an adaptor, i.e. when the USB Micro-B is connected to the mobile telephone by an adaptor where the mobile telephone does not have a Micro-USB interface.

4.2 AC input characteristic

The EPS shall meet the requirements of IEC 60950-1 or IEC 62368-1 with a maximum touch current not exceeding 90 µA.

The EPS AC input shall operate over the following range:

– voltage range: the rated input voltage range covers the range 100 V to 230 V;

– frequency: 50 Hz to 60 Hz.

4.3 Environmental specification

The EPS operational environmental range, over which the DC output characteristics defined in 4.4 shall be maintained, shall be

– temperature range: 0 °C to +35 °C,

– relative humidity: up to 90 %.

_____

2 Memorandum of Understanding regarding Harmonisation of a Charging Capability for Mobile Phones. 5 June 2009, clause 4.2.1.

4.4 DC output characteristics

The DC output voltage of the EPS shall be as specified in IEC 62680-2-1. The cable voltage drop shall be as specified in IEC 62680-2-1.

The ripple voltage on the output with a no-load current to maximum rated output current shall be no more than 80 mV peak-to-peak measured at 20 MHz bandwidth when measured in accordance with the test method defined in 5.2.

Proprietary methods for faster charging at higher voltages and/or currents are permitted, provided that interoperability according to IEC 62680-1-1 is guaranteed when the peer connected device (EPS or the mobile telephone) supports only IEC 62680-1-1.

4.5 Protection

The EPS shall comply with all appropriate safety standards, for example as specified by IEC 60950-1 or IEC 62368-1.

4.6 EPS detection

To enable the mobile telephone to detect that it is connected to an EPS, the EPS shall meet the USB-IF charging port requirements for a Dedicated Charging Port as defined in IEC 62680-1-1.

4.7 Reliability

The durability of the plug and receptacles shall, as a minimum, meet the performance as given in Table 6-7 of IEC 62680-2-1:2015.

5 Testing requirements

5.1 General

The requirements in Clause 5 have been developed to try to ensure that common EPSs perform correctly with any data-enabled mobile phone to which they may be connected. Most of the requirements can be verified using existing and well-understood measurement techniques, which do not need defining in this document.

The ripple voltage at the DC output can be affected by the load on the output of the EPS. For these parameters, the test procedures outlined in 5.2 shall be used.

5.2 Ripple voltage at the DC output

a) The USB Micro-B plug of the EPS shall be connected to a load representative of a mobile phone with the following characteristics:
   - USB Micro-B receptacle connection;
   - a capacitance of (1 ± 0,1) μF between the Vbus and GND terminals of the USB Micro-B receptacle. This capacitance shall have a typical ESR of 0,01 Ω at 1 MHz and 0,6 Ω at 10 kHz;
   - a variable or switchable resistance between the Vbus and GND terminals of the USB Micro-B receptacle. It shall be possible to select a resistance of 10 kΩ to simulate a no-load condition and other resistances suitable to draw 25 %, 50 %, 75 % and 100 % of the rated current of the EPS.

b) Place the EUT into an environmental chamber.

c) Connect an oscilloscope to the Vbus and GND terminals. Set the oscilloscope to vertical axis of 20 mV per division, horizontal axis of 1 s per division and 20 MHz bandwidth.

d) Allow the temperature of the EPS to stabilize for at least 10 min.

e) Turn on the AC power to the EPS and allow it to operate for at least 10 min before making any measurements.

f) Measure the peak-to-peak voltage of the signal on the oscilloscope under each possible combination of the following parameters:

- AC frequency: 47 Hz, 50 Hz, 60 Hz and 63 Hz;
- AC voltage: 90 V, 120 V, 207 V and 253 V;
- load: 0 %, 25 %, 50 %, 75 % and 100 % of the rated output current;
- temperature: 0 °C, 25 °C and 45 °C.

Bibliography

IEC 62680-1-2, *Universal Serial Bus interfaces for data and power – Part 1-2: Common components – USB Power Delivery Specification*

IEC 62680-1-3, *Universal Serial Bus interfaces for data and power – Part 1-3: Common components – USB Type-C™ Cable and Connector Specification*

IEC 63002, *Identification and communication interoperability method for external power supplies used with portable computing devices*

MoU regarding Harmonisation of a Charging Capability for Mobile Phones, 5 June 2009 (http://ec.europa.eu/docsroom/documents/2417)

Annex II to the MoU, 12 January 2010 (http://ec.europa.eu/docsroom/documents/2418)

European Commission, *Standardisation mandate to CEN, CENELEC and ETSI on a common Charging Capability for Mobile Telephones* (http://ec.europa.eu/growth/tools-databases/mandates/index.cfm?fuseaction=search.detail&id=437#)