
Specifikacije za posebne vrste navijalnih žic - 0-8. del: Splošne zahteve - S poliestrskim steklenim vlaknom povita, s smolo ali posteklino impregnirana ali neimpregnirana, gola ali emajlirana pravokotna bakrena žica

Specifications for particular types of winding wires - Part 0-8: General requirements - Polyester glass-fibre wound, resin or varnish impregnated or not impregnated, bare or enamelled rectangular copper wire

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Spécifications pour types particuliers de fils de bobinage - Partie 0-8: Exigences générales - Fil de section rectangulaire en cuivre nu ou émaillé guipé de fibres de verre avec polyester, imprégnées ou non de vernis ou de résine

Ta slovenski standard je istoveten z: EN 60317-0-8:2012

ICS:

29.060.10 Žice

Wires

SIST EN 60317-0-8:2012

en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 60317-0-8:2012

<https://standards.iteh.ai/catalog/standards/sist/67d11788-13e2-4e1a-939a-265069643342/sist-en-60317-0-8-2012>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 60317-0-8

September 2012

ICS 29.060.10

English version

**Specifications for particular types of winding wires -
Part 0-8: General requirements -
Polyester glass fibre wound, resin or varnish impregnated
or not impregnated, bare or enamelled rectangular copper wire
(IEC 60317-0-8:2012)**

Spécifications pour types particuliers
de fils de bobinage -
Partie 0-8: Exigences générales -
Fil de section rectangulaire en cuivre
nu ou émaillé, guipé de fibres de verre
avec polyester, imprégnées ou non
de vernis ou de résine
(CEI 60317-0-8:2012)

Technische Lieferbedingungen für
bestimmte Typen von Wickeldrähten -
Teil-0-8: Allgemeine Anforderungen -
Flachdrähte aus Kupfer, blank oder
lackisoliert, mit Polyester Glasgewebe
umspunnen und mit Harz oder Lack
imprägniert oder nicht imprägniert
(IEC 60317-0-8:2012)

[SIST EN 60317-0-8:2012](https://standards.iteh.ai/catalog/standards/sist/67d11788-13e2-4e1a-939a-67d11788-13e2-4e1a-939a-67d11788-13e2-4e1a-939a)

[https://standards.iteh.ai/catalog/standards/sist/67d11788-13e2-4e1a-939a-](https://standards.iteh.ai/catalog/standards/sist/67d11788-13e2-4e1a-939a-67d11788-13e2-4e1a-939a-67d11788-13e2-4e1a-939a)

This European Standard was approved by CENELEC on 2012-08-16. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 55/1324/FDIS, future edition 1 of IEC 60317-0-8, prepared by IEC/TC 55 "Winding wires" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 60317-0-8:2012.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2013-05-16
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2015-08-16

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 60317-0-8:2012 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60264 Series	NOTE	Harmonised as EN 60264 Series (not modified).
IEC 60317 Series	NOTE	Harmonised as EN 60317 Series (not modified).
IEC 60851 Series	NOTE	Harmonised as EN 60851 Series (not modified).

<https://standards.iteh.ai/catalog/standards/sist/67d11788-13e2-4e1a-939a-265069643342/sist-en-60317-0-8-2012>

Annex ZA
(normative)**Normative references to international publications
with their corresponding European publications**

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60851	Series	Winding wires - Test methods	EN 60851	Series
ISO 3	1973	Preferred numbers - Series of preferred numbers	-	-

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 60317-0-8:2012](https://standards.iteh.ai/catalog/standards/sist/67d11788-13e2-4e1a-939a-265069643342/sist-en-60317-0-8-2012)

<https://standards.iteh.ai/catalog/standards/sist/67d11788-13e2-4e1a-939a-265069643342/sist-en-60317-0-8-2012>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 60317-0-8:2012

<https://standards.iteh.ai/catalog/standards/sist/67d11788-13e2-4e1a-939a-265069643342/sist-en-60317-0-8-2012>



IEC 60317-0-8

Edition 1.0 2012-07

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Specifications for particular types of winding wires –
Part 0-8: General requirements – Polyester glass fibre wound, resin or varnish
impregnated or not impregnated, bare or enamelled rectangular copper wire**

**Spécifications pour types particuliers de fils de bobinage –
Partie 0-8: Exigences générales – Fil de section rectangulaire en cuivre nu ou
émailé, guipé de fibres de verre avec polyester, imprégnées ou non de vernis
ou de résine**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX

T

ICS 29.060.10

ISBN 978-2-83220-187-9

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references	7
3 Terms, definitions and general notes on tests and appearance.....	7
3.1 Terms and definitions	7
3.2 General notes.....	8
3.2.1 Methods of test.....	8
3.2.2 Winding wire.....	8
3.3 Appearance.....	9
4 Dimensions	9
4.1 Conductor dimensions	9
4.2 Tolerance on conductor dimensions	11
4.3 Rounding of corners	11
4.4 Increase in dimensions due to the insulation	11
4.5 Overall dimensions.....	13
4.5.1 Nominal overall dimensions.....	13
4.5.2 Minimum overall dimensions.....	13
4.5.3 Maximum overall dimensions.....	13
5 Electrical resistance	13
6 Elongation	13
7 Springiness	13
8 Flexibility and adherence.....	14
8.1 Mandrel winding test	14
8.2 Adherence test	14
8.2.1 Fibre covered bare wires	14
8.2.2 Fibre covered enamelled wires	14
9 Heat shock	14
10 Cut-through	14
11 Resistance to abrasion	14
12 Resistance to solvents.....	14
13 Breakdown voltage	14
14 Continuity of insulation	15
15 Temperature index	15
16 Resistance to refrigerants.....	15
17 Solderability	15
18 Heat or solvent bonding.....	15
19 Dielectric dissipation factor.....	15
20 Resistance to transformer oil	15
21 Loss of mass	16
23 Pin hole test	16
30 Packaging	16

Annex A (informative) Nominal cross-sectional areas for preferred and intermediate sizes	17
Bibliography	24
Table 1 – Nominal cross-sectional area of preferred sizes	10
Table 2 – Conductor tolerances	11
Table 3 – Corner radii	11
Table 4 – Increase in dimensions	12
Table 5 – Elongation	13
Table 6 – Mandrel winding	14
Table 7 – Breakdown voltage	15
Table A.1 – Nominal cross-sectional areas (1 of 7)	17

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 60317-0-8:2012

<https://standards.iteh.ai/catalog/standards/sist/67d11788-13e2-4e1a-939a-265069643342/sist-en-60317-0-8-2012>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

SPECIFICATIONS FOR PARTICULAR TYPES OF WINDING WIRES –

Part 0-8: General requirements – Polyester glass fibre wound, resin or varnish impregnated or not impregnated, bare or enamelled rectangular copper wire

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60317-0-8 has been prepared by IEC technical committee 55: Winding wires.

The text of this standard is based on the following documents:

FDIS	Report on voting
55/1324/FDIS	55/1337/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The numbering of clauses in this standard is not continuous from Clauses 21 through 30 in order to reserve space for possible future wire requirements prior to those for wire packaging.

A list of all the parts in the IEC 60317 series, published under the general title *Specifications for particular types of winding wires* can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 60317-0-8:2012](https://standards.iteh.ai/catalog/standards/sist/67d11788-13e2-4e1a-939a-265069643342/sist-en-60317-0-8-2012)

<https://standards.iteh.ai/catalog/standards/sist/67d11788-13e2-4e1a-939a-265069643342/sist-en-60317-0-8-2012>

INTRODUCTION

This part of IEC 60317 is one of a series which deals with insulated wires used for windings in electrical equipment. The series has three groups describing:

- 1) Winding wires – Test methods (IEC 60851);
- 2) Specifications for particular types of winding wires (IEC 60317);
- 3) Packaging of winding wires (IEC 60264).

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 60317-0-8:2012](https://standards.iteh.ai/catalog/standards/sist/67d11788-13e2-4e1a-939a-265069643342/sist-en-60317-0-8-2012)

<https://standards.iteh.ai/catalog/standards/sist/67d11788-13e2-4e1a-939a-265069643342/sist-en-60317-0-8-2012>