IEC 60335-2-36

Edition 6.0 2017-04

INTERNATIONAL STANDARD

NORME INTERNATIONALE

colour inside

Household and similar electrical appliances – Safety – Part 2-36: Particular requirements for commercial electric cooking ranges, ovens, hobs and hob elements

Appareils électrodomestiques et analogues – Sécurité – Partie 2-36: Exigences particulières pour les cuisinières, les fours, les tables de cuisson et les foyers de cuisson électriques à usage collectif

IEC 60335-2-36:2017-04(en-fr)

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC
The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications
The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform
The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,…). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc
If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org
The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary
67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

A propos de l'IEC
La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC
Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC - webstore.iec.ch/advsearchform
La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,…). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished
Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc
Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

Electropedia - www.electropedia.org
Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary
67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

IEC 60335-2-36

Edition 6.0 2017-04

INTERNATIONAL STANDARD

NORME INTERNATIONALE

colour inside

Household and similar electrical appliances – Safety – Part 2-36: Particular requirements for commercial electric cooking ranges, ovens, hobs and hob elements

Appareils électrodomestiques et analogues – Sécurité – Partie 2-36: Exigences particulières pour les cuisinières, les fours, les tables de cuisson et les foyers de cuisson électriques à usage collectif

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 97.040.20

ISBN 978-2-8322-6490-4

Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

FOREWORD 4
INTRODUCTION 7
1 Scope 8
2 Normative references 8
3 Terms and definitions 9
4 General requirement 11
5 General conditions for the tests 11
6 Classification 12
7 Marking and instructions 12
8 Protection against access to live parts 15
9 Starting of motor-operated appliances 16
10 Power input and current 16
11 Heating 17
12 *Void* 18
13 Leakage current and electric strength at operating temperature 18
14 Transient overvoltages 19
15 Moisture resistance 19
16 Leakage current and electric strength 20
17 Overload protection of transformers and associated circuits 22
18 Endurance 22
19 Abnormal operation 22
20 Stability and mechanical hazards 24
21 Mechanical strength 25
22 Construction 26
23 Internal wiring 27
24 Components 27
25 Supply connection and external flexible cords 28
26 Terminals for external conductors 28
27 Provision for earthing 28
28 Screws and connections 28
29 Clearances, creepage distances and solid insulation 29
30 Resistance to heat and fire 29
31 Resistance to rusting 30
32 Radiation, toxicity and similar hazards 30
Annexes 33
Annex N (normative) Proof tracking test 34
Annex P (informative) Guidance for the application of this standard to appliances used in tropical climates 35
Bibliography 36

Figure 101 – Identification of surfaces for temperature measurement 30
Figure 102 – Probe for measuring surface temperatures 31

Figure 103 – Splash apparatus 31
Figure 104 – Concavity of disc 32

Table 101 – Maximum temperature rises for specified external accessible surfaces under normal operating conditions 18
Table 102 – Assembling torques for screwed connections providing earthing continuity 29

INTERNATIONAL ELECTROTECHNICAL COMMISSION

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-36: Particular requirements for commercial electric cooking ranges, ovens, hobs and hob elements

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.

2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.

3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.

4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.

5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.

6) All users should ensure that they have the latest edition of this publication.

7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.

8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.

9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This part of International Standard IEC 60335 has been prepared by IEC technical committee 61: Safety of household and similar electrical appliances.

This bilingual version (2019-01) corresponds to the monolingual English version, published in 2017-04.

This sixth edition cancels and replaces the fifth edition published in 2002 including its Amendment 1 (2004) and its Amendment 2 (2008). It constitutes a technical revision.

The principle changes in this edition as compared with the fifth edition of IEC 60335-2-36 are as follows (minor changes are not listed):

- stating some wording in the scope more precisely;
- addition of a measurement method for pans in the definition for **normal operation**;
- new definitions on the topic surface temperature;

- deletion of the paragraph with the warning for dangerous voltages (already covered by Part 1);
- addition of hot surface symbol IEC 60417-5041;
- addition of instructions and markings on hot surfaces and other topics;
- addition of requirements, measuring methods and thresholds for different materials on hot surfaces;
- modification on leakage current defining the value for appliances with a power consumption less than 1 kW;
- modification on the measurement method for induction heating sources in abnormal operation;
- addition of a requirement for the construction of stationary appliances with rollers or castors;
- modification on some points concerning permanent connection to fixed wiring;
- addition of specific requirements concerning types of screws to be used for electrical connections and connections for earth continuity;
- addition of a figure showing the surfaces to be measured;
- addition of a figure showing the probe for measuring surface temperatures;
- addition of a figure showing the disc for the pan detection on induction heating sources;
- addition of informative Annex P dealing with leakage currents for appliances used in tropical climates.

The text of this Standard is based on the following documents:

FDIS	Report on voting
61/5327/FDIS	61/5383/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

The French version of this standard has not been voted upon.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 60335 series, under the general title: *Household and similar electrical appliances – Safety*, can be found on the IEC website.

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments. It was established on the basis of the fifth edition (2010) of that standard.

NOTE 1 When “Part 1” is mentioned in this standard, it refers to IEC 60335-1.

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Safety requirements for commercial electric cooking ranges, ovens, hobs and hob elements.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification" or "replacement", the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

– subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;

– unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;

– additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

– requirements: in roman type;

– *test specifications: in italic type;*

– notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition of Part 1 concerns an adjective, the adjective and the associated noun are also in bold .

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

NOTE 4 The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations may need a transitional period following publication of a new, amended or revised IEC publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests.

It is the recommendation of the committee that the content of this publication be adopted for implementation nationally not earlier than 12 months from the date of publication.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

NOTE 2 Horizontal and generic standards covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards. For example, in the case of temperature requirements for surfaces on many appliances, generic standards, such as ISO 13732-1 for hot surfaces, are not applicable in addition to Part 1 or part 2 standards.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-36: Particular requirements for commercial electric cooking ranges, ovens, hobs and hob elements

1 Scope

This clause of Part 1 is replaced by the following.

This International Standard deals with the safety of electrically operated commercial **cooking and baking ranges**, ovens, **hobs**, **hob elements** and similar appliances not intended for household and similar use, their **rated voltage** being not more than 250 V for single-phase appliances connected between one phase and neutral and 480 V for other appliances.

NOTE 101 These appliances are used for the commercial processing of food, for example in kitchens of restaurants, canteens, hospitals and in commercial enterprises such as bakeries, butcheries, etc.

The electrical part of appliances making use of other forms of energy is also within the scope of this standard.

As far as is practicable, this standard deals with the common hazards presented by these types of appliances.

NOTE 102 Attention is drawn to the fact that

- For appliances intended to be used in vehicles or on board ships or aircraft, additional requirements may be necessary;
- In many countries additional requirements are specified by the national health authorities, the national authorities responsible for the protection of labour, the national water supply authorities and similar authorities.

NOTE 103 This standard does not apply to

- appliances designed exclusively for industrial purposes;
- appliances intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas);
- appliances for continuous mass production of food;
- steam cookers, forced and steam convection ovens (IEC 60335-2-42);
- hot cupboards (IEC 60335-2-49);
- microwave ovens (IEC 60335-2-90).

2 Normative references

This clause of Part 1 is applicable except as follows.

Addition:

IEC 60584-1, *Thermocouples – Part 1: EMF specifications and tolerances*

ISO 185, Grey cast irons – Classifications

ISO 898-1, *Mechanical properties of fasteners made of carbon steel and alloy steel – Part 1: Bolts, screws and studs with specified property classes – Coarse thread and fine pitch thread*

ISO 3506-1, *Mechanical properties of corrosion-resistant stainless steel fasteners – Part 1: Bolts, screws and studs*

ISO 3506-2, *Mechanical properties of corrosion-resistant stainless steel fasteners – Part 2: Nuts*

ISO 3506-3, *Mechanical properties of corrosion-resistant stainless steel fasteners – Part 3: Set screws and similar fasteners not under tensile stress*

ISO 3506-4, *Mechanical properties of corrosion-resistant stainless steel fasteners – Part 4: Tapping screws*

3 Terms and definitions

This clause of Part 1 is applicable except as follows.

3.1.4 *Addition:*

Note 1 to entry: The **rated power input** is the sum of the power inputs of all the individual elements in the appliance that can be on at one time; where several such combinations are possible, that giving the highest power input is used in determining the **rated power input**.

3.1.9 *Replacement:*

normal operation
operation of the appliance under the following conditions:

Solid **hob elements** are operated with no load and sheathed **hob elements** are operated with a load made of dull black, cold or hot rolled steel, 9 mm to 10 mm thick, that covers not less than 90 % and not more than 100 % of the element surface. The **hob elements** are operated with the controls set to give the temperatures as set out below, the temperature being measured at the geometrical centre or the hottest point of the solid element or load, if the element is unevenly heated.

Stepped controls are set to the first position that gives a temperature equal to or greater than 275 °C. Cycling controls are set so that the mean value of the temperature over the cycle is 275 °C ± 5 °C. If this temperature cannot be reached, the control is set at the maximum.

Non-induction heating sources beneath a glass-ceramic or similar material are operated with a pan or pans containing initially cold water, the pan(s) being filled to a height of 60 mm ± 10 mm. The pan or pans are of aluminium, of ordinary quality, not brightly polished, with a base concavity not exceeding 0,1 mm. The pan or pans shall cover the **cooking zone** to the greatest extent possible.

The pan or pans are covered with a lid. The controls are set at maximum until the water boils and then adjusted to maintain boiling. Water is added to maintain the water level during boiling.

Induction heating sources beneath a glass-ceramic or similar material are operated with the pan or pans recommended by the manufacturer.

If one pan is used, it shall cover as closely as possible, but not less than, the full area of the **cooking zone**. The pan is positioned centrally.

For non-circular **cooking zones** a combination of the smallest number of pans is chosen to cover as much as possible the area of the **cooking zone**.

The pan or pans in each case are filled with initially cold frying oil to a height of 30 mm ± 5 mm. The controls are set to maximum until the temperature of the oil attains a value of 180 °C and then adjusted to maintain the oil at a temperature of 180 °C ± 15 °C. The oil temperature is measured 10 mm above the centre of the bottom of the vessel.

A further test is made using initially cold water, the pan(s) being filled to a height of 60 mm ± 10 mm. The pan or pans are covered with a lid. The controls are set at maximum

until the water boils and then adjusted to maintain boiling. Water is added to maintain the water level during boiling.

The condition providing the most unfavourable results (oil or water) is used.

Ovens are operated with no load and with the controls set so that the mean value of the temperature over the thermostat cycle at the geometric centre of the usable space in the interior of the oven is maintained at 240 °C ± 4 °C. Stepped controls are set so that this temperature is 240 °C ± 15 °C. For ovens that are capable of attaining temperatures in excess of 290 °C, the controls are set so that the temperature is 50 °C ± 4 °C below the maximum temperature attainable. For ovens that are unable to attain a temperature of 240 °C, the controls are set to maximum.

Griddle plates are operated with no load and with the controls set so as to give the temperatures set out below, the temperature being measured at the hottest point of each controlled cooking surface. Stepped controls are set to the first position that gives a temperature equal to or greater than 275 °C. Cycling controls are set so that the mean value of the temperature over the cycle is 275 °C ± 5 °C. If this temperature cannot be reached, the control is set to maximum.

Motors incorporated in the appliance are operated in the intended manner under the most unfavourable conditions that can be expected in normal use, taking into account the manufacturer's instructions.

3.101
cooking and baking range
single cooking or baking appliance incorporating one or more ovens together with one or more **hob elements** or **griddle plates** or a combination of these

Note 1 to entry: An appliance incorporating a forced convection oven, steam-convection oven or microwave oven is considered to be an appliance incorporating another appliance (see also 5.102).

3.102
heating unit
any part of the appliance that fulfils an independent cooking or heating function

Note 1 to entry: Examples are **hob elements**, **griddle plates** or ovens.

Note 2 to entry: If an oven incorporates more than one heating element or groups of elements that are so controlled that one element or group cannot be switched on while another element or group is energized, each of the elements or groups of elements is to be considered as a separate **heating unit** and tested accordingly.

3.103
hob element
heating unit designed to accommodate a vessel or vessels on its upper surface

Note 1 to entry: A **hob element** may consist of an **induction** or non-induction **heating source** beneath a surface of glass-ceramic or similar material.

3.104
hob surface
horizontal part of the appliance to which the **hob elements** are attached

Note 1 to entry: It may be a separate appliance or part of a **cooking range**.

Note 2 to entry: A **hob** may also incorporate a **griddle plate**.

3.105
hob
hob surface and one or more **hob elements**

3.106
cooking zone
area marked on a **hob surface** of glass-ceramic or similar material where the vessel is intended to be placed

3.107
induction heating source
heating source that operates by inducing eddy currents in a vessel positioned on the **hob element**

3.108
griddle plate
heating unit having a cooking surface on which the food is intended to be placed directly

3.109
installation wall
special fixed construction containing supply facilities for appliances installed in conjunction with it

3.110
pan detector
device incorporated in a **hob element** that prevents its operation unless a vessel is placed on the **cooking zone**

Note 1 to entry: A **pan detector** is not considered to be a **thermostat** or **protective device**.

3.111
functional surface
surface that is intentionally heated by an internal heat source and has to be hot to carry out the function for which the appliance is intended

Note 1 to entry: An example is the heated sheath of a tubular heating element.

3.112
adjacent surface
surface adjacent to a **functional surface** and which can become hot through conduction

4 General requirement

This clause of Part 1 is applicable.

5 General conditions for the tests

This clause of Part 1 is applicable except as follows.

5.2 *Addition:*

Hob elements *that are submitted separately are tested when installed in an appropriate* ***cooking range****.*

The test of 18.102 may be made on a separate sample.

5.3 *Addition:*

The test of 18.102 is made before the test of Clause 11 unless it is made on a separate sample.

5.10 *Addition:*

Appliances intended for installation in a bank of other appliances and appliances intended to be fixed to an installation wall are enclosed to obtain protection against electric shock and harmful ingress of water equivalent to that obtained when installed in accordance with the instructions provided with the appliances.

NOTE 101 Appropriate enclosures or additional appliances may be needed for test purposes.

5.101 *Appliances are tested as* ***heating appliances****, even if they incorporate a motor.*

5.102 *Appliances, when assembled in combination with or incorporating other appliances, are tested in accordance with the requirements of this standard. The other appliances are operated simultaneously in accordance with the requirements of the relevant standards.*

6 Classification

This clause of Part 1 is applicable except as follows.

6.1 *Replacement:*

Appliances shall be **class I** with respect to protection against electric shock.

Compliance is checked by inspection and by the relevant tests.

6.2 *Addition:*

Appliances normally used on a table shall be at least IPX3. Other appliances shall be at least IPX4.

7 Marking and instructions

This clause of Part 1 is applicable except as follows.

7.1 *Addition:*

Appliances incorporating **induction heating sources** shall be marked with

– operating frequency or operating frequency range in kilohertz (kHz) of the **induction heating sources;**

– the total power input of all the induction **heating units** that can operate simultaneously, in watts or kilowatts;

NOTE 101 The power input to be marked or declared is the highest power input any switching arrangement will allow.

– the total power input of all the non-induction **heating units** that can operate simultaneously in watts or kilowatts.

NOTE 102 The power input to be marked is the highest power input any switching arrangement will allow.

Covers, if removed, giving direct access to induction coils shall be marked with the following:

CAUTION: MAGNETIC FIELD or symbol IEC 60417-5140 (2003-04).

If appliances have external **accessible surfaces**, for which temperature rise limits are specified in Table 101 and for which the provisions of footnote b to Table 101 apply, then the

appliance shall be marked with symbol IEC 60417-5041 (2002-10), or with the substance of the following:

CAUTION: Hot surfaces.

7.6 *Addition:*

[symbol IEC 60417-5140 (2003-04)] non-ionizing electromagnetic radiation

[symbol IEC 60417-5041 (2002-10)] caution, hot surface

7.12 *Addition:*

If the appliance incorporates a **hob surface** of glass-ceramic or similar material that provides the enclosure of **live parts**, the instructions shall include the substance of the following warning:

WARNING: If the surface is cracked, immediately disconnect the appliance or appropriate part of the appliance from the supply.

The instructions for appliances with **hob surfaces** of glass-ceramic or similar material shall state that aluminium foil and plastic vessels are not to be placed on the hot surfaces. They shall also state that these surfaces are not to be used for storage.

The instructions for **hobs** incorporating halogen lamps shall warn the user to avoid looking directly at the lamps when on.

The instructions for appliances incorporating **induction heating sources** shall indicate the size of the smallest cooking vessel to be used. They shall also include the substance of the following:

- metallic objects such as kitchen utensils, cutlery etc. shall not be placed on the **hob surface** within the **cooking zones** since they could get hot;
- take care when operating the appliance, as rings, watches and similar objects worn by the user could get hot when in close proximity to the **hob surface**;
- only use vessels of the type and size recommended.

The instructions for appliances incorporating **induction heating sources** shall state that users with heart pacemakers should consult with the manufacturer, unless specific details are given.

The instructions for **hobs** with **hob elements** incorporating **pan detectors** shall include the substance of the following:

After use, switch the **hob element** off by means of its control. Do not rely on the **pan detector**.

If any of symbols IEC 60417-5021 (2002-10), IEC 60417-5036 (2002-10), IEC 60417-5041 (2002-10) or IEC 60417-5140 (2003-04) are marked on the appliance, their meaning shall be explained.

The instructions shall include the substance of the following: