



SLOVENSKI STANDARD

SIST EN 61326-2-4:2013

01-marec-2013

Nadomešča:

SIST EN 61326-2-4:2007

Električna oprema za merjenje, kontrolo in laboratorijsko uporabo - Zahteve za elektromagnetno združljivost (EMC) - 2-4. del: Posebne zahteve - Preskusne konfiguracije, obratovalni pogoji in merila za lastnosti naprav za stalno preverjanje izolacije po IEC 61557-8 in opreme za ugotavljanje mesta okvare izolacije po IEC 61557-9 (IEC 61326-2-4:2012)

Electrical equipment for measurement, control and laboratory use - EMC requirements - Part 2-4: Particular requirements - Test configurations, operational conditions and performance criteria for insulation monitoring devices according to IEC 61557-8 and for equipment for insulation fault location according to IEC 61557-9 (IEC 61326-2-4:2012)

[SIST EN 61326-2-4:2013](https://standards.iteh.ai/catalog/standards/sist/72d44e0e-efbd-4772-9634-2ae19d504511/sist-en-61326-2-4-2013)

Elektrische Mess-, Steuer-, Regel- und Laborgeräte - EMV-Anforderungen - Teil 2-4: Besondere Anforderungen - Prüfanordnung, Betriebsbedingungen und Leistungsmerkmale für Isolationsüberwachungsgeräte gemäß IEC 61557-8 und Geräte zur Isolationsfehlerortung gemäß IEC 61557-9 (IEC 61326-2-4:2012)

Matériel électrique de mesure, de commande et de laboratoire - Exigences relatives à la CEM - Partie 2-4: Exigences particulières - Configurations d'essai, conditions de fonctionnement et critères d'aptitude à la fonction pour les contrôleurs d'isolement conformes à la CEI 61557-8 et pour les dispositifs de localisation de défaut d'isolement conformes à la CEI 61557-9 (CEI 61326-2-4:2012)

Ta slovenski standard je istoveten z: EN 61326-2-4:2013

ICS:

19.080	Električno in elektronsko preskušanje	Electrical and electronic testing
33.100.01	Elektromagnetna združljivost na splošno	Electromagnetic compatibility in general

SIST EN 61326-2-4:2013

en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 61326-2-4:2013](https://standards.iteh.ai/catalog/standards/sist/72d44eee-efbd-4772-9634-c8e19d3b431f/sist-en-61326-2-4-2013)

<https://standards.iteh.ai/catalog/standards/sist/72d44eee-efbd-4772-9634-c8e19d3b431f/sist-en-61326-2-4-2013>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 61326-2-4:2013](#)

<https://standards.iteh.ai/catalog/standards/sist/72d44eee-efbd-4772-9634-c8e19d3b431f/sist-en-61326-2-4-2013>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 61326-2-4

January 2013

ICS 17.220; 19.080; 25.040.40; 33.100

Supersedes EN 61326-2-4:2006

English version

**Electrical equipment for measurement, control and laboratory use -
EMC requirements -
Part 2-4: Particular requirements -
Test configurations, operational conditions and performance criteria for
insulation monitoring devices according to IEC 61557-8 and for equipment
for insulation fault location according to IEC 61557-9
(IEC 61326-2-4:2012)**

Matériel électrique de mesure, de
commande et de laboratoire -
Exigences relatives à la CEM -
Partie 2-4: Exigences particulières -
Configurations d'essai, conditions de
fonctionnement et critères de performance
pour les contrôleurs d'isolement
conformes à la CEI 61557-8 et pour les
dispositifs de localisation de défaut
d'isolement conformes à la CEI 61557-9
(CEI 61326-2-4:2012)

Elektrische Mess-, Steuer-, Regel- und
Laborgeräte -
EMV-Anforderungen -
Teil 2-4: Besondere Anforderungen -
Prüfanordnung, Betriebsbedingungen und
Leistungsmerkmale für
Isolationsüberwachungsgeräte gemäß
IEC 61557-8 und Geräte zur
Isolationsfehlerortung gemäß IEC 61557-9
(IEC 61326-2-4:2012)

<https://standards.iteh.ai/catalog/standards/sist/72d44eee-efbd-4772-9634-c8e19d3b431f/sist-en-61326-2-4-2013>

This European Standard was approved by CENELEC on 2012-08-14. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 65A/630/FDIS, future edition 2 of IEC 61326-2-4, prepared by SC 65A, "System aspects", of IEC TC 65, "Industrial-process measurement, control and automation" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61326-2-4:2013.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2013-07-10
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2015-08-14

This document supersedes EN 61326-2-4:2006.

EN 61326-2-4:2013 includes the following significant technical changes with respect to EN 61326-2-4:2006:

– update of the document with respect to EN 61326-1:2013.

EN 61326-2-4:2013 is to be used in conjunction with EN 61326-1:2013 and follows the same numbering of clauses, subclauses, tables and figures.

When a particular subclause of EN 61326-1 is not mentioned in this part, that subclause applies as far as is reasonable. When this standard states "addition", "modification" or "replacement", the relevant text in EN 61326-1 is to be adapted accordingly.

NOTE The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in EN 61326-1;
- unless notes are in a new subclause or involve notes in EN 61326-1, they are numbered starting from 101 including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For the relationship with EU Directive(s) see informative Annex ZZ, which is an integral part of this document.

Endorsement notice

The text of the International Standard IEC 61326-2-4:2012 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following note has to be added for the standard indicated:

IEC 61557-1:2007 NOTE Harmonized as EN 61557-1:2007 (not modified).

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

Annex ZA of EN 61326-1:2013 applies, except as follows:

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
<i>Addition:</i>				
IEC 61326-1	2012	Electrical equipment for measurement, control and laboratory use - EMC requirements - Part 1: General requirements	EN 61326-1	2013
IEC 61557-8 + corr. May	2007 2007	Electrical safety in low voltage distribution systems up to 1 000 V a.c. and 1 500 V d.c. - Equipment for testing, measuring or monitoring of protective measures - Part 8: Insulation monitoring devices for IT systems	EN 61557-8	2007
IEC 61557-9	2009	Electrical safety in low voltage distribution systems up to 1 000 V a.c. and 1 500 V d.c. - Equipment for testing, measuring or monitoring of protective measures - Part 9: Equipment for insulation fault location in IT systems	EN 61557-9	2009

Annex ZZ (informative)

Coverage of Essential Requirements of EU Directives

This European Standard has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association and within its scope the standard covers protection requirements of Annex I, Article 1 of the EC Directive 2004/108/EC.

Compliance with this standard provides one means of conformity with the specified essential requirements of the Directive[s] concerned.

NOTE Other requirements and other EU Directives may be applicable to the products falling within the scope of this standard.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 61326-2-4:2013](https://standards.iteh.ai/catalog/standards/sist/72d44eee-efbd-4772-9634-c8e19d3b431f/sist-en-61326-2-4-2013)

<https://standards.iteh.ai/catalog/standards/sist/72d44eee-efbd-4772-9634-c8e19d3b431f/sist-en-61326-2-4-2013>



IEC 61326-2-4

Edition 2.0 2012-07

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Electrical equipment for measurement, control and laboratory use –
EMC requirements –
Part 2-4: Particular requirements – Test configurations, operational conditions and
performance criteria for insulation monitoring devices according to IEC 61557-8 and
for equipment for insulation fault location according to IEC 61557-9**

**Matériel électrique de mesure, de commande et de laboratoire – Exigences relatives
à la CEM –**

**Partie 2-4: Exigences particulières – Configurations d'essai, conditions de
fonctionnement et critères de performance pour les contrôleurs d'isolement conformes
à la CEI 61557-8 et pour les dispositifs de localisation de défaut d'isolement conformes
à la CEI 61557-9**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX

N

ICS 17.220; 19.080; 25.040.40; 33.100

ISBN 978-2-83220-209-8

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD	3
1 Scope	5
2 Normative references	5
3 Terms and definitions	5
4 General	6
5 EMC test plan	6
5.1 General	6
5.2 Configuration of EUT during testing	7
5.2.1 General	7
5.2.2 Composition of EUT	7
5.2.3 Assembly of EUT	7
5.2.4 I/O ports	7
5.2.5 Auxiliary equipment	7
5.2.6 Cabling and earthing (grounding)	7
5.3 Operation conditions of EUT during testing	7
5.3.101 Operational conditions	7
5.4 Specification of functional performance	8
5.5 Test description	8
6 Immunity requirements	8
6.1 Conditions during the tests	8
6.1.101 Electrostatic discharge immunity tests	8
6.1.102 Electromagnetic field tests	9
6.1.103 Burst tests	9
6.1.104 Surge immunity tests	9
6.1.105 Conducted RF tests	9
6.1.106 Power frequency magnetic field tests	9
6.2 Immunity test requirements	9
6.3 Random aspects	10
6.4 Performance criteria	10
7 Emission requirements	12
7.1 Conditions during measurements	12
7.2 Emission limits	12
8 Test results and test report	12
9 Instructions for use	13
Annex A (normative) Immunity test requirements for portable test and measurement equipment powered by battery or from the circuit being measured	14
Bibliography	15
Table 101 – Immunity tests	10
Table 102 – Performance criteria definition	11
Table 103 – Test conditions for quiescent and operate modes	12

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**ELECTRICAL EQUIPMENT FOR MEASUREMENT,
CONTROL AND LABORATORY USE –
EMC REQUIREMENTS –**
**Part 2-4: Particular requirements –
Test configurations, operational conditions and performance
criteria for insulation monitoring devices according to IEC 61557-8
and for equipment for insulation fault location according to IEC 61557-9**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects, since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61326-2-4 has been prepared by subcommittee 65A: System aspects, of IEC technical committee 65: Industrial-process measurement, control and automation.

This second edition cancels and replaces the first edition published in 2006. This edition constitutes a technical revision.

This edition includes the following significant technical change with respect to the previous edition:

- update of the document with respect to IEC 61326-1:2012.

The text of this standard is based on the following documents:

FDIS	Report on voting
65A/630/FDIS	65A/639/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

This part of the IEC 61326 series is to be used in conjunction with IEC 61326-1:2012 and follows the same numbering of clauses, subclauses, tables and figures.

When a particular subclause of IEC 61326-1 is not mentioned in this part, that subclause applies as far as is reasonable. When this standard states “addition”, “modification” or “replacement”, the relevant text in IEC 61326-1 is to be adapted accordingly.

NOTE The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in IEC 61326-1;
- unless notes are in a new subclause or involve notes in IEC 61326-1, they are numbered starting from 101 including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

A list of all parts of the IEC 61326 series, under the general title *Electrical equipment for measurement, control and laboratory use – EMC requirements* can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.