

**SLOVENSKI STANDARD****SIST EN 60317-60:2012****01-oktober-2012**

---

**Specifikacije za posebne vrste navijalnih žic - 60. del: Navita poliestrska steklena vlakna s smolo ali prevleko, impregnirano ali neimpregnirano, gola ali emajlirana pravokotna bakrena žica, topotni indeks 155**

Specifications for particular types of winding wires - Part 60: Polyester glass fibres wound, resin or varnish impregnated or not impregnated, bare or enamelled rectangular copper wire, temperature index 155

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

Spécifications pour types particuliers de fils de bobinage - Partie 60: Fil de section rectangulaire en cuivre nu ou émaillé, guipé de fibres de verre polyester imprégnées ou non de vernis ou de résine, d'indice de température 155

**Ta slovenski standard je istoveten z: EN 60317-60:2012**

---

**ICS:**

29.060.10 Žice Wires

**SIST EN 60317-60:2012** en

**iTeh STANDARD PREVIEW  
(standards.iteh.ai)**

SIST EN 60317-60:2012

<https://standards.iteh.ai/catalog/standards/sist/7c413a1a-c39a-4cb7-8659-e8245497c24a/sist-en-60317-60-2012>

**EUROPEAN STANDARD  
NORME EUROPÉENNE  
EUROPÄISCHE NORM**

**EN 60317-60**

August 2012

ICS 29.060.10

English version

**Specifications for particular types of winding wires -  
Part 60: Polyester glass fibre wound minimum class 155 resin or varnish  
impregnated or not impregnated, bare or enamelled, rectangular copper  
wire, temperature index 155  
(IEC 60317-60:2012)**

Spécifications pour types particuliers de  
fils de bobinage -  
Partie 60: Fil de section rectangulaire en  
cuivre nu ou émaillé, guipé de fibres de  
verre avec polyester de classe d'au moins  
155, imprégnées ou non de vernis ou de  
résine, d'indice de température 155  
(CEI 60317-60:2012)

Technische Lieferbedingungen für  
bestimmte Typen von Wickeldrähten -  
Teil 60: Flachdrähte aus Kupfer, blank  
oder lackisiert und umhüllt mit  
Polyesterglasgewebe, imprägniert mit  
Harz oder Lack oder unimprägniert,  
Temperaturindex 155  
(IEC 60317-60:2012)

**This STANDARD PREVIEW  
(standards.iteh.ai)**

[SIST EN 60317-60:2012](#)

<https://standards.iteh.ai/catalog/standards/sist/7c413a1a-c39a-4cb7-8659-e8245497c24a/sist-en-60317-60-2012>

This European Standard was approved by CENELEC on 2012-07-31. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

**CENELEC**

European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**Management Centre: Avenue Marnix 17, B - 1000 Brussels**

## Foreword

The text of document 55/1320/FDIS, future edition 1 of IEC 60317-60, prepared by IEC/TC 55 "Winding wires" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 60317-60:2012.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2013-04-31
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2015-07-31

This standard is to be used in conjunction with FprEN 60317-0-8:2012.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

## iTeh STANDARD REVIEW Endorsement notice (standards.itech.ai)

The text of the International Standard IEC 60317-60:2012 was approved by CENELEC as a European Standard without any modification.

In the official version <https://standards.itech.ai/standard/iec/60317-60-2012/e8245497c24a/sist-en-60317-60-2012> the following notes have to be added for the standards indicated:

- |                  |                                     |
|------------------|-------------------------------------|
| IEC 60264 series | NOTE Harmonized in EN 60264 series. |
| IEC 60317 series | NOTE Harmonized in EN 60317 series. |
| IEC 60851 series | NOTE Harmonized in EN 60851 series. |

**Annex ZA**

(normative)

**Normative references to international publications  
with their corresponding European publications**

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60317-0-8	201X	Specifications for particular types of winding wires - Part 0-8: General requirements - Polyester glass-fibre wound, resin or varnish impregnated or not impregnated, bare or enamelled rectangular copper wire	FprEN 60317-0-8	2012

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 60317-60:2012](#)

<https://standards.iteh.ai/catalog/standards/sist/7c413a1a-c39a-4cb7-8659-e8245497c24a/sist-en-60317-60-2012>

**iTeh STANDARD PREVIEW  
(standards.iteh.ai)**

SIST EN 60317-60:2012

<https://standards.iteh.ai/catalog/standards/sist/7c413a1a-c39a-4cb7-8659-e8245497c24a/sist-en-60317-60-2012>



# INTERNATIONAL STANDARD

## NORME INTERNATIONALE

**Specifications for particular types of winding wires –  
Part 60: Polyester glass fibre wound minimum class 155 resin or varnish  
impregnated or not impregnated, bare or enamelled, rectangular copper wire,  
temperature index 155**

[SIST EN 60317-60:2012](#)

<https://standards.iteh.ai/catalog/standards/sist/7c413a1a-c39a-4cb7-8659-8241051141804000>

**Spécifications pour types particuliers de fils de bobinage –  
Partie 60: Fil de section rectangulaire en cuivre nu ou émaillé, guipé de fibres de  
verre avec polyester de classe d'au moins 155, imprégnées ou non de vernis ou  
de résine, d'indice de température 155**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

PRICE CODE  
CODE PRIX

K

ICS 29.060.10

ISBN 978-2-83220-154-1

<b>Warning! Make sure that you obtained this publication from an authorized distributor.</b> <b>Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.</b>
---

## CONTENTS

FOREWORD .....	3
INTRODUCTION .....	5
1 Scope .....	6
2 Normative references .....	6
3 Terms, definitions, general notes and appearance .....	6
3.1 Terms and definitions .....	6
3.2 General notes .....	6
3.2.1 Methods of test .....	6
3.2.2 Winding wire .....	7
3.3 Appearance .....	7
4 Dimensions .....	7
5 Electrical resistance .....	7
6 Elongation .....	7
7 Springiness .....	7
8 Flexibility and adherence .....	7
9 Heat shock .....	7
10 Cut-through .....	8
11 Resistance to abrasion .....	8
12 Resistance to solvents .....	8
13 Breakdown voltage .....	8
14 Continuity of insulation .....	8
15 Temperature index .....	8
16 Resistance to refrigerants .....	8
17 Solderability .....	8
18 Heat or solvent bonding .....	8
19 Dielectric dissipation factor .....	8
20 Resistance to transformer oil .....	8
23 Pin hole test .....	8
30 Packaging .....	9
Bibliography .....	10

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**SPECIFICATIONS FOR PARTICULAR  
TYPES OF WINDING WIRES –****Part 60: Polyester glass fibre wound minimum class 155 resin  
or varnish impregnated or not impregnated, bare or enamelled,  
rectangular copper wire, temperature index 155****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60317-60 has been prepared by IEC technical committee 55: Winding wires.

The text of this standard is based on the following documents:

FDIS	Report on voting
55/1320/FDIS	55/1334/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.