

SLOVENSKI STANDARD

SIST EN 15010:2007

01-april-2007

Embalaža za aerosole – Posode iz aluminija – Dovoljena odstopanja osnovnih mer v povezavi z objemko (clinch)

Aerosol containers - Aluminium containers - Tolerances of the fundamental dimensions in connection with the clinch

Aerosolpackungen - Aluminiumbehälter - Toleranzen der Grundmaße im Zusammenhang mit dem Clinch

ITEH STANDARD PREVIEW
(standards.iteh.ai)

Récipients pour aérosols - Récipients en aluminium - Tolérances des dimensions de base en rapport avec le dudgeonnage [SIST EN 15010:2007](#)

<https://standards.iteh.ai/catalog/standards/sist/4035ce23-f8c2-4ad3-bd60-fdf56063bcc/sist-en-15010-2007>

Ta slovenski standard je istoveten z: **EN 15010:2006**

ICS:

55.130	Pločevinke za aerosole	Aerosol containers
77.150.10	Aluminijski izdelki	Aluminium products

SIST EN 15010:2007

en,fr,de

**iTeh STANDARD PREVIEW
(standards.iteh.ai)**

SIST EN 15010:2007

<https://standards.iteh.ai/catalog/standards/sist/4035ce23-f8c2-4ad3-bd60-fdfa56063bcc/sist-en-15010-2007>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 15010

October 2006

ICS 55.130

English Version

**Aerosol containers - Aluminium containers - Tolerances of the
fundamental dimensions in connection with the clinch**

Récepteurs pour aérosols - Récepteurs en aluminium -
Tolérances des dimensions de base en rapport avec le
dudgeonnage

Aerosolpackungen - Aluminiumbehälter - Toleranzen der
Grundmaße im Zusammenhang mit dem Clinch

This European Standard was approved by CEN on 6 August 2006.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

SIST EN 15010:2007

<https://standards.iteh.ai/catalog/standards/sist/4035ce23-f8c2-4ad3-bd60-fdfa56063bcc/sist-en-15010-2007>



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Foreword

This document (EN 15010:2006) has been prepared by Technical Committee CEN/TC 261 "Packaging", the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2007, and conflicting national standards shall be withdrawn at the latest by April 2007.

This draft European Standard is one of a series of thirteen related standards with the following titles:

- EN 14847, *Aerosol containers — Tinplate containers — Dimensions of the 25,4 mm aperture*
- EN 14848, *Aerosol containers — Metal containers with 25,4 mm aperture — Dimensions of valve cups*
- EN 14849, *Aerosol containers — Glass containers — Dimensions of aerosol valve ferrules*
- EN 14850, *Aerosol containers — Metal containers with 25,4 mm aperture — Measurement of contact height*
- EN 14851, *Aerosol containers — Aerosol foam flammability test*
- EN 14852, *Aerosol containers — Determination of the ignition distance of the spray jet*
- EN 14853, *Aerosol containers — Enclosed space ignition test*
- EN 14854, *Aerosol containers — Glass containers — Dimensions of the neck finish*
- EN 15006, *Metal aerosol containers — Aluminium containers — Dimensions of the 25,4 mm aperture*
- EN 15007, *Metal aerosol containers — Tinplate containers — Dimensions of two and three-piece cans*
- EN 15008, *Aerosol containers — Aluminium containers — Dimensions of one-piece cans with 25,4 mm aperture*
- EN 15009, *Aerosol containers — Compartmented aerosol containers*
- EN 15010, *Aerosol containers — Aluminium containers — Tolerances of the fundamental dimensions in connection with the clinch*

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

Introduction

The dimensions given in this standard, while not binding in any respect, represent good practice for can manufacturers as agreed within Europe, between suppliers and fillers.

The specific dimensions of 25,4 mm aperture aluminium aerosol containers given in this standard are recognised as critical in respect of closure efficiency, and as such they are of considerable importance both for the can manufacturer in process control and to the filler for inward goods inspection and ultimately swage setting and control.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 15010:2007](#)

<https://standards.iteh.ai/catalog/standards/sist/4035ce23-f8c2-4ad3-bd60-fdfa56063bcc/sist-en-15010-2007>

1 Scope

This European Standard defines the critical dimensions of the location of the 25,4 mm aperture relative to the base of aerosol cans for clinching with valve cups.

The specification of the fundamental dimensions in this standard, relates to all 25,4 mm aperture aluminium and aluminium alloy cans, irrespective of size, shape and mode of manufacture; whose dimensions and tolerances fall within the dimensional scope of EN 15008.

2 Requirements

The tolerances for parallelism, eccentricity and height shall be as shown in Figure 1.

NOTE 1 Eccentricity (see A): the maximum allowed eccentricity is independent of the height.

NOTE 2 Parallelism (see B): the parallelism is measured from the upper surface of the bead. Lower tolerances apply if flowed in gaskets are used.

NOTE 3 Height (see H): smaller values for the height tolerance may be agreed in special cases.

All dimensions in millimetres




Figure 1 — Tolerances for eccentricity, parallelism and height

Bibliography

- [1] EN 15008, *Aerosol containers — Aluminium containers — Dimensions of one-piece cans with 25,4 mm aperture.*

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 15010:2007
<https://standards.iteh.ai/catalog/standards/sist/4035ce23-f8c2-4ad3-bd60-fdfa56063bcc/sist-en-15010-2007>