

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Electrical installations for lighting and beaconing of aerodromes – Connecting devices – General requirements and tests

(standards.iteh.ai)

**Installations électriques pour l'éclairage et le balisage des aéroports –
Dispositifs de connexion – Exigences générales et essais**

<https://standards.iteh.ai/catalog/standards/sist/d5b0d067-9502-4b08-90dd-acb33db1a7a1/iec-63067-2020>



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2020 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22,000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67,000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Electrical installations for lighting and beaconing of aerodromes – Connecting devices – General requirements and tests

Installations électriques pour l'éclairage et le balisage des aérodromes – Dispositifs de connexion – Exigences générales et essais

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 29.140.50; 93.120

ISBN 978-2-8322-8516-9

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references	7
3 Terms and definitions	7
4 General requirements	8
5 General remarks on tests	9
6 Ratings.....	9
7 Classification.....	9
8 Marking and documentation.....	10
9 Checking of dimensions.....	11
10 Protection against electric shock	13
11 Provision for continuity of screened cable.....	13
12 Terminations of conductors.....	14
12.1 General.....	14
12.2 Terminations for connecting devices which are attached to conductor(s) on the field.....	14
12.3 Terminals for screen continuity	14
13 Construction of connecting device and their assemblies.....	15
13.1 Housing	15
13.2 Pins and sockets.....	15
13.3 Caps.....	15
13.4 Connecting device assemblies.....	15
13.4.1 Class A.....	15
13.4.2 Class B.....	16
14 Protection against ingress of water	17
15 Insulation resistance and electrical connection of connecting device assembly.....	17
15.1 General.....	17
15.2 Insulation resistance of plugs and receptacles	17
15.3 Insulation resistance of connecting device assembly.....	18
15.4 Electrical connection of contact assembly	19
16 Forces necessary to disengage and engage the parts of the connecting devices	19
17 Cables and their connection	20
18 Resistance to weathering, corrosion and chemical materials	21
19 Resistance to UV-radiation	21
Annex A (normative) Production test.....	22
A.1 General.....	22
A.2 Production test.....	22
A.2.1 Dielectric test	22
A.2.2 Continuity test	22
A.2.3 Test results.....	22
Bibliography.....	23

Figure 1 – Primary plug (IEC 61823)	11
Figure 2 – Primary receptacle (IEC 61823)	11
Figure 3 – Secondary plug	12
Figure 4 – Secondary receptacle	12
Figure 5 – Secondary receptacle with moulded frangible coupler	13
Figure 6 – Example of test arrangement to verify the fixation of pins in the body of the insertion piece	17
Figure 7 – Example of voltage drop test arrangement	19
Figure 8 – Example of apparatus for verification of withdrawal force	20
Table 1 – Classification of connecting devices	10
Table 2 – Interface dimensions of primary plug and receptacle	12
Table 3 – Interface dimensions for secondary plugs and receptacles	13

iTeh STANDARD PREVIEW (standards.iteh.ai)

[IEC 63067:2020](https://standards.iteh.ai/catalog/standards/sist/d5bdbd67-9362-4fb8-90dd-acb33db1a7a1/iec-63067-2020)

[https://standards.iteh.ai/catalog/standards/sist/d5bdbd67-9362-4fb8-90dd-
acb33db1a7a1/iec-63067-2020](https://standards.iteh.ai/catalog/standards/sist/d5bdbd67-9362-4fb8-90dd-acb33db1a7a1/iec-63067-2020)

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ELECTRICAL INSTALLATIONS FOR LIGHTING AND BEACONING OF AERODROMES – CONNECTING DEVICES – GENERAL REQUIREMENTS AND TESTS

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
<https://standards.iteh.ai/catalog/standards/sis/45b4b467-9362-44b8-90d1-a2a3a6657016/iec-63067-2020>
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 63067 has been prepared by IEC technical committee 97: Electrical installations for lighting and beaconing of aerodromes.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
97/216/FDIS	97/217/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

In this document, the following print types are used:

- conformity statements: *in italic type*.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[IEC 63067:2020](https://standards.iteh.ai/catalog/standards/sist/d5bdbd67-9362-4fb8-90dd-acb33db1a7a1/iec-63067-2020)

<https://standards.iteh.ai/catalog/standards/sist/d5bdbd67-9362-4fb8-90dd-acb33db1a7a1/iec-63067-2020>

INTRODUCTION

This document is based on the Federal Aviation Administration circular AC No. 150/5345-26D, which is listed in the bibliography for convenience.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[IEC 63067:2020](https://standards.iteh.ai/catalog/standards/sist/d5bdbd67-9362-4fb8-90dd-acb33db1a7a1/iec-63067-2020)

<https://standards.iteh.ai/catalog/standards/sist/d5bdbd67-9362-4fb8-90dd-acb33db1a7a1/iec-63067-2020>

ELECTRICAL INSTALLATIONS FOR LIGHTING AND BEACONING OF AERODROMES – CONNECTING DEVICES – GENERAL REQUIREMENTS AND TESTS

1 Scope

This document applies to plugs and receptacles for single or multiple pole connecting devices used for aeronautical ground lighting applications.

Additional requirements and usage of connecting devices are given in different parts of IEC 61820 series.

Connecting devices complying with this document are suitable for use in environmental class E11 according to IEC 61820-1.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60352-2:2006, *Solderless connections – Part 2: Crimped connections – General requirements, test methods and practical guidance*

<https://standards.iteh.ai/catalog/standards/sist/d5bdbd67-9362-4fb8-90dd-9cb37fb847e1/iec-60352-2-2006>

IEC 60529, *Degrees of protection provided by enclosures (IP Code)*

IEC 61820-1, *Electrical installations for aeronautical ground lighting at aerodromes – Part 1: Fundamental principles*

ISO 2859-1, *Sampling procedures for inspection by attributes – Part 1: Sampling schemes indexed by acceptance quality limit (AQL) for lot-by-lot inspection*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 61820-1, and the following apply.

NOTE Where the terms "voltage" and "current" are used in this document, they are RMS values, unless otherwise specified.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1 plug

accessory having pin(s) designed to engage with the socket contact(s) of a receptacle, incorporating means for the electrical connection and insulated mechanical casting for retention of cable or wires

[SOURCE: IEC 60050-442:1998, 442-03-01, modified – "socket-outlet" was replaced by "receptacle", "mechanical retention" was replaced by "insulated mechanical casting for retention" and "cords" was replaced by "wires".]

3.2

receptacle

accessory having socket contact(s) designed to engage with the pin(s) of a plug, incorporating means for the electrical connection and insulated mechanical casting for retention of cables and wires

3.3

type test

conformity test made on one or more items representative of the production

3.4

production test

test that is carried out for samples of certain lot according to ISO 2859-1

3.5

class A connecting device

accessory that is completed by insulating material moulded around pre-assembled components that are terminated to cable(s) or wire(s) in factory

3.6

class B connecting device

accessory consisting of a pre-moulded housing and interface contacts that are meant to be assembled on the field

3.7

primary circuit

electric circuit that transfers energy from a power source to the primary winding of an AGL transformer

3.8

secondary circuit

electric circuit that transfers energy from the secondary winding of the AGL transformer to a load

3.9

screen continuity conductor

copper wire used to make a connection to the screen of a cable for the purpose of continuity or earthing

4 General requirements

Plugs and receptacles shall be so designed and constructed that, in normal use, their performance is reliable, and safety is achieved by reducing risk to a tolerable level in airfield environment.

Compliance is checked by meeting all the relevant requirements and tests specified in this document.

5 General remarks on tests

5.1 Tests shall be carried out to check compliance with the relevant requirements of this document.

Tests are as follows:

- type tests shall be made on representative specimens of each type of connecting device;
- production tests shall be made according to Annex A.

Conditions of 5.2 to 5.5 are applicable to type tests.

5.2 Tests shall be carried out at $23\text{ °C} \pm 3\text{ °C}$ unless otherwise defined.

5.3 Test shall be performed on six pairs (plugs and receptacles) of samples of each style to demonstrate compliance with the requirements in this document.

All tested connecting devices shall pass all the relevant tests of this document. Failure of any one of the connecting devices in any one of the tests shall indicate failure of this product to comply with this specification unless otherwise noted in a particular test.

5.4 Assembled connecting devices of class A, shall be subjected to all the relevant tests of this document.

5.5 Class B connecting devices shall be assembled in accordance with the manufacturer's instructions to lengths of wire or cable, as appropriate, of at least 0,6 m for all the relevant tests of this document.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[IEC 63067:2020](https://standards.iteh.ai/catalog/standards/sist/d5bdbd67-9362-4fb8-90dd-acb33db1a7a1/iec-63067-2020)

<https://standards.iteh.ai/catalog/standards/sist/d5bdbd67-9362-4fb8-90dd-acb33db1a7a1/iec-63067-2020>

6 Ratings

Rated values for receptacles and plugs are according to IEC 61820-1 voltage classes.

NOTE For connecting devices different rating voltages are used. E.g. 600 V or 750 V between phases and 1 500 V between ground and phase.

7 Classification

Connecting devices are classified as shown in Table 1.

Table 1 – Classification of connecting devices

Type	Class	Interface	Figure	Style	Cable Type	Dimensions
Type I (1 conductor, 25 A, 5 000 V) Primary connecting devices	Class A (Factory moulded)	Plug	Figure 1	Style 2	One-core cable	Table 2
			Figure 1	Style 15	Screened/Shielded	
		Receptacle	Figure 2	Style 9	One-core cable	
			Figure 2	Style 16	Screened/Shielded	
	Class B (Field assembled)	Plug	Figure 1	Style 3	One-core cable	
			Figure 1	Style 13	Screened/Shielded	
		Receptacle	Figure 2	Style 10	One-core cable	
			Figure 2	Style 14	Screened/Shielded	
Type II (2 conductor, 20 A, 1 000 V) Secondary connecting devices	Class A (Factory moulded)	Plug	Figure 3	Style 1	Two single wires	Table 3
			Figure 3	Style 6	Two single wires	
		Receptacle	Figure 4	Style 7	Two-core cable	
			Figure 5	Style 8	Two-core cable	
	Class B (Field assembled)	Plug	Figure 3	Style 4	Two single wires	
		Receptacle	Figure 4	Style 11	Two single wires	
		Plug	Figure 3	Style 5	Two-core cable	
		Receptacle	Figure 4	Style 12	Two-core cable	
<p>NOTE 1 Figures refer only to the interface of the connecting devices.</p> <p>NOTE 2 If a new type of connecting device is required, new configurations will be introduced on this table.</p> <p>NOTE 3 A new system for connecting devices of secondary circuit, parallel circuits, ELV systems including multipole constructions, which defines arrangement of contacts and their combinations including earthing (grounding) contact and pilot/signalling contacts, if any, will be introduced in future as systems become available.</p> <p>NOTE 4 Column "Style" is for information and it refers to different configurations of connecting devices which are given in Federal Aviation Administration circular AC No. 150/5345-26D.</p>						

8 Marking and documentation

8.1 Connecting devices shall be marked with manufacturer's name, product identification or catalogue number, style and type reference of a product.

Compliance is checked by inspection.

8.2 Markings shall be readily visible. Minimum height of letters/symbols shall be 3 mm.

Compliance is checked by inspection.

8.3 Markings shall be made impression, moulding, pressing or engraving or any other method that provides legibility over life time of the product.

Compliance is checked by inspection.

8.4 The manufacturer's installation instructions shall be furnished with each class B connecting device.


8.5 The manufacturer's installation instructions for class A connecting devices shall include instructions how to ensure that counter parts of primary connecting devices do not separate from each other after installation.

8.6 The manufacturer's installation instructions shall include necessary instructions for maintenance of connecting devices.

9 Checking of dimensions

9.1 Each plug and receptacle shall conform to the dimensions of appropriate Figure 1, Figure 2, Figure 3, Figure 4 or Figure 5 and Table 2 and Table 3.

Compliance is checked by inspection and measurement.




IEC

IEC 63067:2020

NOTE The sketch is not intended to govern design except as regards the dimensions shown.

Figure 1 – Primary plug (IEC 61823)



IEC

NOTE The sketch is not intended to govern design except as regards the dimensions shown.


Figure 2 – Primary receptacle (IEC 61823)

Table 2 – Interface dimensions of primary plug and receptacle

Dimension	Dimension mm
D	$27,00 \pm 0,2$
E	$4,70 \pm 0,05$
F	$27,43 \text{ min}$
I	$15,2 \pm 0,1$
J	$15,4 \text{ } 0/+0,2$
K^a	$23,5 \pm 0,5$
L	$14,3 \text{ } 0/+0,3$
M	$15,3 \text{ } -0,1/+0,2$
P^b	$4,8 \pm 0/+0,2$

^a Dimension K shall remain unchanged within a distance of 15 mm from the interface (behind dimension I towards the cable).


^b Diameter before splitting.



IEC

NOTE The sketch is not intended to govern design except as regards the dimensions shown.


Figure 3 – Secondary plug



IEC

NOTE The sketch is not intended to govern design except as regards the dimensions shown.

Figure 4 – Secondary receptacle



IEC

NOTE The sketch is not intended to govern design except as regards the dimensions shown.

Figure 5 – Secondary receptacle with moulded frangible coupler

Table 3 – Interface dimensions for secondary plugs and receptacles

Dimension	Dimension mm
<i>a</i>	$3,94 \pm 0,05$
<i>b</i>	$3,15 \pm 0,05$
<i>c</i>	$15,90 -0,4/0$
<i>d</i>	$8,7 \pm 0,4$
<i>e</i>	$11,0 \pm 0,2$
<i>f</i>	$18,40 \pm 0,2$
<i>g</i>	$25,0 \pm 0,4$
<i>h^a</i>	$4,0 \pm 0,05$
<i>j^a</i>	$3,20 \pm 0,05$
<i>k</i>	16,3 min
<i>l</i>	$9,10 +0,4$
<i>m</i>	$17,5 \pm 0,2$
<i>n</i>	$28,6 \pm 0,8$
<i>o</i>	$38,1 \pm 0,8$
<i>p</i>	$44,4 \pm 0,8$
^a Diameter before splitting.	

10 Protection against electric shock

Protective measures against electric shock shall be practiced according to national safety regulations and electrical maintenance instructions of airports.

11 Provision for continuity of screened cable

11.1 Plug and receptacle for screened cables shall be provided with screen continuity conductors. The length of each screen continuity conductor shall be at least 300 mm in order to ensure the continuity of the circuit when the main circuit is opened.