

**Open Service Access (OSA);
Parlay X Web Services;
Part 11: Audio Call
(Parlay X 3)**



iTeh STANDARD PREVIEW
(standards.iteh.ai)

Full standard:
<https://standards.iteh.ai/catalog/standards/sist/465ee54c-0638-48a1-f821f-983d43918cd0/etsi-es-202-504-11-v1.1.1-2008-05>



Reference

DES/TISPAN-01034-11-OSA

Keywords

API, OSA, service

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2008.

© The Parlay Group 2008.

All rights reserved.

DECT™, PLUGTESTS™, UMTS™, TIPHON™, the TIPHON logo and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

3GPP™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

Contents

Intellectual Property Rights	5
Foreword.....	5
1 Scope	7
2 References	7
2.1 Normative references	8
3 Definitions and abbreviations.....	8
3.1 Definitions.....	8
3.2 Abbreviations	8
4 Detailed service description	8
5 Namespaces.....	9
6 Sequence diagrams	9
6.1 Play audio and check status	9
6.2 Play audio and cancel	11
6.3 Adding and removing media	12
6.4 Play media file and collect digits from end user.....	13
6.5 Play media file and retrieve media from end user	14
7 XML Schema data type definition	14
7.1 MessageStatus enumeration	14
7.2 DigitConfig structure.....	15
7.3 RecConfig structure.....	15
7.4 PlayConfig structure.....	15
7.5 AnnouncementFormat enumeration	15
7.6 MediaMessageStatus structure.....	15
7.7 MediaParticipantInfo structure.....	16
8 Web Service interface definition.....	16
8.1 Interface: PlayMedia	16
8.1.1 Operation: playTextMessage	16
8.1.1.1 Input message: playTextMessageRequest.....	16
8.1.1.2 Output message: playTextMessageResponse.....	16
8.1.1.3 Referenced faults.....	17
8.1.2 Operation: playAudioMessage.....	17
8.1.2.1 Input message: playAudioMessageRequest	17
8.1.2.2 Output message: playAudioMessageResponse	17
8.1.2.3 Referenced faults.....	17
8.1.3 Operation: playVoiceXmlMessage	18
8.1.3.1 Input message: playVoiceXmlMessageRequest.....	18
8.1.3.2 Output message: playVoiceXMLMessageResponse.....	18
8.1.3.3 Referenced faults.....	18
8.1.3a Operation: playVideoMessage.....	19
8.1.3a.1 Input message: playVideoMessageRequest	19
8.1.3a.2 Output message: playVideoMessageResponse	19
8.1.3a.3 Referenced faults.....	19
8.1.4 Operation: getMessageStatus	19
8.1.4.1 Input message: getMessageStatusRequest	19
8.1.4.2 Output message: getMessageStatusResponse	20
8.1.4.3 Referenced faults.....	20
8.1.5 Operation: endMessage.....	20
8.1.5.1 Input message: endMessageRequest	20
8.1.5.2 Output message: endMessageResponse	20
8.1.5.3 Referenced faults.....	20
8.2 Interface: CaptureMedia.....	20

8.2.1	Operation: startPlayAndCollectInteraction.....	20
8.2.1.1	Input message: startPlayAndCollectInteractionRequest	21
8.2.1.2	Output message: startPlayAndCollectInteractionResponse	21
8.2.1.3	Referenced faults.....	21
8.2.2	Operation: startPlayAndRecordInteraction.....	21
8.2.2.1	Input message: startPlayAndRecordInteractionRequest	22
8.2.2.2	Output message: startPlayAndRecordInteractionResponse	22
8.2.2.3	Referenced faults.....	22
8.2.3	Operation: stopMediaInteraction	22
8.2.3.1	Input message: stopMediaInteractionRequest	22
8.2.3.2	Output message: stopMediaInteractionResponse	22
8.2.3.3	Referenced faults.....	23
8.3	Interface: Multimedia	23
8.3.1	Operation: addMediaForParticipants	23
8.3.1.1	Input message: addMediaForParticipantsRequest.....	23
8.3.1.2	Output message: addMediaForParticipantsResponse.....	23
8.3.1.3	Referenced faults.....	23
8.3.2	Operation: deleteMediaForParticipants	24
8.3.2.1	Input message: deleteMediaForParticipantsRequest.....	24
8.3.2.2	Output message: deleteMediaForParticipantsResponse	24
8.3.2.3	Referenced faults.....	24
8.3.3	Operation: getMediaForParticipant	24
8.3.3.1	Input message: getMediaForParticipantRequest	25
8.3.3.2	Output message: getMediaForParticipantResponse	25
8.3.3.3	Referenced faults.....	25
8.3.4	Operation: getMediaForCall	25
8.3.4.1	Input message: getMediaForCallRequest.....	25
8.3.4.2	Output message: getMediaForCallResponse.....	25
8.3.4.3	Referenced faults.....	25
9	Fault definitions.....	26
9.1	ServiceException.....	26
9.1.1	SVC0290: Duplicate media stream.....	26
9.1.2	SVC0291: Media stream does not match.....	26
10	Service policies	26
Annex A (normative):	WSDL for Audio Call.....	27
Annex B (informative):	Bibliography.....	28
History		29

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://webapp.etsi.org/IPR/home.asp>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This ETSI Standard (ES) has been produced by ETSI Technical Committee Telecommunications and Internet converged Services and Protocols for Advanced Networking (TISPAN), and is now submitted for the ETSI standards Membership Approval Procedure.

The present document is part 11 of a multi-part deliverable covering Open Service Access (OSA); Parlay X Web Services, as identified below:

- Part 1: "Common";
- Part 2: "Third Party Call";
- Part 3: "Call Notification";
- Part 4: "Short Messaging";
- Part 5: "Multimedia Messaging";
- Part 6: "Payment";
- Part 7: "Account Management";
- Part 8: "Terminal Status";
- Part 9: "Terminal Location";
- Part 10: "Call Handling";
- Part 11: "Audio Call";**
- Part 12: "Multimedia Conference";
- Part 13: "Address List Management";
- Part 14: "Presence";
- Part 15: "Message Broadcast";
- Part 16: "Geocoding";
- Part 17: "Application-driven Quality of Service (QoS)";
- Part 18: "Device Capabilities and Configuration";
- Part 19: "Multimedia Streaming Control";
- Part 20: "Multimedia Multicast Session Management".

IT'eh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/465ee54c-0638-48af-821f-983d43918cd0/etsi-es-202-504-11-v1.1.1-2008-05>

The present document has been defined jointly between ETSI, The Parlay Group (<http://www.parlay.org>) and the 3GPP.

The present document forms part of the Parlay X 3.0 set of specifications.

The present document is equivalent to 3GPP TS 29.199-11 V7.2.0 (Release 7).

ITEH STANDARD PREVIEW
(standards.iteh.ai)

Full standard:
<https://standards.iteh.ai/catalog/standards/sist/465ee54c-0638-48af-821f-983d43918cd0/etsi-es-202-504-11-v1.1.1-2008-05>

1 Scope

The present document is part 11 of the Stage 3 Parlay X 3 Web Services specification for Open Service Access (OSA).

The OSA specifications define an architecture that enables application developers to make use of network functionality through an open standardized interface, i.e. the OSA APIs.

The present document specifies the Call Handling Web Service. The following are defined here:

- Name spaces.
- Sequence diagrams.
- Data definitions.
- Interface specification plus detailed method descriptions.
- Fault definitions.
- Service Policies.
- WSDL Description of the interfaces.

The web service had been extended to support media.

2 References

References are either specific (identified by date of publication and/or edition number or version number) or non-specific.

- For a specific reference, subsequent revisions do not apply.
- Non-specific reference may be made only to a complete document or a part thereof and only in the following cases:
 - if it is accepted that it will be possible to use all future changes of the referenced document for the purposes of the referring document;
 - for informative references.

Referenced documents which are not found to be publicly available in the expected location might be found at <http://docbox.etsi.org/Reference>.

For online referenced documents, information sufficient to identify and locate the source shall be provided. Preferably, the primary source of the referenced document should be cited, in order to ensure traceability. Furthermore, the reference should, as far as possible, remain valid for the expected life of the document. The reference shall include the method of access to the referenced document and the full network address, with the same punctuation and use of upper case and lower case letters.

NOTE: While any hyperlinks included in this clause were valid at the time of publication ETSI cannot guarantee their long term validity.

2.1 Normative references

The following referenced documents are indispensable for the application of the present document. For dated references, only the edition cited applies. For non-specific references, the latest edition of the referenced document (including any amendments) applies.

[1] W3C Recommendation (2 May 2001): "XML Schema Part 2: Datatypes".

NOTE: Available at <http://www.w3.org/TR/2001/REC-xmlschema-2-20010502/>.

[2] ETSI ES 202 504-1: "Open Service Access (OSA); Parlay X Web Services; Part 1: Common (Parlay X 3)".

3 Definitions and abbreviations

3.1 Definitions

For the purposes of the present document, the terms and definitions given in ES 202 504-1 [2] apply.

3.2 Abbreviations

For the purposes of the present document, the abbreviations given in ES 202 504-1 [2] apply.

4 Detailed service description

The web service provides a flexible way to provide multimedia message delivery and the dynamic management of the media involved for the call participants. The interface is very simple, not requiring the developer to manage the creation of the call.

The Audio Call web service allows media to be added/dropped for any ongoing call. This web service also allows interaction with other call control web services (e.g. multimedia conference, third party call), enabling delivery of multimedia to call participants in an ongoing call.

The underlying model of the service is based on the following entities:

- **Call Session:** a call (uniquely identified) to which participants can be added/removed.
- **Call Participant:** each of the call parties (uniquely identified) involved in the call session.
- **Media:** the call can utilize multiple media types to support the participants' communication. In particular both audio and video streams are available, including the specific stream direction (i.e. incoming, outgoing, bidirectional).

NOTE: Call participants in a Call Session are anticipated to be uniquely identifiable using their URI address.

There are several mechanisms which may be utilized for the message content:

- Text, to be rendered using a Text-To-Speech (TTS) engine.
- Audio content (such as .WAV content), to be rendered by an audio player.
- VoiceXML, to be rendered using a VoiceXML browser.
- Video, to provide video streaming to the user.
- Capture media input from the end user.

The service may provide one or more of these mechanisms, as determined by service policy.

The service allows application control of the call participants' multimedia in a call:

- Allow multiple media types for each participant. In particular both audio and video as well as chat and data.
- Add and delete media types.
- Control the specific media stream direction (i.e. incoming, outgoing, bidirectional) for each media type.
- Get the current media status of a single call participant or for all the call participants in a call.
- Control the media interactions for a call participant.

A service policy determines if multimedia application control is supported.

5 Namespaces

The PlayMedia interface uses the namespace:

`http://www.csapi.org/wsdl/parlayx/audio_call/play_media/v3_2`

The CaptureMedia interface uses the namespace:

`http://www.csapi.org/wsdl/parlayx/audio_call/capture_media/v3_1`

The Multimedia interface uses the namespace:

`http://www.csapi.org/wsdl/parlayx/audio_call/multimedia/v3_1`

The data types are defined in the namespace:

`http://www.csapi.org/schema/parlayx/audio_call/v3_2`

The "xsd" namespace is used in the present document to refer to the XML Schema data types defined in XML Schema [1]. The use of the name "xsd" is not semantically significant.

6 Sequence diagrams

6.1 Play audio and check status

Pattern: Request / response.

This example shows an audio message being played, and the different responses to status requests that occur at different phases. Note that the last response, a service exception, reflects the transient nature of results, and that these results will expire.




Figure 1