

SLOVENSKI STANDARD SIST EN ISO 13628-4:2011

01-september-2011

Nadomešča:

SIST EN ISO 13628-4:2000

Industrija za predelavo nafte in zemeljskega plina - Načrtovanje in delovanje podvodnih proizvodnih sistemov - 4. del: Podvodna oprema za glavo izvrtine in križ na ustjih vrtin (ISO 13628-4:2010)

Petroleum and natural gas industries - Design and operation of subsea production systems - Part 4: Subsea wellhead and tree equipment (ISO 13628-4:2010)

iTeh STANDARD PREVIEW

Erdöl- und Erdgasindustrie - Auslegung und Betrieb von Unterwasser-Produktionssystemen - Teil 4: Bohrloch- und E-Kreuz-Ausrüstungen für den Unterwassereinsatz (ISO 13628-4:2010)
SIST EN ISO 13628-4:2011

https://standards.iteh.ai/catalog/standards/sist/e13c1023-5af6-473c-96c0-

Industries du pétrole et du gaz naturel Conception et fonctionnement des systèmes de production immergés - Partie 4: Equipements immergés de tête de puits et tête de production (ISO 13628-4:2010)

Ta slovenski standard je istoveten z: EN ISO 13628-4:2010

ICS:

75.180.10 Oprema za raziskovanje in

Exploratory and extraction odkopavanje equipment

SIST EN ISO 13628-4:2011

en,fr

SIST EN ISO 13628-4:2011

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 13628-4:2011

https://standards.iteh.ai/catalog/standards/sist/e13c1023-5af6-473c-96c0-92646f0529c2/sist-en-iso-13628-4-2011

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM **EN ISO 13628-4**

December 2010

ICS 75.180.10

Supersedes EN ISO 13628-4:1999

English Version

Petroleum and natural gas industries - Design and operation of subsea production systems - Part 4: Subsea wellhead and tree equipment (ISO 13628-4:2010)

Industries du pétrole et du gaz naturel - Conception et fonctionnement des systèmes de production immergés - Partie 4: Équipements immergés de tête de puits et tête de production (ISO 13628-4:2010)

Erdöl- und Erdgasindustrie - Auslegung und Betrieb von Unterwasser-Produktionssystemen - Teil 4: Bohrloch- und E-Kreuz-Ausrüstungen für den Unterwassereinsatz (ISO 13628-4:2010)

This European Standard was approved by CEN on 14 December 2010.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own tanguage and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovakia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents	Page
Foreword	

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN ISO 13628-4:2011</u> https://standards.iteh.ai/catalog/standards/sist/e13c1023-5af6-473c-96c0-92646f0529c2/sist-en-iso-13628-4-2011

Foreword

This document (EN ISO 13628-4:2010) has been prepared by Technical Committee ISO/TC 67 "Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries" in collaboration with Technical Committee CEN/TC 12 "Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries" the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2011, and conflicting national standards shall be withdrawn at the latest by June 2011.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 13628-4:1999.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom. ARD PREVIEW

(standards.iteh.ai)
Endorsement notice

The text of ISO 13628-4:2010 has been approved by 2CEN as a EN ISO 13628-4:2010 without any modification.

https://standards.iteh.ai/catalog/standards/sist/e13c1023-5af6-473c-96c0-92646f0529c2/sist-en-iso-13628-4-2011

SIST EN ISO 13628-4:2011

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 13628-4:2011

https://standards.iteh.ai/catalog/standards/sist/e13c1023-5af6-473c-96c0-92646f0529c2/sist-en-iso-13628-4-2011

SIST EN ISO 13628-4:2011

INTERNATIONAL STANDARD

ISO 13628-4

Second edition 2010-12-15

Petroleum and natural gas industries — Design and operation of subsea production systems

Part 4: Subsea wellhead and tree equipment

Teh ST Industries du pétrole et du gaz naturel → Conception et exploitation des systèmes de production immergés

Partie 4: Équipements immergés de tête de puits et tête de production

<u>SIST EN ISO 13628-4:2011</u> https://standards.iteh.ai/catalog/standards/sist/e13c1023-5af6-473c-96c0-92646f0529c2/sist-en-iso-13628-4-2011



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN ISO 13628-4:2011</u> https://standards.iteh.ai/catalog/standards/sist/e13c1023-5af6-473c-96c0-92646f0529c2/sist-en-iso-13628-4-2011



COPYRIGHT PROTECTED DOCUMENT

© ISO 2010

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Forewo	Foreword		
Introductionv			
1	Scope	1	
2	Normative references	4	
3	Terms, definitions, abbreviated terms and symbols	5	
3.1	Terms and definitions	5	
3.2	Abbreviated terms and symbols	10	
4	Service conditions and production specification levels	12	
4.1	Service conditions		
4.2	Product specification levels	13	
5	Common system requirements	13	
5.1	Design and performance requirements	13	
5.2	Materials		
5.3	Welding	26	
5.4	Quality control	27	
5.5	Equipment marking II. S. I. A. N. I. A. K. I. P. K. F. Y. IF. YV	30	
5.6	Storing and shipping	31	
6	Storing and shipping(Standards.iteh.ai) General design requirements for subsea trees and tubing hangers	32	
6.1	General	32	
6.2	Tree valving SIST EN ISO 13628-4:2011	34	
6.3	Testing of subsea ree assemblies standards/sist/e13c1023-5af6-473c-96c0-	42	
6.4	Marking 92646f0529c2/sist-en-iso-13628-4-2011	47	
6.5	Storing and shipping	47	
6.5 7	Storing and shipping	47	
	Storing and shipping Specific requirements — Subsea-tree-related equipment and sub assemblies Flanged end and outlet connections	47 47	
7	Storing and shipping Specific requirements — Subsea-tree-related equipment and sub assemblies Flanged end and outlet connections ISO clamp hub-type connections	47 47 47	
7 7.1 7.2 7.3	Storing and shipping Specific requirements — Subsea-tree-related equipment and sub assemblies Flanged end and outlet connections ISO clamp hub-type connections Threaded connections	47 47 45 65	
7 7.1 7.2 7.3 7.4	Storing and shipping	47476565	
7 7.1 7.2 7.3 7.4 7.5	Storing and shipping	47476565	
7 7.1 7.2 7.3 7.4 7.5 7.6	Storing and shipping	4747656565	
7 7.1 7.2 7.3 7.4 7.5 7.6 7.7	Storing and shipping	474765656566	
7 7.1 7.2 7.3 7.4 7.5 7.6 7.7 7.8	Storing and shipping	474765656566	
7 7.1 7.2 7.3 7.4 7.5 7.6 7.7 7.8 7.9	Storing and shipping	47476565666666	
7 7.1 7.2 7.3 7.4 7.5 7.6 7.7 7.8 7.9 7.10	Storing and shipping	4747656566666768	
7 7.1 7.2 7.3 7.4 7.5 7.6 7.7 7.8 7.9 7.10 7.11	Storing and shipping	4747656566666868	
7 7.1 7.2 7.3 7.4 7.5 7.6 7.7 7.8 7.9 7.10 7.11 7.12	Storing and shipping	47476565666667	
7 7.1 7.2 7.3 7.4 7.5 7.6 7.7 7.8 7.9 7.10 7.11	Storing and shipping	474765656666678687	
7 7.1 7.2 7.3 7.4 7.5 7.6 7.7 7.8 7.9 7.10 7.11 7.12 7.13	Storing and shipping	47476565666667868788	
7 7.1 7.2 7.3 7.4 7.5 7.6 7.7 7.8 7.9 7.10 7.11 7.12 7.13 7.14	Storing and shipping	4747656566666886878891	
7 7.1 7.2 7.3 7.4 7.5 7.6 7.7 7.8 7.9 7.10 7.11 7.12 7.13 7.14 7.15 7.16 7.17	Storing and shipping	4747656566678672889193	
7 7.1 7.2 7.3 7.4 7.5 7.6 7.7 7.8 7.9 7.10 7.11 7.12 7.13 7.14 7.15 7.16 7.17 7.18	Storing and shipping	474765656666678672889193	
7 7.1 7.2 7.3 7.4 7.5 7.6 7.7 7.8 7.9 7.10 7.11 7.12 7.13 7.14 7.15 7.16 7.17 7.18 7.19	Storing and shipping	47476565666667738691939191	
7 7.1 7.2 7.3 7.4 7.5 7.6 7.7 7.8 7.9 7.10 7.11 7.12 7.13 7.14 7.15 7.16 7.17 7.18 7.19 7.20	Storing and shipping	474765656667689193919191	
7 7.1 7.2 7.3 7.4 7.5 7.6 7.7 7.8 7.9 7.10 7.11 7.12 7.13 7.14 7.15 7.16 7.17 7.18 7.19 7.20 7.21	Storing and shipping Specific requirements — Subsea-tree-related equipment and sub assemblies Flanged end and outlet connections ISO clamp hub-type connections Threaded connectors Other end connectors Studs, nuts and bolting Ring gaskets Completion guidebase Tree connectors and tubing heads Tree stab/seal subs for vertical tree Valves, valve blocks and actuators TFL wye spool and diverter Re-entry interface Subsea tree cap Tree-cap running tool Tree-guide frame Tree running tool Tree piping Flowline connector systems Ancillary equipment running tools Tree-mounted hydraulic/electric/optical control interfaces Subsea chokes and actuators	4747476565666786919191919191	
7 7.1 7.2 7.3 7.4 7.5 7.6 7.7 7.8 7.9 7.10 7.11 7.12 7.13 7.14 7.15 7.16 7.17 7.18 7.19 7.20	Storing and shipping	4747476565666786919191919191	
7 7.1 7.2 7.3 7.4 7.5 7.6 7.7 7.8 7.9 7.10 7.11 7.12 7.13 7.14 7.15 7.16 7.17 7.18 7.19 7.20 7.21	Storing and shipping Specific requirements — Subsea-tree-related equipment and sub assemblies Flanged end and outlet connections ISO clamp hub-type connections Threaded connectors Other end connectors Studs, nuts and bolting Ring gaskets Completion guidebase Tree connectors and tubing heads Tree stab/seal subs for vertical tree Valves, valve blocks and actuators TFL wye spool and diverter Re-entry interface Subsea tree cap Tree-cap running tool Tree-guide frame Tree running tool Tree piping Flowline connector systems Ancillary equipment running tools Tree-mounted hydraulic/electric/optical control interfaces Subsea chokes and actuators	47476565666786919391100102105	

8.2	Temporary guidebase	
8.3	Permanent guidebase	
8.4	Conductor housing	
8.5	Wellhead housing	
8.6 8.7	Casing hangersAnnulus seal assemblies	
8.8	Casing hanger lockdown bushing	
8.9	Bore protectors and wear bushings	
8.10	Corrosion cap	
8.11	Running, retrieving and testing tools	
8.12	Trawl protective structure	
8.13	Wellhead inclination and orientation	
8.14	Submudline casing hanger and seal assemblies	145
9	Specific requirements — Subsea tubing hanger system	146
9.1	General	
9.2	Design	
9.3	Materials	
9.4	Testing	
10	Specific requirements — Mudline suspension equipment	150
10.1	General	
10.2	Mudline suspension-landing/elevation ring	
10.3 10.4	Casing hanger running tools and tieback adapters	
10. 4 10.5	Abandonment caps	
10.5	Mudline conversion equipment for subsea completions. D. D. J.	157
10.7	Tubing hanger system — Mudline conversion equipment for subsea completions	
11	Specific requirements — Drill-through mudline suspension equipment	
11.1	GeneralGeneral	159
11.2	External drill-through casing hangers (outside of the hybrid casing hanger housing)	
11.3	Hybrid casing hanger housing with air and poster hands with the desired and the state of the sta	
11.4	Internal drill-through mudline casing hangers - m-in-19698-4-901-1	
11.5	Annulus seal assemblies	
11.6	Bore protectors and wear bushings	
11.7 11.8	Tubing hanger system — Drill-through mudline equipment for subsea completions	
11.0 11.9	Running, retrieving and testing tools	
_	J	
Annex	A (informative) Vertical subsea trees	167
Annex	B (informative) Horizontal subsea trees	171
Annex	C (informative) Subsea wellhead	174
Annex	D (informative) Subsea tubing hanger	176
Annex	E (normative) Mudline suspension and conversion systems	180
Annex	F (informative) Drill-through mudline suspension systems	187
Annex	G (informative) Assembly guidelines of ISO (API) bolted flanged connections	189
Annex	H (informative) Design and testing of subsea wellhead running, retrieving and testing tools	199
Annex	I (informative) Procedure for the application of a coating system	202
Annex	J (informative) Screening tests for material compatibility	205
Annex	K (informative) Design and testing of pad eyes for lifting	210
Annex	L (informative) Hyperbaric testing guidelines	225
Annex	M (informative) Purchasing guidelines	227
Bibliog	raphy	249

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 13628-4 was prepared by Technical Committee ISO/TC 67, *Materials, equipment and offshore structures* for petroleum, petrochemical and natural gas industries, Subcommittee SC 4, *Drilling and production* equipment.

Teh STANDARD PREVIEW

This second edition cancels and replaces the first edition (ISO 13628-4:1999), which has been technically revised.

ISO 13628 consists of the following parts, under the general title Petroleum and natural gas industries — Design and operation of subsea production systems: systems: systems: 13638 4 3011

- Part 1: General requirements and recommendations
- Part 2: Unbonded flexible pipe systems for subsea and marine applications
- Part 3: Through flowline (TFL) systems
- Part 4: Subsea wellhead and tree equipment
- Part 5: Subsea umbilicals
- Part 6: Subsea production control systems
- Part 7: Completion/workover riser systems
- Part 8: Remotely Operated Vehicle (ROV) interfaces on subsea production systems
- Part 9: Remotely Operated Tool (ROT) intervention systems
- Part 10: Specification for bonded flexible pipe
- Part 11: Flexible pipe systems for subsea and marine applications

A part 12, dealing with dynamic production risers, a part 14, dealing with High Integrity Pressure Protections Systems (HIPPS), a part 15, dealing with subsea structures and manifolds, a part 16, dealing with specifications for flexible pipe ancillary equipment, and a part 17, dealing with recommended practice for flexible pipe ancillary equipment, are under development.

Introduction

This second edition of ISO 13628-4 has been updated by users and manufacturers of subsea wellheads and trees. Particular attention was paid to making it an auditable standard. It is intended for worldwide application in the petroleum industry. It is not intended to replace sound engineering judgement. It is necessary that users of this part of ISO 13628 be aware that additional or different requirements can better suit the demands of a particular service environment, the regulations of a jurisdictional authority or other scenarios not specifically addressed.

A major effort in developing this second edition was a study of the risks and benefits of penetrations in subsea wellheads. All previous editions of both this part of ISO 13628 and its parallel API document *Specification for Subsea Wellhead and Christmas Tree Equipment* (Specification 17D) prohibited wellhead penetrations. However, that prohibition was axiomatic. In developing this second edition, the workgroup used qualitative risk analysis techniques and found that the original insight was correct: subsea wellheads with penetrations are more than twice as likely to develop leaks over their life as those without penetrations.

The catalyst for examining this portion of the original editions of the API and ISO standards was the phenomenon of casing pressure and its monitoring in subsea wells. The report generated by the aforementioned risk analysis has become API 17 TR3 and API RP 90. The workgroup encourages the use of these documents when developing designs and operating practices for subsea wells.

Care has also been taken to address the evolving issue of using external hydrostatic pressure in design. The original versions of both API 17D and ISO 13628-4 were adopted at a time when the effects of that parameter were relatively small. The industry's move into greater water depths has prompted a consideration of that aspect in this version of this part of ISO 13628. The high-level view is that it is not appropriate to use external hydrostatic pressure to augment the applications for which a component can be used. For example, this part of ISO 13628 does not allow the use of a subsea tree rated for 69 MPa (10 000 psi) installed in 2 438 m (8 000 ft) of water on a well that has a shut-in tubing pressure greater than 69 MPa (10 000 psi). See 5.1.2.1.1 for further guidance.

The design considerations involved in using external hydrostatic pressure are only currently becoming fully understood. If a user or fabricator desires to explore these possibilities, it is recommended that a thorough review of the forthcoming American Petroleum Institute technical bulletin on the topic be carefully studied.

The overall objective of this part of ISO 13628 is to define clear and unambiguous requirements that facilitate international standardization in order to enable safe and economic development of offshore oil and gas fields by the use of subsea wellhead and tree equipment. It is written in a manner that allows the use of a wide variety of technology, from well established to state-of-the-art. The contributors to this update do not wish to restrict or deter the development of new technology. However, the user of this part of ISO 13628 is encouraged to closely examine standard interfaces and the reuse of intervention systems and tools in the interests of minimizing life-cycle costs and increasing reliability through the use of proven interfaces.

It is important that users of this part of ISO 13628 be aware that further or differing requirements can be needed for individual applications. This part of ISO 13628 is not intended to inhibit a vendor from offering, or the purchaser from accepting, alternative equipment or engineering solutions for the individual application. This can be particularly applicable where there is innovative or developing technology. Where an alternative is offered, it is the responsibility of the vendor to identify any variations from this part of ISO 13628 and provide details.

Petroleum and natural gas industries — Design and operation of subsea production systems

Part 4:

Subsea wellhead and tree equipment

1 Scope

a

This part of ISO 13628 provides specifications for subsea wellheads, mudline wellheads, drill-through mudline wellheads and both vertical and horizontal subsea trees. It specifies the associated tooling necessary to handle, test and install the equipment. It also specifies the areas of design, material, welding, quality control (including factory acceptance testing), marking, storing and shipping for both individual sub-assemblies (used to build complete subsea tree assemblies) and complete subsea tree assemblies.

The user is responsible for ensuring subsea equipment meets any additional requirements of governmental regulations for the country in which it is installed. This is outside the scope of this part of ISO 13628.

Where applicable, this part of ISO 13628 can also be used for equipment on satellite, cluster arrangements and multiple well template applications and ards.iteh.ai)

Equipment that is within the scope of this part of ISO 13628 is listed as follows:

)	subsea trees: https://standards.iteh.ai/catalog/standards/sist/e13c1023-5af6-473c-96c0-92646f0529c2/sist-en-iso-13628-4-2011
	 tree connectors and tubing hangers,
	 valves, valve blocks, and valve actuators,
	 chokes and choke actuators,
	 bleed, test and isolation valves,
	— TFL wye spool,
	re-entry interface,
	— tree cap,
	— tree piping,
	— tree guide frames,
	— tree running tools,
	 tree cap running tools,
	 tree mounted flowline/umbilical connector,

tubing heads and tubing head connectors,

b)

c)

d)

_	flowline bases and running/retrieval tools,					
	tree mounted controls interfaces (instrumentation, sensors, hydraulic tubing/piping and fittings, electrical controls cable and fittings);					
subsea wellheads:						
_	conductor housings,					
_	wellhead housings,					
_	casing hangers,					
_	seal assemblies,					
_	guidebases,					
	bore protectors and wear bushings,					
	corrosion caps;					
mu	dline suspension systems:					
_	wellheads,					
_	running tools, iTeh STANDARD PREVIEW					
_	casing hangers, (standards.iteh.ai)					
_	casing hanger running tool SIST EN ISO 13628-4:2011 casing hanger running tool https://standards.iteh.ai/catalog/standards/sist/e13c1023-5af6-473c-96c0-					
_	tieback tools for subsea completion,					
	subsea completion adaptors for mudline wellheads,					
	tubing heads,					
_	corrosion caps;					
drill through mudline suspension systems:						
_	conductor housings,					
_	surface casing hangers,					
_	wellhead housings,					
_	casing hangers,					
_	annulus seal assemblies,					
_	bore protectors and wear bushings,					
	abandonment caps;					

		tubing hangers,
	_	running tools;
f)	mis	cellaneous equipment:
,		flanged end and outlet connections,
	_	clamp hub-type connections,
	_	threaded end and outlet connections,
	_	other end connections,
		studs and nuts,
	_	ring joint gaskets,
	_	guideline establishment equipment.
exp	lana	t of ISO 13628 includes equipment definitions, an explanation of equipment use and function, an tion of service conditions and product specification levels, and a description of critical components, i.e. arts having requirements specified in this part of ISO 13628.
The	follo	owing equipment is outside the scope of this part of ISO 13628:
	sub	sea wireline/coiled tubing BOPs;
_	inst	allation, workover, and production risers; 92646i0529c2/sist-en-iso-13628-4-2011
	sub	sea test trees (landing strings);
	con	trol systems and control pods;
	plat	form tiebacks;
	prin	nary protective structures;
	sub	sea process equipment;
	sub	sea manifolding and jumpers;
	sub	sea wellhead tools;
	repa	air and rework;
	mul	tiple well template structures;
	mud	dline suspension high pressure risers;
	tem	plate piping;
_	tem	plate interfaces.
This	s par	t of ISO 13628 is not applicable to the rework and repair of used equipment.

e) tubing hanger systems: