

SLOVENSKI STANDARD

SIST EN 1015-17:2001/A1:2004

01-december-2004

A YlcXY`dfYg_i ýUb'Un]XUfg_Ya UHY!%+"XY.'8 c`c Yj UbYj cXchcdbY[U_`cf]XUj gj Yy]`a UHΛ

Methods or test for mortar for masonry - Part 17: Determination of water-soluble chloride content of fresh mortars

Prüfverfahren für Mörtel für Mauerwerk - Teil 17: Bestimmung des Gehaltes an wasserlöslichem Chlorid von Frischmörteln

ITEN STANDARD PREVIEW

(standards.iteh.ai)

Méthodes d'essai des mortiers pour maçonnerie - Partie 17: Détermination de la teneur en chlorure soluble des mortiers frais

[SIST EN 1015-17:2001/A1:2004](#)

<https://standards.iteh.ai/catalog/standards/sist/299e7ecb-fa6b-40a1-9a45-f7e46ac9b344/sist-en-1015-17-2001-a1-2004>

Ta slovenski standard je istoveten z: **EN 1015-17:2000/A1:2004**

ICS:

91.100.10 Cement. Mavec. Apno. Malta Cement. Gypsum. Lime.
Mortar

SIST EN 1015-17:2001/A1:2004 **en**

**iTeh STANDARD PREVIEW
(standards.iteh.ai)**

[SIST EN 1015-17:2001/A1:2004](#)

<https://standards.iteh.ai/catalog/standards/sist/299e7ecb-fa6b-40a1-9a45-f7e46ac9b344/sist-en-1015-17-2001-a1-2004>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 1015-17:2000/A1

October 2004

ICS 91.100.10

English version

**Methods or test for mortar for masonry - Part 17: Determination
of water-soluble chloride content of fresh mortars**

Méthodes d'essai des mortiers pour maçonnerie - Partie
17: Détermination de la teneur en chlorure soluble des
mortiers frais

Prüfverfahren für Mörtel für Mauerwerk - Teil 17:
Bestimmung des Gehaltes an wasserlöslichem Chlorid von
Frischmörteln

This amendment A1 modifies the European Standard EN 1015-17:2000; it was approved by CEN on 6 August 2004.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for inclusion of this amendment into the relevant national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This amendment exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

High STANDARD REVIEW
(Standardization)

SIST EN 1015-17:2001/A1:2004
<https://standards.iteh.ai/catalog/standards/sist/299e7ecb-fa6b-40a1-9a45-f7e46ac9b344/sist-en-1015-17-2001-a1-2004>



EUROPEAN COMMITTEE FOR STANDARDIZATION
 COMITÉ EUROPÉEN DE NORMALISATION
 EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

EN 1015-17:2000/A1:2004 (E)**Contents**

	Page
Foreword	3
1 Modification in sub-clause 5.3	4
2 Modification in sub-clause 6.8	4
3 Modification in sub-clause 7.1	4
4 Modification in clause 10	4

**iTeh STANDARD PREVIEW
(standards.iteh.ai)**

SIST EN 1015-17:2001/A1:2004
<https://standards.iteh.ai/catalog/standards/sist/299e7ecb-fa6b-40a1-9a45-f7e46ac9b344/sist-en-1015-17-2001-a1-2004>

Foreword

This document (EN 1015-17:2000/A1:2004) has been prepared by Technical Committee CEN/TC 125 "Masonry", the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2005, and conflicting national standards shall be withdrawn at the latest by July 2006.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 1015-17:2001/A1:2004](#)

<https://standards.iteh.ai/catalog/standards/sist/299e7ecb-fa6b-40a1-9a45-f7e46ac9b344/sist-en-1015-17-2001-a1-2004>

EN 1015-17:2000/A1:2004 (E)

1 Modification in sub-clause 5.3

Delete "0,01 ml" and substitute "0,1 ml".

2 Modification in sub-clause 6.8

In line 4 delete "(0,01 mol/l)" and substitute "(0,1 mol/l)".

3 Modification in sub-clause 7.1

At the end of the first paragraph, delete the final sentence "Two test samples shall be prepared." and substitute "Two test samples shall be prepared from the fresh mortar sample."

4 Modification in Clause 10

Delete items i), j), and k) and substitute the following new items i) and j):

"i) mean value of chloride content to the nearest 0,01 %, quoted as percentage by mass of mortar;

j) remarks, if any."

**iTeh STANDARD PREVIEW
(standards.iteh.ai)**

[SIST EN 1015-17:2001/A1:2004](#)

<https://standards.iteh.ai/catalog/standards/sist/299e7ecb-fa6b-40a1-9a45-f7e46ac9b344/sist-en-1015-17-2001-a1-2004>