

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Electric motor-operated hand-held tools, transportable tools and lawn and garden machinery – Safety –
Part 3-14: Particular requirements for transportable drain cleaners**

**Outils électroportatifs à moteur, outils portables et machines pour jardins et pelouses – Sécurité –
Partie 3-14: Exigences particulières pour les furets portables**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2017 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms, containing 20 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

65 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Electric motor-operated hand-held tools, transportable tools and lawn and garden machinery – Safety –
Part 3-14: Particular requirements for transportable drain cleaners

Outils électroportatifs à moteur, outils portables et machines pour jardins et pelouses – Sécurité –
Partie 3-14: Exigences particulières pour les furets portables

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 25.140.20

ISBN 978-2-8322-4902-4

Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

FOREWORD.....	4
1 Scope.....	6
2 Normative references	6
3 Terms and definitions	6
4 General requirements	7
5 General conditions for the tests	7
5.17 <i>Addition:</i>	7
6 Radiation, toxicity and similar hazards.....	7
7 Classification.....	7
8 Marking and instructions.....	7
8.14.1 <i>Addition:</i>	7
8.14.1.1 <i>Addition:</i>	8
8.14.1.101 Safety instructions for drain cleaners	8
8.14.2 a) <i>Additional items:</i>	8
8.14.2 b) <i>Additional items:</i>	8
8.14.2 c) <i>Additional items:</i>	9
9 Protection against access to live parts.....	9
10 Starting	9
11 Input and current	9
12 Heating.....	9
13 Resistance to heat and fire	9
14 Moisture resistance	9
14.5 <i>Replacement:</i>	9
15 Resistance to rusting	10
16 Overload protection of transformers and associated circuits	10
17 Endurance	10
18 Abnormal operation	10
19 Mechanical hazards.....	11
19.101 Additional requirements for drum machines	11
19.102 Additional requirements for sectional machines	11
20 Mechanical strength	12
21 Construction	12
22 Internal wiring.....	13
23 Components	13
24 Supply connection and external flexible cords	13
25 Terminals for external conductors.....	13
26 Provision for earthing	13
27 Screws and connections	14
28 Creepage distances, clearances and distances through insulation.....	14
Annexes	19
Annex I (informative) Measurement of noise and vibration emissions.....	19
I.2 Noise test code (grade 2).....	19
I.2.4 Installation and mounting conditions of the power tools during noise tests.....	19

iTeH STANDARD PREVIEW
(standards.iteh.ai)

[IEC 62841-3-14:2017](https://standards.iteh.ai/catalog/standards/sist/c98a1035-e97c-45b5-a808-d288d0189bcb/iec-62841-3-14-2017)

<https://standards.iteh.ai/catalog/standards/sist/c98a1035-e97c-45b5-a808-d288d0189bcb/iec-62841-3-14-2017>

I.2.5 Operating conditions	19
I.3 Vibration	19
Annex K (normative) Battery tools and battery packs	20
K.1 <i>Addition:</i>	20
Annex L (normative) Battery tools and battery packs provided with mains connection or non-isolated sources	21
L.1 <i>Addition:</i>	21
Bibliography	22
Figure 101 – Drum machine	14
Figure 102 – Sectional machine	15
Figure 103 – Guarding of drum machines	16
Figure 104 – Test probe 'a'	16
Figure 105 – Construction of drum machines (example)	17
Figure 106 – Locking mechanism for drain cleaner cable (example)	18
Table 4 – Required performance levels	10

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[IEC 62841-3-14:2017](https://standards.iteh.ai/catalog/standards/sist/c98a1035-e97c-45b5-a808-d288d0189bcb/iec-62841-3-14-2017)

<https://standards.iteh.ai/catalog/standards/sist/c98a1035-e97c-45b5-a808-d288d0189bcb/iec-62841-3-14-2017>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ELECTRIC MOTOR-OPERATED HAND-HELD TOOLS, TRANSPORTABLE TOOLS AND LAWN AND GARDEN MACHINERY – SAFETY –

Part 3-14: Particular requirements for transportable drain cleaners

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62841-3-14 has been prepared by IEC technical committee 116: Safety of motor-operated electric tools.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
116/340/FDIS	116/349/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

This Part 3-14 is to be used in conjunction with the first edition of IEC 62841-1 (2014).

This Part 3-14 supplements or modifies the corresponding clauses in IEC 62841-1, so as to convert it into the IEC standard: Particular requirements for transportable drain cleaners.

Where a particular subclause of Part 1 is not mentioned in this Part 3-14, that subclause applies as far as relevant. Where this standard states “addition”, “modification” or “replacement”, the relevant text in Part 1 is to be adapted accordingly.

The following print types are used:

- requirements: in roman type;
- *test specifications: in italic type;*
- notes: in small roman type;
- **terms defined in Clause 3: bold typeface.**

Subclauses, notes and figures which are additional to those in Part 1 are numbered starting from 101.

A list of all parts of the IEC 62841 series, under the general title: *Electric motor-operated hand-held tools, transportable tools and lawn and garden machinery – Safety*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed, [IEC 62841-3-14:2017](#)
- withdrawn, <https://standards.iteh.ai/catalog/standards/sist/c98a1035-e97c-45b5-a808-d288d0189bcb/iec-62841-3-14-2017>
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

NOTE The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations may need a transitional period following publication of a new, amended or revised IEC publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests.

It is the recommendation of the committee that the content of this publication be adopted for implementation nationally not earlier than 36 months from the date of publication.

ELECTRIC MOTOR-OPERATED HAND-HELD TOOLS, TRANSPORTABLE TOOLS AND LAWN AND GARDEN MACHINERY – SAFETY –

Part 3-14: Particular requirements for transportable drain cleaners

1 Scope

This clause of Part 1 is applicable, except as follows:

Addition:

This part of IEC 62841 applies to transportable **drain cleaners**.

NOTE 101 **Drain cleaners** are also known as pipe cleaners.

This standard does not apply to hand-held **drain cleaners**.

NOTE 102 Hand-held drain cleaners are covered by IEC 62841-2-21.

This standard does not apply to high pressure cleaners to clean drains.

NOTE 103 High pressure cleaners are covered by IEC 60335-2-79.

This standard does not apply to machines that use a solid rod to clean drains.

2 Normative references

[IEC 62841-3-14:2017](https://standards.iteh.ai/catalog/standards/sist/c98a1035-e97c-45b5-a808-d288d0189bcb/iec-62841-3-14-2017)

<https://standards.iteh.ai/catalog/standards/sist/c98a1035-e97c-45b5-a808-d288d0189bcb/iec-62841-3-14-2017>

This clause of Part 1 is applicable.

3 Terms and definitions

This clause of Part 1 is applicable, except as follows:

Additional definitions:

3.101

cutter

accessory that is attached to the end of the **drain cleaner cable** or is a specially formed section of the **drain cleaner cable**

3.102

drain cleaner

tool designed to clean out drains and pipes using a **drain cleaner cable** and that rests on the ground, floor or a counter top during operation

3.103

drain cleaner cable

rotating flexible **accessory** of a **drain cleaner** that is inserted into the pipe or drain

3.104

drum

cylindrical container that rotates and houses the **drain cleaner cable**

3.105**drum machine**

drain cleaner that uses a **drain cleaner cable** contained in a rotating **drum**

Note 1 to entry: See Figure 101.

3.106**guide tube**

rotating tube that guides the **drain cleaner cable** from the **drum** to the front exit of a **drum machine**

3.107**rear guide hose**

device connected to the rear of a **sectional machine** and which encloses a portion of the **drain cleaner cable** that extends out of the rear of the tool

3.108**sectional machine**

drain cleaner that uses individual sections of the **drain cleaner cable** which are connected together to extend the overall length of the **drain cleaner cable**

Note 1 to entry: See Figure 102.

4 General requirements

This clause of Part 1 is applicable.

5 General conditions for the tests

This clause of Part 1 is applicable, except as follows:

5.17 Addition:

A **drain cleaner cable** is considered to be an **accessory** and is not included in the mass of the tool.

6 Radiation, toxicity and similar hazards

This clause of Part 1 is applicable.

7 Classification

This clause of Part 1 is applicable.

8 Marking and instructions

This clause of Part 1 is applicable, except as follows:

8.14.1 Addition:

For **drain cleaners**, the additional safety instructions as specified in 8.14.1.101 shall be given. This part may be printed separately from the "General Power Tool Safety Warnings".

8.14.1.1 Addition:

Item 2) b) is not applicable.

8.14.1.101 Safety instructions for drain cleaners

NOTE 1 In the below instructions, on discretion of the manufacturer the term “drain” is replaced with the term “pipe”.

- a) **Before using the tool, test the residual current device (RCD) provided with the supply cord to insure it is operating correctly. A properly operating RCD reduces the risk of electrical shock.**

NOTE 2 It is possible to replace the term “residual current device (RCD)” with the term “ground fault circuit interrupter (GFCI)” or “earth leakage circuit breaker (ELCB)”.

- b) **Only use extension cords that are protected by an RCD. The RCD on the machine power cord will not prevent electrical shock from the extension cords.**

NOTE 3 It is possible to replace the term “residual current device (RCD)” with the term “ground fault circuit interrupter (GFCI)” or “earth leakage circuit breaker (ELCB)”.

- c) **Only grasp the rotating cable with gloves recommended by the manufacturer. Latex or loose fitting gloves or rags can become wrapped around the cable and may result in serious personal injury.**
- d) **Do not allow the cutter to stop turning while the cable is turning. This can overstress the cable and may cause twisting, kinking or breaking of the cable and may result in serious personal injury.**
- e) **One person must control both the cable and the switch. If the cutter stops rotating, the operator must be able to turn the tool off to prevent the cable from twisting, kinking and breaking.**
- f) **Use latex or rubber gloves inside the gloves recommended by the manufacturer, goggles, face shields, protective clothing, and respirator when chemicals, bacteria or other toxic or infectious substances are suspected to be in a drain line. Drains may contain chemicals, bacteria and other substances that may cause burns, be toxic or infectious or may result in other serious personal injury.**
- g) **Practice good hygiene. Do not eat or smoke while handling or operating the tool. After handling or operating drain cleaning equipment, use hot, soapy water to wash hands and other body parts exposed to drain contents. This will help reduce the risk of health hazards due to exposure to toxic or infectious material.**
- h) **Only use the drain cleaner for the recommended drain sizes. Using the wrong size drain cleaner can lead to twisting, kinking or breaking of the cable and may result in personal injury.**
- i) **Always use the rear guide hose while operating the tool and ensure the cable does not extend beyond the rear guide hose. This prevents the cable from whipping which may result in entanglement and personal injury.**

NOTE 4 The above warning only applies for sectional machines.

8.14.2 a) Additional items:

- 101) Information on the permitted length(s) and diameter(s) of the **drain cleaner cable** or **drain cleaner cable** sections;
- 102) Instruction on how to install the **drain cleaner cable**;
- 103) For **sectional machines**: instruction on how to install the **rear guide hose**;
- 104) Information on recommended **drain cleaner cable** diameters for different pipe diameters.

8.14.2 b) Additional items:

- 101) Information on the correct gloves to wear during operation;

102) Information on the distance the **drain cleaner** is to be placed from the drain or pipe opening.

103) Instruction on **drain cleaner cable** feed and rotation.

8.14.2 c) *Additional items:*

101) Instruction on how to inspect and maintain the **drain cleaner cable**.

9 Protection against access to live parts

This clause of Part 1 is applicable.

10 Starting

This clause of Part 1 is applicable.

11 Input and current

This clause of Part 1 is applicable.

12 Heating

This clause of Part 1 is applicable.

13 Resistance to heat and fire

This clause of Part 1 is applicable.

14 Moisture resistance

This clause of Part 1 is applicable, except as follows:

14.5 *Replacement:*

A **residual current device** used to provide protection from shock in the case of moisture shall comply with IEC 61540:1999 and shall meet the following requirements a) to c):

- 1) The **RCD** shall disconnect both mains conductors, but not the earth conductor if provided, when the leakage exceeds 10 mA and with a maximum response of 300 ms.

Compliance is checked by inspection and the test of 9.9.2 of IEC 61540:1999. In addition, during the test, the earthing conductor shall not become disconnected.

- 2) The **RCD** shall be reliable for its intended use.

*Compliance is checked at **rated voltage** by operating the **residual current device** under conditions of simulated leakage as in a) above during conditions of locked rotor of the tool for 50 cycles. The **residual current device** shall operate correctly for all cycles.*

- 3) The **RCD** shall be installed such that it is unlikely to be removed during use or normal maintenance.

This requirement is considered fulfilled if the **residual current device** is fixed to the tool or the **supply cord** connected to the tool.

Where fitted in the **supply cord**, the **residual current device** shall be provided with **type Y attachment** or **type Z attachment** for connection with the **supply cord** and **interconnection cord**.

Compliance is checked by inspection.

15 Resistance to rusting

This clause of Part 1 is applicable.

16 Overload protection of transformers and associated circuits

This clause of Part 1 is applicable.

17 Endurance

This clause of Part 1 is applicable, except as follows:

17.101 The device for **sectional machines** as required in 21.18.2.1 shall have sufficient endurance for safe operation.

Compliance is checked by the following test.

The **sectional machine** is fitted with the longest **drain cleaner cable** section of the largest diameter permitted in accordance with 8.14.2 a) 101). The tool is switched on.

iTeh STANDARD PREVIEW

For the endurance test, the device is actuated with the minimum required force to rotate the **drain cleaner cable** section and then released until the **drain cleaner cable** section rotation has completely stopped. This actuation and release is repeated for 10 000 cycles or until the device fails to rotate the **drain cleaner cable** section, whichever occurs first. During the test, any **user maintenance** to ensure the correct operation of the device is allowed.

During the test, the **drain cleaner cable** section shall always stop rotating when the device is released.

18 Abnormal operation

This clause of Part 1 is applicable, except as follows:

18.8 Replacement of Table 4:

Table 4 – Required performance levels

Type and purpose of SCF	Minimum performance level (PL)
Power switch – prevent unwanted switch-on for drain cleaners with a clutch that disengages the output from the motor	Not an SCF
Power switch – prevent unwanted switch-on for other drain cleaners	a
Power switch – provide desired switch-off	a
Provide desired direction of rotation	Not an SCF
Any electronic control to pass the test of 18.3	a
Any speed limiting device	Not an SCF
Prevent exceeding thermal limits as in Clause 18	a

19 Mechanical hazards

This clause of Part 1 is applicable, except as follows:

19.1 Replacement of the first paragraph:

Moving and dangerous parts other than the **drain cleaner cable**, the **drum**, the **guide tube** and the drive belt, as applicable, which are covered by 19.101 and 19.102, shall be so positioned or enclosed to provide adequate protection against personal injury.

The **drain cleaner cable** shall be smooth and free from sharp edges except for the **cutter**.

19.6 This subclause is not applicable.

19.8 This subclause is applicable for **drain cleaners** with wheels.

19.101 Additional requirements for drum machines

19.101.1 The drive belt shall be guarded to provide adequate protection against personal injury.

Compliance is checked by inspection and by manual test. Using test probe 'a' of Figure 104, it shall not be possible to touch the inner surface of the drive belt, see Figure 103.

19.101.2 Any part of a **guide tube** or a **guide tube** assembly, if any, that is outside of the **drum** shall be smooth, free of burrs and shall not have any openings larger than 12,5 mm.

*Compliance is checked by inspection and by manual test using the test probe 2 of IEC 61032:1997 (12,5 mm sphere). The test probe shall not pass through any opening in the **guide tube** or **guide tube** assembly that is outside of the **drum** or **guard**.*

19.101.3 Either the **drum** shall not be accessible or all of the following conditions shall be met, see Figure 105:

- the outer circumference of the **drum** has a smooth continuous surface without any openings; however openings in the front of the **drum** are allowed;
- there is at least a 12,5 mm radial distance between the **drum** and any stationary member of the tool other than the **guard** per 19.101.1;
- if the rear plane of the **drum** is accessible, the rear of the **drum** or any component protruding from the rear of the **drum** is at least 12,5 mm away from any stationary member of the tool;
- any protrusions from or indentations in the front or rear plane of the **drum** are smooth and free of burrs;
- any protrusions from or indentations in the front or rear plane of the **drum** do not have an acute angle in the forward direction of rotation in accordance with 8.14.2.b) 103).

*Compliance is checked by inspection, by measurement and by manual test. Accessibility is checked by using the test probe 'a' of Figure 104. The 12,5 mm distance is checked by using the test probe 2 of IEC 61032:1997 which shall pass freely between the **drum** and any stationary member.*

19.102 Additional requirements for sectional machines

19.102.1 A **sectional machine** shall be provided with a **rear guide hose**. The removal of the **rear guide hose** without the aid of a tool is permitted.

Compliance is checked by inspection.

19.102.2 The **rear guide hose** shall be long enough to protect the entire portion of the **drain cleaner cable** that extends past the rear of the tool.

Compliance is checked by the following test.

*With the longest single section of the **drain cleaner cable** in accordance with 8.14.2 a) 101) extending out the front of the tool equal to the recommended distance from the drain or pipe opening according to 8.14.2 b) 102), the end of the **drain cleaner cable** section shall not extend past the end of the **rear guide hose**.*

20 Mechanical strength

This clause of Part 1 is applicable, except as follows:

20.5 This subclause is not applicable.

21 Construction

This clause of Part 1 is applicable, except as follows:

21.15 *Replacement:*

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Drain cleaners shall protect the user against the increased risk of shock due to the presence of moisture.

[IEC 62841-3-14:2017](https://standards.iteh.ai/catalog/standards/sist/c98a1035-e97c-45b5-a808-d288d0189bcb/iec-62841-3-14-2017)

Drain cleaners shall be either: <https://standards.iteh.ai/catalog/standards/sist/c98a1035-e97c-45b5-a808-d288d0189bcb/iec-62841-3-14-2017>

- of **class III construction**; or
- of **class I construction** or **class II construction** and be provided with a **residual current device** and comply with 14.5; or
- of **class I construction** or **class II construction** and be designed for use in combination with an isolating transformer.

Compliance is checked by inspection.

21.17 *Replacement:*

Drain cleaners shall be fitted with a **power switch** which is not a **momentary power switch**. The actuating member of this switch shall be easily accessible. A **power switch** that controls rotation of the **drain cleaner cable** in the reverse direction in accordance with 8.14.2 b) 103) may be a **momentary power switch**.

Compliance is checked by inspection.

21.18.2.1 *Replacement:*

In addition to the **power switch** required in 21.17, **drum machines** shall be fitted with a foot switch which is a **momentary power switch** without a lock-on device. It shall be necessary that both the **power switch** and the foot switch are in the “on” position in order to operate the machine.

In addition to the **power switch** required in 21.17, **sectional machines** shall be provided with a device that requires constant actuation applied by the operator to rotate the **drain cleaner cable**.

NOTE 101 The endurance requirements of the device are covered in 17.101.

Compliance is checked by inspection.

21.18.2.3 Replacement:

A **drain cleaner** shall be designed so that unintentional movement of the **drain cleaner cable** is unlikely.

It shall not be possible to simultaneously actuate the foot switch/mechanical device required by 21.18.2.1 and the **power switch** required by 21.17 with a single grasping or a straight line motion.

Compliance is checked by inspection and by manual test.

21.30 This subclause is not applicable.

21.101 A **drain cleaner cable** locking mechanism that rotates with the cable shall be smooth and free from burrs. To prevent entanglement, protrusions shall

- not exceed 12 mm radially; and
- not have an acute angle in the forward direction of rotation.

Compliance is checked by inspection and by measurement with the locking mechanism fully tightened with the largest drain cleaner cable installed in accordance with 8.14.2 b) 102). See Figure 106.

22 Internal wiring

This clause of Part 1 is applicable.

23 Components

This clause of Part 1 is applicable.

24 Supply connection and external flexible cords

This clause of Part 1 is applicable.

25 Terminals for external conductors

This clause of Part 1 is applicable.

26 Provision for earthing

This clause of Part 1 is applicable.