

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Mobile and fixed offshore units – Electrical installations –
Part 7: Hazardous areas**

(standards.iteh.ai)

**Unités mobiles et fixes en mer – Installations électriques –
Partie 7: Emplacements dangereux**

<https://standards.iteh.ai/catalog/standards/sist/54910bc7-5733-4e9b-9029-b7681f707ca9/iec-61892-7-2019>





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2019 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22.000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67.000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22.000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

67.000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.



IEC 61892-7

Edition 4.0 2019-04

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Mobile and fixed offshore units – Electrical installations –
Part 7: Hazardous areas**

(standards.iteh.ai)

**Unités mobiles et fixes en mer – Installations électriques –
Partie 7: Emplacements dangereux**

standards/sist/54910bc7-5733-4e9b-9029-
b7681f707ca9/iec-61892-7-2019

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 47.020.60

ISBN 978-2-8322-6672-4

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	8
2 Normative references	9
3 Terms and definitions	9
4 Area classification	15
4.1 General.....	15
4.2 Safety principles	17
4.3 Sources of release.....	17
4.4 Type of zone.....	18
4.5 Relative density of the gas or vapour when it is released	18
4.6 Mobile offshore units.....	19
4.6.1 General	19
4.6.2 Zone 0	19
4.6.3 Zone 1	19
4.6.4 Zone 2.....	19
4.6.5 Well test facilities	20
4.7 Fixed offshore units	20
4.7.1 General	20
4.7.2 Zone 0	20
4.7.3 Zone 1	20
4.7.4 Zone 2.....	21
4.7.5 Drilling facilities	21
4.8 Buoyant production and storage units	21
4.9 Provisions regarding all types of offshore units (fixed and mobile offshore units)	21
4.10 Openings, access and ventilation conditions affecting the extent of hazardous areas	21
4.10.1 General	21
4.10.2 Enclosed space with direct access to any zone 1 location.....	21
4.10.3 Enclosed space with direct access to any zone 2 location.....	22
4.10.4 Warning notices.....	22
5 Electrical systems.....	22
5.1 Sources of electrical power	22
5.2 Distribution systems.....	22
5.2.1 General	22
5.2.2 Earth fault detection	23
5.3 Electrical protection	23
5.4 Gas detection	23
6 Protection from dangerous (incendive) sparking	24
7 Assurance of conformity of equipment	24
8 Selection of equipment (excluding cables and conduits)	24
9 Cables and wiring system – General.....	24
9.1 Cables	24
9.2 Connections.....	24
9.3 Splicing.....	24

9.4	Cable system	25
9.4.1	Construction	25
9.4.2	Earthing of metallic covering	25
9.5	Conduit systems	25
9.6	Additional requirements	25
9.7	Installation requirements	25
9.7.1	Circuits traversing a hazardous area	25
9.7.2	Terminations	26
9.7.3	Unused cores	26
10	Cable entry systems and blanking elements	26
10.1	General	26
10.2	Use of drain gland/plug	26
11	Rotating electrical machines	26
11.1	General	26
11.2	Ex protected permanent magnet motor	26
12	Luminaires	27
13	Electric heating systems	27
14	Additional requirements for type of protection "d" – Flameproof enclosures	27
15	Additional requirements for type of protection "e" – Increased safety	27
16	Additional requirements for type of protection "i" – Intrinsic safety	27
17	Additional requirements for pressurized enclosures	27
18	Pressurized rooms	27
19	Analyser houses	27
20	Additional requirements for type of protection "n"	28
21	Additional requirements for type of protection "o" – Oil immersion	28
22	Additional requirements for type of protection "q" – Powder filling	28
23	Additional requirements for type of protection "m" – Encapsulation	28
24	Additional requirements for type of protection "op" – Optical radiation	28
25	Ventilation	28
25.1	General	28
25.2	Ventilation of spaces containing electrical apparatus	28
25.3	Ventilation of other hazardous spaces	29
26	Ventilation requirements for battery compartments	29
26.1	General	29
26.2	Ventilation requirements	29
26.3	Natural ventilation	30
26.4	Forced ventilation	30
26.5	Requirements for battery compartments for zone 2 and zone 1	30
26.6	Fans and ducts	30
27	Inspection, maintenance, repair and overhaul	31
27.1	Initial inspection	31
27.2	Inspection and maintenance	31
27.3	Isolation of apparatus	31
27.4	Precautions concerning the use of ignition sources	31
27.5	Repair and overhaul	31
27.6	Personnel qualifications	31

28	Documentation	32
Annex A (informative)	Examples of sources of release – Process plant.....	34
A.1	General.....	34
A.2	Sources giving a continuous grade of release	34
A.3	Sources giving a primary grade of release	34
A.4	Sources giving a secondary grade of release	34
Annex B (informative)	Schematic approach to the classification of hazardous areas	35
Annex C (informative)	Hazardous area data sheets and symbols	39
C.1	Hazardous area classification data sheet	39
C.2	Symbols for hazardous area zone classification drawings	39
Annex D (informative)	Gas detection systems	44
D.1	General.....	44
D.2	Low gas alarm	44
D.3	High gas alarm.....	45
Annex E (informative)	Ventilation of hazardous areas – Requirements as to ventilation	46
Annex F (informative)	Electrical installations in extremely low ambient temperatures	47
F.1	General.....	47
F.2	Explosion protected equipment	47
Annex G (informative)	Installation in explosive atmospheres – Safety signs and plates for hazardous areas	48
G.1	Objectives.....	48
G.2	General.....	48
Annex H (informative)	List of electrical and electronic equipment in hazardous areas (example of data file) – Requirements concerning data file	50
Bibliography.....		51
Figure B.1	– Schematic approach to area classification	35
Figure B.2	– Schematic approach to area classification for continuous grade release	36
Figure B.3	– Schematic approach to classification for primary release source	37
Figure B.4	– Schematic approach to area classification for secondary grade release	38
Figure C.1	– Preferred symbols for hazardous area zones	42
Figure G.1	– Examples of an "Ex" safety warning sign for hazardous area installation	49
Table 1	– Electrical protection.....	23
Table C.1	– Hazardous area classification data sheet – Part I: Flammable substance list and characteristics	40
Table C.2	– Hazardous area classification data sheet – Part II: List of sources of release	41

iTech STANDARD PREVIEW
(standards.iteh.ai)

IEC 61892-7:2019
<https://standards.iteh.ai/catalog/standards/sist/54910bc7-5733-4e9b-9029-b7681f707ca9/iec-61892-7-2019>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**MOBILE AND FIXED OFFSHORE UNITS –
ELECTRICAL INSTALLATIONS –****Part 7: Hazardous areas**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61892-7 has been prepared by IEC technical committee 18: Electrical installations of ships and of mobile and fixed offshore units.

This fourth edition cancels and replaces the third edition published in 2014. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) the document has been completely rewritten. References are, to the extent possible, made to IEC 60079-14 and to other relevant standards, as appropriate, from IEC TC 31; only requirements concerning offshore installations that deviate from the general requirements for installations in hazardous areas are given;
- b) requirements as to gas detection have been transferred to an informative annex;

c) requirements concerning emergency shutdown (ignition source control) have been transferred to IEC 61892-1.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
18/1655/FDIS	18/1666/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61892 series, published under the general title *Mobile and fixed offshore units – Electrical installations*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

ITEH STANDARD PREVIEW
(standards.iteh.ai)

IEC 61892-7:2019

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

IEC 61892 forms a series of International Standards for safety in the design, selection, installation, maintenance and use of electrical equipment for the generation, transmission, storage, distribution and utilization of electrical energy for all purposes in offshore units which are used for the purpose of exploration or exploitation of petroleum resources.

This part of IEC 61892 incorporates and coordinates, as far as possible, existing rules and forms a code of interpretation, where applicable, of the requirements of the International Maritime Organization (IMO), and constitutes a guide for future regulations which may be prepared and a statement of practice for offshore unit owners, designers, installers and appropriate organizations.

This document is based on solutions and methods which are in current use, but it is not intended to impede development of new or improved techniques.

In this revision, voltage limitations have been removed. However, voltage limitations may be given in the referenced equipment standards. The removal of voltage limitations is considered necessary due to the interconnection of, and supply from shore to offshore units. In such cases, transmission voltages up to 132 kV AC and 150 kV DC are used and higher voltages are being planned.

The IEC 61892 series aims to constitute a set of International Standards for the offshore petroleum industry, but it is not intended to prevent their use beyond petroleum installations.

ITEH STANDARD PREVIEW
(standards.iteh.ai)

[IEC 61892-7:2019](https://standards.iteh.ai/catalog/standards/sist/54910bc7-5733-4e9b-9029-b7681f707ca9/iec-61892-7-2019)

<https://standards.iteh.ai/catalog/standards/sist/54910bc7-5733-4e9b-9029-b7681f707ca9/iec-61892-7-2019>

MOBILE AND FIXED OFFSHORE UNITS – ELECTRICAL INSTALLATIONS –

Part 7: Hazardous areas

1 Scope

This part of IEC 61892 provides requirements for hazardous area classification and selection of electrical equipment and installation in hazardous areas in mobile and fixed offshore units, including pipeline, pumping or "pigging" stations, compressor stations and single buoy moorings, used in the offshore petroleum industry for drilling, production, accommodation, processing, storage and offloading purposes.

It applies to all installations, whether permanent, temporary, transportable or personal, to AC installations and DC installations without any voltage level limitation. Referenced equipment standards may give voltage level limitations.

This document is based on the requirements of International Standards developed by IEC TC 31 regarding area classification and requirements as to installations in hazardous areas and gives additional requirements for installations on mobile and fixed offshore units.

This document specifies requirements such as those concerning

- area classification,
- electrical systems, [IEC 61892-7:2019](https://standards.iteh.ai/catalog/standards/sist/54910bc7-5733-4e9b-9029-07681f707ca9/iec-61892-7-2019)
- selection of electrical equipment, <https://standards.iteh.ai/catalog/standards/sist/54910bc7-5733-4e9b-9029-07681f707ca9/iec-61892-7-2019>
- cables and wiring systems,
- ventilation,
- ventilation requirement for battery compartments, and
- inspection, maintenance, repair and overhaul.

This document gives information on topics such as

- gas detection systems, and
- electrical installations in extremely low ambient temperatures.

This document does not apply to

- fixed equipment for medical purposes,
- electrical installations of tankers, and
- control of ignition sources other than those created by electrical equipment.

NOTE 1 For medical rooms, IEC 60364-7-710 provides specific requirements. Requirements for tankers are given in IEC 60092-502.

NOTE 2 Guidance on protection of non-electrical equipment can be found in ISO 80079-36, ISO 80079-37 and IMO 2009 MODU Code, 6.7

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60079-10-1:2015, *Explosive atmospheres – Part 10-1: Classification of areas – Explosive gas atmospheres*

IEC 60079-13, *Explosive atmospheres – Part 13: Equipment protection by pressurized room "p" and artificially ventilated room "v"*

IEC 60079-14:2013, *Explosive atmospheres – Part 14: Electrical installations design, selection and erection*

IEC 60079-17, *Explosive atmospheres – Part 17: Electrical installations inspection and maintenance*

IEC 60079-19, *Explosive atmospheres – Part 19: Equipment repair, overhaul and reclamation*

IEC 61892-1:2019, *Mobile and fixed offshore units – Electrical installations – Part 1: General requirements and conditions*

IEC 61892-2:2019, *Mobile and fixed offshore units – Electrical installations – Part 2: System design*

IEC 62485-2:2010, *Safety requirements for secondary batteries and battery installations – Part 2: Stationary batteries*

IMO, 2009 MODU Code, *Code for the Construction and Equipment of Mobile Offshore Drilling Units, 2009*, 2010 edition

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 61892-1, IEC 60079-14 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1

normal operation

operation of apparatus conforming electrically and mechanically with its design specification and used within the limits specified by the manufacturer

Note 1 to entry: Minor releases of flammable substances may be part of normal operation. For example, releases from seals which rely on wetting by the fluid which is being pumped are considered to be minor releases.

Note 2 to entry: Failures (such as the breakdown of pump seals, flange gaskets or spillages caused by accidents) which involve urgent repair or shutdown are not considered to be part of normal operation nor are they considered to be catastrophic.

Note 3 to entry: Normal operation includes start-up and shutdown conditions.

[SOURCE: IEC 60050-426:2008, 426-04-10, modified – The notes to entry have been added.]

3.2 inspection

action comprising careful scrutiny of an item carried out either without dismantling, or with the addition of partial dismantling as required, supplemented by means such as measurement, in order to arrive at a reliable conclusion as to the condition of an item

[SOURCE: IEC 60050-426:2008, 426-14-02]

3.3 maintenance

combination of any actions carried out to retain an item in, or restore it to, conditions in which it is able to meet the requirements of the relevant specification and perform its required functions

[SOURCE: IEC 60050-426:2008, 426-14-01]

3.4 terms related to area classification

3.4.1 area classification

assessed division of a facility into hazardous and non-hazardous areas, and the subdivision of the hazardous areas into zones

3.4.2 explosive gas atmosphere

mixture with air, under atmospheric conditions, of flammable substances in the form of gas, vapour or mist, which, after ignition, permits self-sustaining propagation

Note 1 to entry: Although a mixture which has a concentration above the upper flammable limit (UFL) is not an explosive gas atmosphere, it can readily become so and, generally for area classification purposes, it is advisable to consider it as an explosive atmosphere.

[SOURCE: IEC 60079-10-1:2015, 3.2, modified – The word "mist" has been added to the definition, and Note 2 to entry has been deleted.]

3.4.3 hazardous area (on account of explosive gas atmosphere)

area in which an explosive gas atmosphere is or may be expected to be present, in quantities such as to require special precautions for the construction, installation and use of equipment

Note 1 to entry: The interior of many items of process equipment are commonly considered as a hazardous area even though a flammable atmosphere may not normally be present to account for the possibility of air entering the equipment. Where specific controls such as inerting are used the interior of process equipment may not need to be classified as a hazardous area.

[SOURCE: IEC 60079-10-1:2015, 3.3.1]

3.4.4 non-hazardous area (on account of explosive gas atmosphere)

an area in which an explosive atmosphere is not expected to be present in quantities such as to require special precautions for the construction, installation and use of equipment

[SOURCE: IEC 60079-10-0:2015, 3.3.2]

3.5 terms related to zones

3.5.1

zone

hazardous area classification based upon the frequency of the occurrence and duration of an explosive atmosphere

[SOURCE: IEC 60079-10-1:2015, 3.3.3]

3.5.2

zone 0

area in which an explosive gas atmosphere is present continuously or for long periods or frequently

Note 1 to entry: Both "long" and "frequently" are terms which are intended to describe a very high likelihood of a potentially explosive atmosphere in the area. In that respect, those items do not necessarily need to be quantified.

Note 2 to entry: The 2009 MODU Code definition is "Zone 0: in which ignitable concentrations of flammable gases or vapours are continuously present or present for long periods".

[SOURCE: IEC 60079-10-1:2015, 3.3.4, modified – Note 2 to entry has been added.]

3.5.3

zone 1

area in which an explosive gas atmosphere is likely to occur periodically or occasionally in normal operation

Note 1 to entry: The 2009 MODU Code definition is "Zone 1: in which ignitable concentrations of flammable gases or vapours are likely to occur in normal operation".

[SOURCE: IEC 60079-10-1:2015, 3.3.5, modified – The note to entry has been added.]

3.5.4

zone 2

area in which an explosive gas atmosphere is not likely to occur in normal operation but, if it does occur, it will exist for a short period only

Note 1 to entry: Indications of the frequency of the occurrence and duration may be taken from codes relating to specific industries or applications.

Note 2 to entry: The 2009 MODU Code definition is "Zone 2: in which ignitable concentrations of flammable gases or vapours are not likely to occur, or in which such a mixture, if it does occur, will only exist for a short time".

[SOURCE: IEC 60079-10-1:2015, 3.3.6, modified – Note 2 to entry has been added.]

3.5.5

extent of zone

distance in any direction from the source of release to where a gas/air mixture will be diluted by air to a concentration below the lower flammable limit

[SOURCE: IEC 60079-10-1:2015, 3.3.7]

3.6

terms related to release

3.6.1

source of release

point or location from which a flammable gas, vapour, mist or liquid may be released into the atmosphere in such a way that an explosive gas atmosphere could be formed

[SOURCE: IEC 60079-10-1:2015, 3.4.1]

3.6.2

continuous grade of release

release which is continuous or is expected to occur frequently or for long periods

Note 1 to entry: Both "frequently" and "long" are the terms which are intended to describe a very high likelihood of a potential release. In that respect, those terms do not necessarily need to be quantified.

[SOURCE: IEC 60079-10-1:2015, 3.4.2]

3.6.3

primary grade of release

release which can be expected to occur periodically or occasionally during normal operation

[SOURCE: IEC 60079-10-1:2015, 3.4.3]

3.6.4

secondary grade of release

release which is not expected to occur in normal operation and, if it does occur, is likely to do so only infrequently and for short periods

[SOURCE: IEC 60079-10-1:2015, 3.4.4]

3.6.5

release rate

quantity of flammable gas or vapour emitted per unit time from the source of release

[SOURCE: IEC 60079-10-1:2015, 3.4.5, modified – The words "liquid" and "mist" have been deleted from the definition.]

[IEC 61892-7:2019](https://standards.iteh.ai/catalog/standards/sist/54910bc7-5733-4e9b-9029-b76914707ca9/iec-61892-7-2019)

3.7

terms related to properties of materials

3.7.1

LFL

lower flammable limit

concentration of flammable gas, or vapour in air, below which an explosive gas atmosphere will not be formed

Note 1 to entry: The terms "explosive limit" and "flammable limit" are equivalent. ISO/IEC 80079-20-1 and IEC 60079-29-1 use the term "flammable limit" whilst all the other standards use the more widely accepted term "explosive limit".

[SOURCE: IEC 60079-10-1:2015, 3.6.12, modified – The word "mist" has been deleted from the term, and the note to entry has been added.]

3.7.2

relative density

relative density of a gas or a vapour

density of a gas or a vapour relative to the density of air at the same pressure and temperature

Note 1 to entry: The relative density of air is equal to 1.

[SOURCE: IEC 60079-10-1:2015, 3.6.7, modified – The term "relative density" has been added, and the text in parenthesis in the definition has been moved to a note to entry.]

3.7.3

flammable substance

substance which is itself flammable, or is capable of producing a flammable gas, vapour or mist

[SOURCE: IEC 60079-10-1:2015, 3.6.1]

3.7.4

flammable liquid

liquid capable of producing a flammable vapour under any foreseeable operating conditions

Note 1 to entry: An example of foreseeable operating condition is one in which the flammable liquid is handled at temperatures close to or above its flashpoint.

[SOURCE: IEC 60079-10-1:2015, 3.6.2, modified as follows – Note 2 to entry has been deleted.]

3.7.5

flammable gas or vapour

gas or vapour which, when mixed with air in certain proportions, will form an explosive gas atmosphere

[SOURCE: IEC 60079-10-1:2015, 3.6.4]

3.7.6

flashpoint

lowest liquid temperature at which, under certain standardized conditions, a liquid gives off vapours in quantity such as to be capable of forming an ignitable vapour/air mixture

[SOURCE: IEC 60079-10-1:2015, 3.6.8]

3.7.7

boiling point

temperature of a liquid boiling at an ambient pressure of 101,3 kPa (1 013 mbar)

<https://standards.iteh.ai/catalog/standards/sist/54910bc7-5733-4e9b-9029-11f685707dab/iec-61892-7-2019>

Note 1 to entry: The initial boiling point that should be used for liquid mixtures is to indicate the lowest value of the boiling point for the range of liquids present, as determined in a standard laboratory distillation without fractionation.

[SOURCE: IEC 60079-10-1:2015, 3.6.9]

3.7.8

vapour pressure

pressure exerted when a solid or liquid is in equilibrium with its own vapour

Note 1 to entry: This is also the partial pressure of the substance in the atmosphere above the liquid. It is a function of the substance and of the temperature.

[SOURCE: IEC 60079-10-1:2015, 3.6.10]

3.7.9

ignition temperature

<explosive gas atmosphere> lowest temperature of a heated surface which, under specified conditions, will ignite a flammable substance in the form of a gas or vapour mixture with air

Note 1 to entry: ISO/IEC 80079-20-1 standardizes a method for the determination of this temperature.

[SOURCE: IEC 60079-10-1:2015, 3.6.11, modified – The words "of an explosive gas atmosphere" have been moved from the term to the domain, the parenthesis has been deleted from the definition, and the note to entry has been added.]