



SLOVENSKI STANDARD SIST EN ISO 16812:2007

01-maj-2007

BUXca Yý U
SIST EN ISO 16812:2004

DYfc_Ya] bU]bXi glf]Uhf]bXi glf]UnUdfYXYUj c`bUZY]b`nYa Y`g_Y[Ud`]bU!
Hcd`cb]]na Yb^j Ub_]`nUc\]ýU]b`Wj]fGC`%, %& &\$\$+L

Petroleum, petrochemical and natural gas industries - Shell-and-tube heat exchangers (ISO 16812:2007)

Erdöl-, petrochemische und Erdgasindustrie - Rohrbündelwärmetauscher (ISO 16812:2007)

STANDARD PREVIEW
(standards.iteh.ai)

Industries du pétrole, de la pétrochimie et du gaz naturel - Échangeurs de chaleur a faisceaux (ISO 16812:2007)

standards.iteh.ai/catalog/standards/sist/e23fa3a3-1ccd-4133-9dc4-87b26ed1cff0/sist-en-iso-16812-2007

Ta slovenski standard je istoveten z: EN ISO 16812:2007

ICS:

71.120.30	Prenosniki toplote	Heat exchangers
75.180.20	Predelovalna oprema	Processing equipment

SIST EN ISO 16812:2007 en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 16812:2007](https://standards.iteh.ai/catalog/standards/sist/e23fa3a3-1ccd-4133-9dc4-87b26ed1cff0/sist-en-iso-16812-2007)

<https://standards.iteh.ai/catalog/standards/sist/e23fa3a3-1ccd-4133-9dc4-87b26ed1cff0/sist-en-iso-16812-2007>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN ISO 16812

February 2007

ICS 75.180.20; 27.060.30

Supersedes EN ISO 16812:2003

English Version

Petroleum, petrochemical and natural gas industries - Shell-and-tube heat exchangers (ISO 16812:2007)

Industries du pétrole, de la pétrochimie et du gaz naturel -
Échangeurs de chaleur à faisceaux (ISO 16812:2007)

Erdöl-, petrochemische und Erdgasindustrie -
Rohrbündelwärmetauscher (ISO 16812:2007)

This European Standard was approved by CEN on 3 February 2007.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

[SIST EN ISO 16812:2007](https://standards.iteh.ai/catalog/standards/sist/e23fa3a3-1ccd-4133-9dc4-87b26ed1cff0/sist-en-iso-16812-2007)

<https://standards.iteh.ai/catalog/standards/sist/e23fa3a3-1ccd-4133-9dc4-87b26ed1cff0/sist-en-iso-16812-2007>



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

EN ISO 16812:2007 (E)**Foreword**

This document (EN ISO 16812:2007) has been prepared by Technical Committee ISO/TC 67 "Materials, equipment and offshore structures for petroleum and natural gas industries" in collaboration with Technical Committee CEN/TC 12 "Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries", the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by August 2007, and conflicting national standards shall be withdrawn at the latest by August 2007.

This document supersedes EN ISO 16812:2003.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

iTeh STANDARD PREVIEW
Endorsement notice
(standards.iteh.ai)

The text of ISO 16812:2007 has been approved by CEN as EN ISO 16812:2007 without any modifications.

[SIST EN ISO 16812:2007](https://standards.iteh.ai/catalog/standards/sist/e23fa3a3-1ccd-4133-9dc4-87b26ed1cff0/sist-en-iso-16812-2007)

<https://standards.iteh.ai/catalog/standards/sist/e23fa3a3-1ccd-4133-9dc4-87b26ed1cff0/sist-en-iso-16812-2007>

INTERNATIONAL STANDARD

ISO
16812

Second edition
2007-02-15

Petroleum, petrochemical and natural gas industries — Shell-and-tube heat exchangers

*Industries du pétrole, de la pétrochimie et du gaz naturel — Échangeurs
de chaleur à faisceaux*

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 16812:2007](https://standards.iteh.ai/catalog/standards/sist/e23fa3a3-1ccd-4133-9dc4-87b26ed1cff0/sist-en-iso-16812-2007)

[https://standards.iteh.ai/catalog/standards/sist/e23fa3a3-1ccd-4133-9dc4-
87b26ed1cff0/sist-en-iso-16812-2007](https://standards.iteh.ai/catalog/standards/sist/e23fa3a3-1ccd-4133-9dc4-87b26ed1cff0/sist-en-iso-16812-2007)



Reference number
ISO 16812:2007(E)

© ISO 2007

ISO 16812:2007(E)**PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN ISO 16812:2007](https://standards.iteh.ai/catalog/standards/sist/e23fa3a3-1ccd-4133-9dc4-87b26ed1cff0/sist-en-iso-16812-2007)

<https://standards.iteh.ai/catalog/standards/sist/e23fa3a3-1ccd-4133-9dc4-87b26ed1cff0/sist-en-iso-16812-2007>

© ISO 2007

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword.....	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions.....	2
4 General.....	3
5 Proposals.....	3
6 Drawings and other required data	4
6.1 Outline drawings and other supporting data.....	4
6.2 Information required after outline drawings are reviewed	5
6.3 Reports and records.....	6
7 Design	7
7.1 Design temperature	7
7.2 Cladding for corrosion allowance.....	7
7.3 Shell supports.....	7
7.4 Stationary head	8
7.5 Floating head.....	8
7.6 Tube bundle.....	9
7.7 Nozzles and other connections.....	12
7.8 Flanged external girth joints.....	13
7.9 Expansion joints	13
7.10 Gaskets	14
7.11 Handling devices	15
7.12 Hydrogen service.....	15
8 Materials	15
8.1 General.....	15
8.2 Gaskets	16
8.3 Tubes.....	16
9 Fabrication.....	16
9.1 Shells	16
9.2 Pass-partition plates.....	16
9.3 Connection junctions	16
9.4 Tubes.....	17
9.5 Welding.....	17
9.6 Heat treatment.....	17
9.7 Dimensional tolerances	18
9.8 Gasket contact surfaces other than nozzle-flange facings.....	18
9.9 Tube holes	19
9.10 Tube-to-tubesheet joints.....	19
9.11 Assembly	19
10 Inspection and testing.....	20
10.1 Quality assurance	20
10.2 Quality control.....	20
10.3 Pressure testing	21
10.4 Nameplates and stampings	22

ISO 16812:2007(E)

11	Preparation for shipment	22
11.1	Protection.....	22
11.2	Identification	23
12	Supplemental requirements.....	23
12.1	General	23
12.2	Design	23
12.3	Examination	23
Annex A	(informative) Recommended practices.....	25
Annex B	(informative) Shell-and-tube heat exchanger checklist	27
Annex C	(informative) Shell-and-tube heat exchanger data sheets	28
Annex D	(informative) Responsibility data sheet.....	39
Bibliography	41

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN ISO 16812:2007](https://standards.iteh.ai/catalog/standards/sist/e23fa3a3-1ccd-4133-9dc4-87b26ed1cff0/sist-en-iso-16812-2007)

<https://standards.iteh.ai/catalog/standards/sist/e23fa3a3-1ccd-4133-9dc4-87b26ed1cff0/sist-en-iso-16812-2007>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 16812 was prepared by Technical Committee ISO/TC 67, *Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries*, Subcommittee SC 6, *Processing equipment and systems*.

iTeh STANDARD PREVIEW

This second edition cancels and replaces the first edition (ISO 16812:2002), which has been technically revised.

[SIST EN ISO 16812:2007](https://standards.iteh.ai/catalog/standards/sist/e23fa3a3-1ccd-4133-9dc4-87b26ed1cff0/sist-en-iso-16812-2007)

<https://standards.iteh.ai/catalog/standards/sist/e23fa3a3-1ccd-4133-9dc4-87b26ed1cff0/sist-en-iso-16812-2007>

ISO 16812:2007(E)**Introduction**

Users of this International Standard should be aware that further or differing requirements may be needed for individual applications. This International Standard is not intended to inhibit a vendor from offering, or the purchaser from accepting, alternative equipment or engineering solutions for the individual application. This may be particularly applicable where there is innovative or developing technology. Where an alternative is offered, the vendor should identify any variations from this International Standard and provide details.

Annex A provides some optional recommended practices.

A bullet (●) at the beginning of a clause or subclause indicates a requirement for the purchaser to make a decision or provide information (see checklist in Annex B).

In this International Standard, where practical, US Customary (USC) units are included in parentheses for information.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 16812:2007](https://standards.iteh.ai/catalog/standards/sist/e23fa3a3-1ccd-4133-9dc4-87b26ed1cff0/sist-en-iso-16812-2007)

<https://standards.iteh.ai/catalog/standards/sist/e23fa3a3-1ccd-4133-9dc4-87b26ed1cff0/sist-en-iso-16812-2007>

Petroleum, petrochemical and natural gas industries — Shell-and-tube heat exchangers

1 Scope

This International Standard specifies requirements and gives recommendations for the mechanical design, material selection, fabrication, inspection, testing and preparation for shipment of shell-and-tube heat exchangers for the petroleum, petrochemical and natural gas industries.

This International Standard is applicable to the following types of shell-and-tube heat exchangers: heaters, condensers, coolers and reboilers.

This International Standard is not applicable to vacuum-operated steam surface condensers and feed-water heaters.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 15156 (all parts), *Petroleum and natural gas industries — Materials for use in H₂S-containing environments in oil and gas production*

ASME B 16.5¹⁾, *Pipe Flanges and Flanged Fittings*

ASME B 16.11, *Forged Fittings, Socket-Welding and Threaded*

ASME B 1.20.1, *Pipe Threads, General Purpose (Inch)*

EJMA²⁾, *Standards of the Expansion Joint Manufacturers Association*

NACE MR0103³⁾, *Materials Resistant to Sulfide Stress Cracking in Corrosive Petroleum Refining Environments*

TEMA Standards Set⁴⁾, 8th Edition, *Standards of the Tubular Exchanger Manufacturers Association*

1) ASME International, 3 Park Avenue, New York, NY 10016-5990, USA.

2) Expansion Joint Manufacturers Association, 25 North Broadway, Tarrytown, NY 10591, USA.

3) NACE International, P.O. Box 218340, Houston, TX 77218-8340, USA.

4) Tubular Exchanger Manufacturers Association, 25 North Broadway, Tarrytown, NY 10591, USA.

ISO 16812:2007(E)

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

annular distributor

additional chamber incorporated into a shell side nozzle to more evenly distribute shell side fluids entering or exiting the tube bundle

3.2

category A welded joint

longitudinal welded joint within the main shell, communicating chambers, nozzles or transitions in diameter; or any welded joint within a sphere or within a formed or flat head; or circumferential welded joint connecting hemispherical heads to main shells, to transitions in diameters or to communicating chambers

3.3

category B welded joint

circumferential welded joint within the main shell, communicating chambers, nozzles or transitions in diameter, including joints between the transitions and a cylinder at either the large or small end; or circumferential welded joint connecting formed heads, other than hemispherical, to main shells, to transitions in diameter, to nozzles or to communicating chambers

3.4

communicating chamber

heat-exchanger appurtenance that intersects the shell or heads of the heat exchanger and forms an integral part of the pressure-containing envelope

EXAMPLES Sump, annular distributor.

3.5

effective surface

outside surface area of the tubes that contributes to heat transfer

SIST EN ISO 16812:2007

<https://standards.iteh.ai/catalog/standards/sist/e23fa3a3-1ccd-4133-9dc4-87626ed1c1f0/sist-en-iso-16812-2007>

3.6

full-penetration weld

welded joint that results in weld metal through the entire thickness of the components being joined

3.7

heat-exchanger unit

one or more heat exchangers for a specified service that may include alternative operating conditions

3.8

hydrogen service

service that contains hydrogen at a partial pressure exceeding 700 kPa (100 psi) absolute

3.9

item number

purchaser's identification number for a heat-exchanger unit

3.10

nubbin

projection on the flange gasket surface, positioned at the centre of the gasket, used to concentrate the bolt load on the gasket

3.11

pressure design code

recognized pressure vessel standard specified or agreed by the purchaser

EXAMPLES ASME Section VIII, EN 13445.

3.12**seal-welded**

tube-to-tubesheet joint weld of unspecified strength applied between the tubes and tubesheets for the sole purpose of reducing the potential for leakage

3.13**strength-welded**

tube-to-tubesheet joint welded so that the design strength is equal to, or greater than, the axial tube strength specified by the pressure design code

4 General

- **4.1** The pressure design code shall be specified or agreed by the purchaser. Pressure components shall comply with the pressure design code and the supplemental requirements given in this International Standard.
- 4.2** Heat-exchanger construction shall conform to TEMA (8th edition), Class R, unless another TEMA class is specified.
- **4.3** The vendor shall comply with the applicable local regulations specified by the purchaser.
- 4.4** Annex A includes some recommended mechanical and design details for information.
- 4.5** Annex B provides a checklist that can be used by the purchaser to ensure that bulleted items in this International Standard are addressed.
- 4.6** Annex C provides examples of data sheets.
- 4.7** Annex D includes a recommended division of responsibility for completing the data sheet.

ITeH STANDARD PREVIEW
 (standards.iteh.ai)
 SIST EN ISO 16812:2007
<https://standards.iteh.ai/catalog/standards/sist/e23fa3a3-1ccd-4133-9dc4-87b26ed1cff0/sist-en-iso-16812-2007>

5 Proposals

- 5.1** The vendor's proposal shall include, for each heat exchanger unit, completed data sheets such as those given in Annex C or, if a data sheet is included in the inquiry, a statement indicating complete compliance with that data sheet.
- 5.2** Designs that are not fully defined by the nomenclature in TEMA (8th edition), Section 1, shall be accompanied by sketches that are sufficient to describe the details of construction.
- 5.3** If an annular distributor is provided, the vendor shall define the type of construction proposed.
- 5.4** The vendor shall determine the need for, and if required, include expansion joints based on all conditions supplied by the purchaser. The vendor shall state the type of construction proposed.
- 5.5** The proposal shall include a detailed description of all exceptions to the requirements of the purchaser's inquiry.
- 5.6** For stacked heat exchangers, the vendor shall supply the following components unless otherwise specified by the purchaser:
 - a) bolts, nuts and gaskets for interconnecting nozzles;
 - b) shims and bolting for interconnecting supports.

ISO 16812:2007(E)

5.7 The vendor shall provide a separate quotation for the following items unless otherwise specified by the purchaser:

- a) a test component consisting of a test ring and gland, in accordance with TEMA (8th edition), Figure E-4.13-2 or equivalent, for each heat exchanger or group of similar heat exchangers with floating heads;
- b) one spare set of gaskets per heat-exchanger unit.

6 Drawings and other required data**6.1 Outline drawings and other supporting data**

6.1.1 The vendor shall submit, for review by the purchaser, outline drawings for each heat exchanger unit. The drawings shall include the following information:

- a) service, item number, project name and location, purchaser's order number, vendor's shop order number and other special identification numbers;
- b) design pressure, test pressure, design temperature, minimum design metal temperature and any restriction on testing or operation of the heat exchanger;
- c) maximum allowable working pressure (MAWP) in the corroded condition and at the design temperature for the shell side and tube side;
- d) connection sizes, location, orientation, projection, direction of flow and, if flanged, the rating and facing;
- e) coupling sizes, rating and orientation;
- f) dimensions, orientation and location of supports including bolt holes and slots, and the stacking arrangement;
- g) overall dimensions of the heat exchanger;
- h) tube-bundle removal clearance;
- i) mass of the heat exchanger, empty and full of water, and of removable components with a mass greater than 25 kg (60 lb) (e.g. removable tube bundle, channel, channel cover and shell cover);
- j) specified corrosion allowance for each side of the heat exchanger;
- k) references to the applicable code and the purchaser's specification;
- l) requirements for post-weld heat treatment;
- m) requirements for radiographic examination;
- n) requirements for material impact testing;
- o) requirements for surface preparation and painting;
- p) gasket materials;
- q) insulation thickness;
- r) location of expansion joints, annular distributors and any other special components or closures;
- s) location and orientation of nameplates, lifting lugs, grounding clips or other attachments;

- t) location of the centre of gravity of the heat exchanger;
 - u) forces and moments on connections as specified by the purchaser.
- **6.1.2** The vendor shall submit flow-induced vibration analysis, if specified by the purchaser.

6.2 Information required after outline drawings are reviewed

6.2.1 Gasket details, including type and material, shall be shown on a separate drawing. This drawing shall not be marked with any restrictions for use.

- **6.2.2** Qualified welding procedure specifications and procedure qualification records as required by the pressure design code shall be submitted for review, if specified by the purchaser.

6.2.3 Upon receipt of the purchaser's review comments on the outline drawings, the vendor shall submit copies of all detailed drawings. These shall fully describe the heat exchanger and shall include at least the following information:

- a) full views and cross-sectional views with all dimensions and materials sufficient for stress calculations for each part;
- b) bundle details, including the following:
 - tube layout,
 - tube description and number in each pass,
 - number of baffles, cross-baffle cut, layout and orientation in a view that shows the cuts,
 - details and locations of all sealing and sliding strips,
 - details and locations of tie-rods and spacers,
 - details and locations of support plates,
 - details of tubesheet and tube holes, including cladding or weld overlay if required,
 - gasket drawings,
 - details of pass-partition plates;
- c) details of each pressure-retaining weld, including weld material, weld nominal thickness, weld location and applicable non-destructive examination method;
- d) details of each weld and weld nominal thickness for non-pressure attachments;
- e) complete bills of materials, including the material specification;
- f) expansion joint details;
- g) details of cladding and weld overlay;
- h) weld map for each heat exchanger showing the weld joints, including welding procedure number(s);
- i) details of tube-to-tubesheet joints, including procedures for installation, welding, expansion, inspection and testing;
- j) flange-face finish;
- k) special installation and maintenance instructions including lifting and handling.