IEC TS 61970-600-2

Edition 1.0 2017-07

TECHNICAL SPECIFICATION

colour inside

Energy management system application program interface (EMS-API) – Part 600-2: Common Grid Model Exchange Specification (CGMES) – Exchange profiles specification

iTeh STANDARD PREVIEW
(standards.iteh.ai)
IEC TS 61970-600-2:2017
https://standards.iteh.ai/catalog/standards/sist/c2c7e694-6f47-4d6e-9f8e-c751ac8d2795/iec-ts-61970-600-2-2017

IEC TS 61970-600-2:2017-07(en)

THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2017 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,…). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

iTeh STANDARD PREVIEW
(standards.iteh.ai)
IEC TS 61970-600-2:2017
https://standards.iteh.ai/catalog/standards/sist/...-...-...-...-...
c751ac8d2795/iec-ts-61970-600-2-2017

IEC TS 61970-600-2

Edition 1.0 2017-07

TECHNICAL SPECIFICATION

colour inside

Energy management system application program interface (EMS-API) – Part 600-2: Common Grid Model Exchange Specification (CGMES) – Exchange profiles specification

iTeh STANDARD PREVIEW
(standards.iteh.ai)
IEC TS 61970-600-2:2017
https://standards.iteh.ai/catalog/standards/sist/c2c7e694-6f47-4d6e-9f8e-c751ac8d2795/iec-ts-61970-600-2-2017

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 33.200

ISBN 978-2-8322-4574-3

Warning! Make sure that you obtained this publication from an authorized distributor.

® Registered trademark of the International Electrotechnical Commission

CONTENTS

FOREWORD 24
1 Scope 26
2 Normative references 26
3 Terms, definitions and abbreviated terms 27
3.1 Terms and definitions 27
3.2 Abbreviated terms 28
4 EquipmentBoundaryProfile 28
4.1 General 28
4.2 (Entsoe) EquipmentBoundaryVersion(Abstract) 29
4.3 Core 30
4.3.1 ConductingEquipment(Abstract) 30
4.3.2 (Operation) ConnectivityNode 31
4.3.3 ConnectivityNodeContainer(Abstract) 33
4.3.4 Equipment(Abstract) 33
4.3.5 EquipmentContainer(Abstract) 34
4.3.6 PowerSystemResource(Abstract) 34
4.3.7 Terminal 35
4.3.8 BaseVoltage 35
4.3.9 GeographicalRegion 35
4.3.10 IdentifiedObject(Abstract) 36
4.3.11 SubGeographicalRegion 36
4.4 Wires 37
4.4.1 Connector(Abstract) 37
4.4.2 (Entsoe) EnergySchedulingType 38
4.4.3 EnergySource(Abstract) 38
4.4.4 Junction 39
4.4.5 Line 40
4.5 Global Used Datatypes 40
4.5.1 Datatypes – Voltage 40
4.5.2 Enumerations 41
4.5.3 Primitives 42
5 TopologyBoundaryProfile 42
5.1 General 42
5.2 (Entsoe) TopologyBoundaryVersion(Abstract) 43
5.3 Core 44
5.3.1 BaseVoltage(Abstract) 44
5.3.2 (Operation,Description) ConnectivityNode 45
5.3.3 ConnectivityNodeContainer(Abstract) 45
5.3.4 IdentifiedObject(Abstract) 45
5.4 Topology – TopologicalNode 46
5.5 Global Used Datatypes – Primitives 48
5.5.1 String 48
5.5.2 Date 48
5.5.3 Boolean 48
6 EquipmentProfile 48
6.1 General 48

iTeh STANDARD PREVIEW
(standards.iteh.ai)
IEC TS 61970-600-2:2017
https://standards.iteh.ai/catalog/standards/sist/c2c7e694-6f47-4d6e-9f8e-751ae8d2795e/iec-ts-61970-600-2-2017

6.2 (Entsoe) EquipmentVersion(Abstract) 49
6.3 DC 51
6.3.1 General 51
6.3.2 ACDCConverter(Abstract) 54
6.3.3 ACDCConverterDCTerminal 56
6.3.4 CsConverter 57
6.3.5 DCBaseTerminal(Abstract) 59
6.3.6 DCBreaker 60
6.3.7 DCBusbar 60
6.3.8 DCChopper 61
6.3.9 DCConductingEquipment(Abstract) 62
6.3.10 DCConverterUnit 63
6.3.11 DCDisconnector 63
6.3.12 DCEquipmentContainer 64
6.3.13 DCGround 64
6.3.14 DCLine 65
6.3.15 DCLineSegment 66
6.3.16 DCNode 67
6.3.17 DCSeriesDevice 68
6.3.18 DCShunt 69
6.3.19 DCSwitch 69
6.3.20 DCTerminal 70
6.3.21 PerLengthDCLineParameter 71
6.3.22 VsCapabilityCurve 71
6.3.23 VsConverter 72
6.3.24 Enumerations 74
6.4 Topology 74
6.4.1 BusNameMarker 74
6.5 Meas 75
6.5.1 General 75
6.5.2 (Operation) Accumulator 78
6.5.3 (Operation) AccumulatorLimit 79
6.5.4 (Operation) AccumulatorLimitSet 80
6.5.5 (Operation) AccumulatorReset 81
6.5.6 (Operation) AccumulatorValue 82
6.5.7 (Operation) Analog 82
6.5.8 (Operation) AnalogControl(Abstract) 83
6.5.9 (Operation) AnalogLimit 84
6.5.10 (Operation) AnalogLimitSet 85
6.5.11 (Operation) AnalogValue 86
6.5.12 (Operation) Command 86
6.5.13 (Operation) Control(Abstract) 87
6.5.14 (Operation) Discrete 88
6.5.15 (Operation) DiscreteValue 89
6.5.16 (Operation) Limit(Abstract) 90
6.5.17 (Operation) LimitSet(Abstract) 91
6.5.18 (Operation) Measurement(Abstract) 91
6.5.19 (Operation) MeasurementValue(Abstract) 93
6.5.20 (Operation) MeasurementValueQuality 94

iTeh STANDARD PREVIEW
(standards.iteh.ai)
IEC TS 61970-600-2:2017
https://standards.iteh.ai/catalog/standards/sist/c2c7e694-6f47-4d6e-9f8e-c751ac8d2795/iec-ts-61970-600-2-2017

6.5.21 (Operation) MeasurementValueSource 94
6.5.22 (Operation) Quality61850(Abstract) 95
6.5.23 (Operation) RaiseLowerCommand 96
6.5.24 (Operation) SetPoint 97
6.5.25 (Operation) StringMeasurement 98
6.5.26 (Operation) StringMeasurementValue 99
6.5.27 (Operation) ValueAliasSet 100
6.5.28 (Operation) ValueToAlias 101
6.5.29 Enumerations 101
6.6 Production 102
6.6.1 General 102
6.6.2 (Entsoe) EnergySchedulingType 104
6.6.3 EnergySource 105
6.6.4 FossilFuel 106
6.6.5 GeneratingUnit 107
6.6.6 (Operation) GrossToNetActivePowerCurve 109
6.6.7 HydroGeneratingUnit 110
6.6.8 HydroPowerPlant 111
6.6.9 HydroPump 111
6.6.10 NuclearGeneratingUnit 112
6.6.11 SolarGeneratingUnit 113
6.6.12 ThermalGeneratingUnit 114
6.6.13 WindGeneratingUnit 115
6.6.14 Enumerations 116
6.7 Core 118
6.7.1 General 118
6.7.2 ACDCTerminal(Abstract) 120
6.7.3 BaseVoltage 120
6.7.4 BasicIntervalSchedule(Abstract) 121
6.7.5 (Operation) Bay 121
6.7.6 ConductingEquipment(Abstract) 122
6.7.7 (Operation) ConnectivityNode 123
6.7.8 ConnectivityNodeContainer(Abstract) 124
6.7.9 Curve(Abstract) 124
6.7.10 CurveData 125
6.7.11 Equipment(Abstract) 125
6.7.12 EquipmentContainer(Abstract) 126
6.7.13 GeographicalRegion 127
6.7.14 IdentifiedObject(Abstract) 127
6.7.15 PowerSystemResource(Abstract) 128
6.7.16 RegularIntervalSchedule(Abstract) 128
6.7.17 (Operation) RegularTimePoint 129
6.7.18 ReportingGroup 130
6.7.19 SubGeographicalRegion 130
6.7.20 Substation 131
6.7.21 Terminal 131
6.7.22 VoltageLevel 132
6.7.23 Enumerations 133
6.8 OperationalLimits 134

iTeh STANDARD PREVIEW
(standards.iteh.ai)
IEC TS 61970-600-2:2017
https://standards.iteh.ai/catalog/standards/sist/c2c7e694-6f47-4d6e-9f8e-c751ac8d2795/iec-ts-61970-600-2-2017

6.8.1 General 134
6.8.2 (Operation) ActivePowerLimit 136
6.8.3 (Operation) ApparentPowerLimit 137
6.8.4 CurrentLimit 138
6.8.5 OperationalLimit(Abstract) 138
6.8.6 OperationalLimitSet 139
6.8.7 OperationalLimitType 140
6.8.8 VoltageLimit 141
6.8.9 Enumerations 142
6.9 Wires 144
6.9.1 General 144
6.9.2 ACLineSegment 147
6.9.3 AsynchronousMachine 149
6.9.4 Breaker 151
6.9.5 BusbarSection 152
6.9.6 Conductor(Abstract) 153
6.9.7 Connector(Abstract) 154
6.9.8 Disconnector 154
6.9.9 (ShortCircuit) EarthFaultCompensator(Abstract) 155
6.9.10 EnergyConsumer 156
6.9.11 ExternalNetworkInjection 157
6.9.12 (ShortCircuit,Operation) Ground 160
6.9.13 (ShortCircuit,Operation) GroundDisconnector 161
6.9.14 (ShortCircuit) GroundingImpedance 162
6.9.15 Junction 163
6.9.16 Line 164
6.9.17 LinearShuntCompensator 165
6.9.18 LoadBreakSwitch 166
6.9.19 (ShortCircuit) MutualCoupling 167
6.9.20 NonlinearShuntCompensator 168
6.9.21 NonlinearShuntCompensatorPoint 169
6.9.22 (ShortCircuit) PetersenCoil 170
6.9.23 PhaseTapChanger(Abstract) 172
6.9.24 PhaseTapChangerAsymmetrical 172
6.9.25 PhaseTapChangerLinear 173
6.9.26 PhaseTapChangerNonLinear(Abstract) 174
6.9.27 PhaseTapChangerSymmetrical 175
6.9.28 PhaseTapChangerTable 176
6.9.29 PhaseTapChangerTablePoint 177
6.9.30 PhaseTapChangerTabular 177
6.9.31 PowerTransformer 178
6.9.32 PowerTransformerEnd 181
6.9.33 ProtectedSwitch(Abstract) 183
6.9.34 RatioTapChanger 184
6.9.35 RatioTapChangerTable 185
6.9.36 RatioTapChangerTablePoint 185
6.9.37 ReactiveCapabilityCurve 186
6.9.38 RegulatingCondEq(Abstract) 187
6.9.39 RegulatingControl 188

iTeh STANDARD PREVIEW
(standards.iteh.ai)
IEC TS 61970-600-2:2017
https://standards.iteh.ai/catalog/standards/sist/c2c7e694-6f47-4d6e-9f8e-c751ac8d2795/iec-ts-61970-600-2-2017

6.9.40 (Operation) RegulationSchedule 189
6.9.41 RotatingMachine(Abstract) 190
6.9.42 SeriesCompensator 191
6.9.43 ShuntCompensator(Abstract) 192
6.9.44 StaticVarCompensator 194
6.9.45 Switch 195
6.9.46 (Operation) SwitchSchedule 196
6.9.47 SynchronousMachine 197
6.9.48 TapChanger(Abstract) 201
6.9.49 TapChangerControl 202
6.9.50 TapChangerTablePoint 203
6.9.51 (Operation) TapSchedule 204
6.9.52 TransformerEnd(Abstract) 204
6.9.53 Enumerations 205
6.10 LoadModel 207
6.10.1 General 207
6.10.2 ConformLoad 210
6.10.3 ConformLoadGroup 211
6.10.4 ConformLoadSchedule 212
6.10.5 (Operation) DayType 213
6.10.6 (Operation) EnergyArea(Abstract) 213
6.10.7 (Operation) LoadArea 213
6.10.8 LoadGroup(Abstract) 214
6.10.9 LoadResponseCharacteristic 214
6.10.10 NonConformLoad 216
6.10.11 NonConformLoadGroup 218
6.10.12 NonConformLoadSchedule 219
6.10.13 (Operation) Season 220
6.10.14 (Operation) SeasonDayTypeSchedule(Abstract) 220
6.10.15 (Operation) StationSupply 221
6.10.16 (Operation) SubLoadArea 222
6.11 Equivalents 223
6.11.1 General 223
6.11.2 EquivalentBranch 224
6.11.3 EquivalentEquipment(Abstract) 226
6.11.4 EquivalentInjection 227
6.11.5 EquivalentNetwork 229
6.11.6 EquivalentShunt 229
6.12 ControlArea 230
6.12.1 General 230
6.12.2 ControlArea 232
6.12.3 ControlAreaGeneratingUnit 233
6.12.4 TieFlow 233
6.12.5 Enumerations – ControlAreaTypeKind 234
6.13 Global Used Datatypes 234
6.13.1 ApparentPower 234
6.13.2 ActivePower 234
6.13.3 Voltage 235
6.13.4 Resistance 235

iTeh STANDARD PREVIEW
(standards.iteh.ai)
IEC TS 61970-600-2:2017
https://standards.iteh.ai/catalog/standards/sist/c2c7e694-6f47-4d6e-9f8e-c97acb82795/iec-ts-61970-600-2-2017

6.13.5 ActivePowerPerCurrentFlow 235
6.13.6 AngleDegrees 236
6.13.7 CurrentFlow 236
6.13.8 Inductance 236
6.13.9 Capacitance 237
6.13.10 Length 237
6.13.11 CapacitancePerLength 237
6.13.12 InductancePerLength 238
6.13.13 ResistancePerLength 238
6.13.14 Simple_Float 239
6.13.15 PerCent 239
6.13.16 AngleRadians 239
6.13.17 Reactance 239
6.13.18 Money 240
6.13.19 Seconds 240
6.13.20 Susceptance 240
6.13.21 Conductance 241
6.13.22 Temperature 241
6.13.23 Frequency 241
6.13.24 RotationSpeed 242
6.13.25 ReactivePower 242
6.13.26 ActivePowerPerFrequency 242
6.13.27 PU 243
6.13.28 VoltagePerReactivePower 243
6.13.29 Enumerations 244
6.13.30 Primitives 253
7 SteadyStateHypothesisProfile 253
7.1 General 253
7.2 (Entsoe) SteadyStateHypothesisVersion(Abstract) 254
7.3 Core 255
7.3.1 General 255
7.3.2 ACDCTerminal(Abstract) 256
7.3.3 ConductingEquipment(Abstract) 257
7.3.4 Equipment(Abstract) 257
7.3.5 IdentifiedObject(Abstract) 257
7.3.6 PowerSystemResource(Abstract) 258
7.3.7 (Description) Terminal 258
7.4 ControlArea 259
7.4.1 (Description) ControlArea 259
7.5 DC 259
7.5.1 General 259
7.5.2 ACDCConverter(Abstract) 260
7.5.3 (Description) ACDCConverterDCTerminal 261
7.5.4 (Description) CsConverter 261
7.5.5 DCBaseTerminal(Abstract) 262
7.5.6 (Description) DCTerminal 262
7.5.7 (Description) VsConverter 263
7.5.8 Enumerations 263
7.6 Equivalents 264

iTeh STANDARD PREVIEW
(standards.iteh.ai)
IEC TS 61970-600-2:2017
https://standards.iteh.ai/catalog/standards/sist/c2c7e694-6f47-4d6e-9f8e-c751ac8d2795/iec-ts-61970-600-2-2017

7.6.1 EquivalentEquipment(Abstract) 264
7.6.2 (Description) EquivalentInjection 265
7.7 Generation 265
7.7.1 (Description) GeneratingUnit 265
7.7.2 (Description) HydroGeneratingUnit 266
7.7.3 (Description) NuclearGeneratingUnit 266
7.7.4 (Description) SolarGeneratingUnit 266
7.7.5 (Description) ThermalGeneratingUnit 267
7.7.6 (Description) WindGeneratingUnit 267
7.8 Wires 267
7.8.1 (Description) AsynchronousMachine 267
7.8.2 (Description) Breaker 268
7.8.3 (Description) Disconnector 268
7.8.4 (Description) EnergyConsumer 269
7.8.5 (Description) EnergySource 269
7.8.6 (Description) ExternalNetworkInjection 270
7.8.7 (Operation,ShortCircuit,Description) GroundDisconnector 270
7.8.8 (Description) LoadBreakSwitch 270
7.8.9 PhaseTapChanger(Abstract) 271
7.8.10 (Description) PhaseTapChangerAsymmetrical 271
7.8.11 (Description) PhaseTapChangerLinear 271
7.8.12 PhaseTapChangerNonLinear(Abstract) 272
7.8.13 (Description) PhaseTapChangerSymmetrical 272
7.8.14 (Description) PhaseTapChangerTabular 273
7.8.15 ProtectedSwitch(Abstract) 273
7.8.16 (Description) RatioTapChanger 273
7.8.17 RegulatingCondEq(Abstract) 274
7.8.18 RotatingMachine(Abstract) 274
7.8.19 (Description) StaticVarCompensator 275
7.8.20 (Description) Switch 275
7.8.21 (Description) SynchronousMachine 275
7.8.22 (Description) TapChangerControl 276
7.8.23 (Description) LinearShuntCompensator 276
7.8.24 (Description) NonlinearShuntCompensator 277
7.8.25 (Description) RegulatingControl 277
7.8.26 ShuntCompensator(Abstract) 278
7.8.27 TapChanger(Abstract) 278
7.8.28 Enumerations 279
7.9 LoadModel 279
7.9.1 (Description) ConformLoad 279
7.9.2 (Description) NonConformLoad 280
7.9.3 (Operation,Description) StationSupply 280
7.10 Global Used Datatypes 281
7.10.1 Datatypes 281
7.10.2 Enumerations 284
7.10.3 Primitives 286
8 TopologyProfile 287
8.1 General 287
8.2 (Entsoe) TopologyVersion(Abstract) 288

iTeh STANDARD PREVIEW
(standards.iteh.ai)
IEC TS 61970-600-2:2017
https://standards.iteh.ai/catalog/standards/sist/c2c7e694-6f47-4d6e-9f8e-e751ac8d2795/iec-ts-61970-600-2-2017

8.3 Core 289
8.3.1 General 289
8.3.2 ACDCTerminal(Abstract) 290
8.3.3 BaseVoltage(Abstract) 290
8.3.4 (Operation,Description) ConnectivityNode 291
8.3.5 ConnectivityNodeContainer(Abstract) 291
8.3.6 ReportingGroup(Abstract) 291
8.3.7 IdentifiedObject(Abstract) 291
8.3.8 (Description) Terminal 292
8.4 DC 293
8.4.1 General 293
8.4.2 (Description) ACDCConverterDCTerminal 293
8.4.3 DCBaseTerminal(Abstract) 294
8.4.4 DCEquipmentContainer(Abstract) 295
8.4.5 (Description) DCNode 295
8.4.6 (Description) DCTerminal 295
8.4.7 DCTopologicalNode 296
8.5 Topology 297
8.5.1 TopologicalNode 297
8.6 Global Used Datatypes – Primitives 297
8.6.1 String 297
8.6.2 Date 298
9 StateVariablesProfile 298
9.1 General 298
9.2 (Entsoe) StateVariablesVersion(Abstract) 299
9.3 Core 300
9.3.1 General 300
9.3.2 ACDCTerminal(Abstract) 301
9.3.3 ConductingEquipment(Abstract) 301
9.3.4 IdentifiedObject(Abstract) 301
9.3.5 Terminal(Abstract) 302
9.4 DC 302
9.4.1 General 302
9.4.2 ACDCConverter(Abstract) 303
9.4.3 (Description) CsConverter 304
9.4.4 DCTopologicalIsland 304
9.4.5 (Description) VsConverter 304
9.5 StateVariables 305
9.5.1 (Operation) SvStatus 305
9.5.2 SvInjection 305
9.5.3 SvPowerFlow 306
9.5.4 SvShuntCompensatorSections 307
9.5.5 SvTapStep 307
9.5.6 SvVoltage 308
9.6 Topology 308
9.6.1 General 308
9.6.2 DCTopologicalNode(Abstract) 309
9.6.3 TopologicalNode(Abstract) 309
9.6.4 TopologicalIsland 309

iTeh STANDARD PREVIEW
(standards.iteh.ai)
IEC TS 61970-600-2:2017
https://standards.iteh.ai/catalog/standards/sist/e2c7e694-6f47-4d6e-9f8e-c751ac8d2795/iec-ts-61970-600-2-2017

9.7 Wires 310
9.7.1 General 310
9.7.2 ShuntCompensator(Abstract) 310
9.7.3 TapChanger(Abstract) 310
9.8 Global Used Datatypes 311
9.8.1 Datatypes 311
9.8.2 Enumerations 313
9.8.3 Primitives 314
10 DiagramLayoutProfile 314
10.1 General 314
10.2 (Entsoe) DiagramLayoutVersion(Abstract) 315
10.3 DiagramLayout 316
10.3.1 DiagramStyle 316
10.3.2 Diagram 317
10.3.3 DiagramObject 317
10.3.4 DiagramObjectGluePoint 319
10.3.5 DiagramObjectPoint 319
10.3.6 DiagramObjectStyle 319
10.3.7 TextDiagramObject 320
10.3.8 VisibilityLayer 320
10.4 Core 321
10.4.1 IdentifiedObject(Abstract) 321
10.5 Global Used Datatypes 322
10.5.1 Datatypes 322
10.5.2 Enumerations 322
10.5.3 Primitives 324
11 GeographicalLocationProfile 324
11.1 General 324
11.2 (Entsoe) GeographicalLocationVersion(Abstract) 325
11.3 Common 326
11.3.1 CoordinateSystem 326
11.3.2 Location 327
11.3.3 PositionPoint 327
11.4 Core 328
11.4.1 General 328
11.4.2 IdentifiedObject(Abstract) 328
11.4.3 PowerSystemResource(Abstract) 329
11.5 Global Used Datatypes – Primitives 329
11.5.1 String 329
11.5.2 Date 329
11.5.3 Integer 329

Figure 1 – diagram EquipmentBoundaryProfile 29
Figure 2 – diagram TopologyBoundaryProfile 43
Figure 3 – diagram EquipmentProfile 49
Figure 4 – diagram ACDCConverter 51
Figure 5 – diagram DCContainment 52
Figure 6 – diagram DCLineModel 53

iTeh STANDARD PREVIEW
(standards.iteh.ai)
IEC TS 61970-600-2:2017
https://standards.iteh.ai/catalog/standards/sist/c2c7e694-6f47-4d6e-9f8e-c751ac8d2795/iec-ts-61970-600-2-2017

Figure 7 – diagram DCEquipment 53
Figure 8 – diagram ACDCConnectivityModel 54
Figure 9 – diagram Control 76
Figure 10 – diagram Meas 77
Figure 11 – diagram MeasNote 78
Figure 12 – diagram Production 103
Figure 13 – diagram ProductionNotes 104
Figure 14 – diagram ACDCTerminal 118
Figure 15 – diagram CoreNotes 119
Figure 16 – diagram OperationalLimits 135
Figure 17 – diagram OperationalLimitsNotes 136
Figure 18 – diagram ShuntCompensator 144
Figure 19 – diagram Wires 145
Figure 20 – diagram WiresNotes 145
Figure 21 – diagram TapChanger 146
Figure 22 – diagram Transformer 147
Figure 23 – diagram LoadModel 208
Figure 24 – diagram LoadModelNotes 209
Figure 25 – diagram Equivalents 224
Figure 26 – diagram ControlAreaNotes 231
Figure 27 – diagram ControlArea 231
Figure 28 – diagram SteadyStateHypothesisProfile 254
Figure 29 – diagram Core 256
Figure 30 – diagram DC 260
Figure 31 – diagram TopologyProfileNotes 287
Figure 32 – diagram TopologyProfile 288
Figure 33 – diagram Core 290
Figure 34 – diagram DC 293
Figure 35 – diagram StateVariablesProfile 299
Figure 36 – diagram Core 301
Figure 37 – diagram DC 303
Figure 38 – diagram Topology 309
Figure 39 – diagram Wires 310
Figure 40 – diagram DiagramLayoutProfile 315
Figure 41 – diagram GeographicalLocationProfile 325
Figure 42 – diagram Core 328

Table 1 – Attributes of EquipmentBoundaryProfile::EquipmentBoundaryVersion 30
Table 2 – Attributes of Core::ConductingEquipment 31
Table 3 – Association ends of Core::Equipment with other classes 31
Table 4 – Attributes of Core::ConnectivityNode 32
Table 5 – Association ends of Core::ConnectivityNode with other classes 33
Table 6 – Attributes of Core::ConnectivityNodeContainer 33

iTeh STANDARD PREVIEW
(standards.iteh.ai)
IEC TS 61970-600-2:2017
https://standards.iteh.ai/catalog/standards/sist/c2c7e694-6f47-4d6e-9f8e-c751ac8d2795/iec-ts-61970-600-2-2017

Table 7 – Attributes of Core::Equipment 34
Table 8 – Association ends of Core::Equipment with other classes 34
Table 9 – Attributes of Core::EquipmentContainer 34
Table 10 – Attributes of Core::PowerSystemResource 35
Table 11 – Attributes of Core::BaseVoltage 35
Table 12 – Attributes of Core::GeographicalRegion 36
Table 13 – Attributes of Core::IdentifiedObject 36
Table 14 – Attributes of Core::SubGeographicalRegion 37
Table 15 – Association ends of Core::SubGeographicalRegion with other classes 37
Table 16 – Attributes of Wires::Connector 37
Table 17 – Association ends of Core::Equipment with other classes 38
Table 18 – Attributes of Wires::EnergySchedulingType 38
Table 19 – Attributes of Wires::EnergySource 38
Table 20 – Association ends of Wires::EnergySource with other classes 39
Table 21 – Attributes of Wires::Junction 39
Table 22 – Association ends of Core::Equipment with other classes 39
Table 23 – Attributes of Wires::Line 40
Table 24 – Association ends of Wires::Line with other classes 40
Table 25 – Attributes of DomainProfile::Voltage 40
Table 26 – Attributes of TopologyBoundaryProfile::TopologyBoundaryVersion 44
Table 27 – Attributes of Core::BaseVoltage 45
Table 28 – Attributes of Core::IdentifiedObject 46
Table 29 – Attributes of Topology::TopologicalNode 47
Table 30 – Association ends of Topology::TopologicalNode with other classes 48
Table 31 – Attributes of EquipmentProfile::EquipmentVersion 50
Table 32 – Attributes of DC::ACDCConverter 55
Table 33 – Association ends of DC::ACDCConverter with other classes 56
Table 34 – Attributes of DC::ACDCConverterDCTerminal 56
Table 35 – Association ends of DC::ACDCConverterDCTerminal with other classes 57
Table 36 – Attributes of DC::CsConverter 58
Table 37 – Association ends of DC::ACDCConverter with other classes 59
Table 38 – Attributes of DC::DCBaseTerminal 59
Table 39 – Association ends of DC::DCBaseTerminal with other classes 60
Table 40 – Attributes of DC::DCBreaker 60
Table 41 – Association ends of Core::Equipment with other classes 60
Table 42 – Attributes of DC::DCBusbar 61
Table 43 – Association ends of Core::Equipment with other classes 61
Table 44 – Attributes of DC::DCChopper 61
Table 45 – Association ends of Core::Equipment with other classes 62
Table 46 – Attributes of DC::DCConductingEquipment 62
Table 47 – Association ends of Core::Equipment with other classes 62
Table 48 – Attributes of DC::DCConverterUnit 63
Table 49 – Association ends of DC::DCConverterUnit with other classes 63

iTeh STANDARD PREVIEW
(standards.iteh.ai)
IEC TS 61970-600-2:2017
https://standards.iteh.ai/catalog/standards/sist/c2c7e694-6f47-4d6e-9f8e-
IEC TS 61970-600-2:2017

Table 50 – Attributes of DC::DCDisconnector 64
Table 51 – Association ends of Core::Equipment with other classes 64
Table 52 – Attributes of DC::DCEquipmentContainer 64
Table 53 – Attributes of DC::DCGround 65
Table 54 – Association ends of Core::Equipment with other classes 65
Table 55 – Attributes of DC::DCLine 66
Table 56 – Association ends of DC::DCLine with other classes 66
Table 57 – Attributes of DC::DCLineSegment 67
Table 58 – Association ends of DC::DCLineSegment with other classes 67
Table 59 – Attributes of DC::DCNode 68
Table 60 – Association ends of DC::DCNode with other classes 68
Table 61 – Attributes of DC::DCSeriesDevice 68
Table 62 – Association ends of Core::Equipment with other classes 69
Table 63 – Attributes of DC::DCShunt 69
Table 64 – Association ends of Core::Equipment with other classes 69
Table 65 – Attributes of DC::DCSwitch 70
Table 66 – Association ends of Core::Equipment with other classes 70
Table 67 – Attributes of DC::DCTerminal 70
Table 68 – Association ends of DC::DCTerminal with other classes 71
Table 69 – Attributes of DC::PerLengthDCLineParameter 71
Table 70 – Attributes of DC::VsCapabilityCurve 72
Table 71 – Attributes of DC::VsConverter 73
Table 72 – Association ends of DC::VsConverter with other classes 74
Table 73 – Attributes of Topology::BusNameMarker 75
Table 74 – Association ends of Topology::BusNameMarker with other classes 75
Table 75 – Attributes of Meas::Accumulator 79
Table 76 – Association ends of Meas::Measurement with other classes 79
Table 77 – Attributes of Meas::AccumulatorLimit 80
Table 78 – Association ends of Meas::AccumulatorLimit with other classes 80
Table 79 – Attributes of Meas::AccumulatorLimitSet 80
Table 80 – Association ends of Meas::AccumulatorLimitSet with other classes 81
Table 81 – Attributes of Meas::AccumulatorReset 81
Table 82 – Association ends of Meas::AccumulatorReset with other classes 81
Table 83 – Attributes of Meas::AccumulatorValue 82
Table 84 – Association ends of Meas::AccumulatorValue with other classes 82
Table 85 – Attributes of Meas::Analog 83
Table 86 – Association ends of Meas::Measurement with other classes 83
Table 87 – Attributes of Meas::AnalogControl 84
Table 88 – Association ends of Meas::AnalogControl with other classes 84
Table 89 – Attributes of Meas::AnalogLimit 85
Table 90 – Association ends of Meas::AnalogLimit with other classes 85
Table 91 – Attributes of Meas::AnalogLimitSet 85
Table 92 – Association ends of Meas::AnalogLimitSet with other classes 86

iTeh STANDARD PREVIEW
(standards.iteh.ai)
IEC TS 61970-600-2:2017
https://standards.iteh.ai/catalog/standards/sist/c2c7e694-6f47-4d6e-9f8e-