

## SLOVENSKI STANDARD SIST EN 62595-2:2013

01-julij-2013

# Zaslon LCD z osvetlitvijo ozadja - 2. del: Elektrooptične merilne metode pri zaslonih LCD

LCD backlight unit - Part 2: Electro-optical measurement methods of LED backlight unit

LCD-Hinterleuchtungseinheiten - Teil 2: Elektro-optische Messverfahren für LED-Hinterleuchtungseinheiten

### iTeh STANDARD PREVIEW

Ecran LCD à rétro-éclairage - Partie 2: Méthodes de mesures électro-optiques d'un écran à retro-éclairage à DEL

SIST EN 62595-2:2013

Ta slovenski standard je istoveten Z-406/sist/405fe9a7-8854-4797-8202-

### <u>ICS:</u>

31.120 Elektronske prikazovalne naprave

Electronic display devices

SIST EN 62595-2:2013

en

SIST EN 62595-2:2013

## iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 62595-2:2013</u> https://standards.iteh.ai/catalog/standards/sist/405fe9a7-8854-4797-8202-6bfabe9a496e/sist-en-62595-2-2013

### SIST EN 62595-2:2013

## EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

## EN 62595-2

February 2013

ICS 31.120; 31.260

English version

### LCD backlight unit -Part 2: Electro-optical measurement methods of LED backlight unit (IEC 62595-2:2012)

Ecran LCD à rétro-éclairage -Partie 2: Méthodes de mesures électro-optiques d'un écran à retro-éclairage à DEL (CEI 62595-2:2012) LCD-Hinterleuchtungseinheiten -Teil 2: Elektro-optische Messverfahren für LED-Hinterleuchtungseinheiten (IEC 62595-2:2012)

## iTeh STANDARD PREVIEW

This European Standard was approved by CENELEC on 2012-11-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member. 6bfabe9a496e/sist-en-62595-2-2013

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

# CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

#### Management Centre: Avenue Marnix 17, B - 1000 Brussels

© 2013 CENELEC - All rights of exploitation in any form and by any means reserved worldwide for CENELEC members.

### Foreword

The text of document 110/384/FDIS, future edition 1 of IEC 62595-2, prepared by IEC/TC 110 "Electronic display devices" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62595-2:2013.

The following dates are fixed:

•	latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement	(dop)	2013-08-08
•	latest date by which the national standards conflicting with the document have to be withdrawn	(dow)	2015-11-01

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

### **Endorsement notice**

The text of the International Standard IEC 62595-2:2012 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 61747-1	NOTE	Harmonised as EN 61747-1.
ISO 11664-1:2007	NOTE	Harmonised as ENJSO 11664-1:2011 (not modified).
ISO 11664-5:2009 <sup>35://st</sup>	andor <del>de</del> itel 6	n.ai/ Harmonised as EN 186 11664-5:2017 (not modified). bfabe9a496e/sist-en-62595-2-2013

# Annex ZA (normative)

## Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

Publication	<u>Year</u>	Title	<u>EN/HD</u>	Year
IEC 60050	Series	International Electrotechnical Vocabulary (IEV)	-	-
IEC 61747-6	-	Liquid crystal and solid-state display devices - Part 6: Measuring methods for liquid crystal modules - Transmissive typ	EN 61747-6 e	-
IEC 62595-1-2	-	LCD backlight unit - Part 1-2: Terminology and letter symbols	EN 62595-1-2	-
CIE publication 15	2004	Colorimetry	-	-
	<b>:</b> T	oh STANDADD DDEVH		

## TTeh STANDARD PREVIEW

## (standards.iteh.ai)

SIST EN 62595-2:2013 https://standards.iteh.ai/catalog/standards/sist/405fe9a7-8854-4797-8202-6bfabe9a496e/sist-en-62595-2-2013 SIST EN 62595-2:2013

## iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 62595-2:2013</u> https://standards.iteh.ai/catalog/standards/sist/405fe9a7-8854-4797-8202-6bfabe9a496e/sist-en-62595-2-2013



Edition 1.0 2012-09

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



## LCD backlight unit Teh STANDARD PREVIEW Part 2: Electro-optical measurement methods of LED backlight unit

Écran LCD à rétro-éclairage – <u>SIST EN 62595-22013</u> Partie 2: Méthodes de mesures électro-optiques d'un écran à rétro-éclairage à OEL 6bfabe9a496e/sist-en-62595-2-2013

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

PRICE CODE CODE PRIX



ICS 31.120; 31.260

ISBN 978-2-83220-344-6

Warning! Make sure that you obtained this publication from an authorized distributor. Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

 Registered trademark of the International Electrotechnical Commission Marque déposée de la Commission Electrotechnique Internationale

### CONTENTS

- 2 -

FOREWORD						
1	Scop	e		5		
2	Normative references					
3	Terms and definitions					
4 General measurement conditions				5		
	4.1 Standard atmospheric conditions for LED BLU			5		
	4.2 Measuring setup			5		
	4.3	Warm-u	up time	6		
5	Measurement methods					
	5.1 Electrical measurement methods		7			
		5.1.1	Conditions	7		
		5.1.2	Current	7		
		5.1.3	Voltage	7		
		5.1.4	Power consumption	7		
5.2 Optical measurement methods				8		
		5.2.1	Conditions	8		
		5.2.2		8		
		5.2.3		8		
		5.2.4	Chromoticity (Standards if ch.al)	10		
		5.2.5	Colour uniformity	10		
		527	Correlated colour temperature	10		
		5.2.8	https://standards.iteh.ai/catalog/standards/sist/405fe9a7-8854-4797-8202- Angular luminance, uniformity			
		5.2.9	Angular colour uniformity			
		5.2.10	Measurement methods of block-wise BLU			
Anr	nex A	(informa	tive) Practical measurement methods of block-wise BLU	14		
Bib	Bibliography					
	31	,				
Fig	ure 1 -	- Examp	ble of measuring setup for LED BLU	6		
Fig	ure 2 -	- Exam	ble of warm-up characteristic of BLU	7		
Fig	ure 3 -	- Definit	ion of zenith angle $\theta$ and azimuth angle $\phi$	8		
Figure 4 – Examples of measurement point layout						
Figure 5 – Angular luminance uniformity measurement						
Figure 6 – Example of test pattern (8 × 10 segments) for block-wise BLU						
Figure 7 – Example of incoherent point spread function						
Figure 8 – Example of test pattern of incoherent point spread function 13						
Fig	Figure 9 – Example of test pattern of crosstalk					
Figure A 1 – Measurement of average slope of incoherent point spread function 14						
Figure A 2 – Black box pattern for crosstalk measurement using LCD $15$						
- iyi	Figure A.3 Example of crosstalk measurement results using LOD					
Figi	rigure A.S – Example of crosslark measurement results using LCD					

### - 3 -

### INTERNATIONAL ELECTROTECHNICAL COMMISSION

### LCD BACKLIGHT UNIT –

### Part 2: Electro-optical measurement methods of LED backlight unit

### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, EC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter. <u>SIST EN 62595-2:2013</u>
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62595-2 has been prepared by IEC Technical Committee 110: Electronic display devices.

The text of this standard is based on the following documents:

FDIS	Report on voting
110/384/FDIS	110/406/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 62595 series, published under the general title *LCD* backlight unit, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

## iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 62595-2:2013</u> https://standards.iteh.ai/catalog/standards/sist/405fe9a7-8854-4797-8202-6bfabe9a496e/sist-en-62595-2-2013

### LCD BACKLIGHT UNIT -

### Part 2: Electro-optical measurement methods of LED backlight unit

### 1 Scope

This part of IEC 62595 series specifies the standard measurement conditions and measuring methods for determining electrical, optical, and electro-optical parameters of LED backlight units for liquid crystal displays.

NOTE Other backlights (Cold Cathode Fluorescent Lamps (CCFLs), External Electrode Fluorescent Lamps (EEFLs), Hot Cathode Fluorescent Lamps (HCFLs), Carbon Nano Tube (CNT), etc.) are excluded from this standard.

### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

iTeh STANDARD PREVIEW IEC 60050 (all parts), International Electrotechnical Vocabulary (available at http://www.electropedia.org) (standards.iteh.ai)

IEC 61747-6, Liquid crystal and solid<u>state display</u> devices – Part 6: Measuring methods for liquid crystal modules r/sTransmissive type standards/sist/405fe9a7-8854-4797-8202-

6bfabe9a496e/sist-en-62595-2-2013

IEC 62595-1-2, LCD Backlight unit – Part 1-2: Terminology and letter symbols

CIE publication 15:2004, *Colorimetry* 

### 3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 62595-1-2 apply.

### 4 General measurement conditions

#### 4.1 Standard atmospheric conditions for LED BLU

Unless otherwise specified, all tests and measurements for LED backlight unit shall be carried out after sufficient warm-up time for illumination sources and devices under test (see 4.3), under the standard environmental conditions, at a temperature of 25 °C  $\pm$  3 °C, at a relative humidity of 25 % to 85 %, and at an atmospheric pressure of 86 kPa to 106 kPa. When different environmental conditions are used, they shall be noted in the detail specification (see IEC 61747-6).

### 4.2 Measuring setup

DUT, LMD, power source, driving and control devices for LED, and electrical measuring devices should be arranged appropriately for electro-optical measurements for LED BLU.

An example of measuring setup is shown in Figure 1.