

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Connectors for electrical and electronic equipment – Product requirements – Part 3-124: Rectangular connectors – Detail specification for 10-way, shielded, free and fixed connectors for I/O and data transmission with frequencies up to 500 MHz

[IEC 61076-3-124:2019](https://standards.iteh.ai/catalog/standards/sist/eef0c937-1ff1-4b7e-ac27-124/iec-61076-3-124-2019)

[https://standards.iteh.ai/catalog/standards/sist/eef0c937-1ff1-4b7e-ac27-](https://standards.iteh.ai/catalog/standards/sist/eef0c937-1ff1-4b7e-ac27-124/iec-61076-3-124-2019)

Connecteurs pour équipements électriques et électroniques – Exigences de produit –

Partie 3-124: Connecteurs rectangulaires – Spécification particulière pour les fiches et les embases écrantées à 10 voies pour les entrées/sorties et la transmission de données à des fréquences jusqu'à 500 MHz



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2019 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22,000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67,000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Connectors for electrical and electronic equipment – Product requirements – Part 3-124: Rectangular connectors – Detail specification for 10-way, shielded, free and fixed connectors for I/O and data transmission with frequencies up to 500 MHz

[IEC 61076-3-124:2019](https://standards.iteh.ai/catalog/standards/sist/eef0c937-1ff1-4b7e-ae27-30b151521015/iec-61076-3-124)

<https://standards.iteh.ai/catalog/standards/sist/eef0c937-1ff1-4b7e-ae27-30b151521015/iec-61076-3-124>

Connecteurs pour équipements électriques et électroniques – Exigences de produit – Partie 3-124: Connecteurs rectangulaires – Spécification particulière pour les fiches et les embases écrantées à 10 voies pour les entrées/sorties et la transmission de données à des fréquences jusqu'à 500 MHz

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 31.220.10

ISBN 978-2-8322-6608-3

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD	5
1 Scope	8
2 Normative references	8
3 Terms and definitions	10
4 Technical information	10
4.1 Systems of levels – Compatibility levels, according to IEC 61076-1:2006.....	10
4.1.1 Performance level.....	10
4.1.2 Compatibility levels according to IEC 61076	10
4.2 Classification into climatic categories.....	10
4.3 Clearance and creepage distances	11
4.4 Current carrying capacity	11
4.5 Marking.....	11
5 Dimensional information	11
5.1 General.....	11
5.2 Isometric view and common features	11
5.2.1 Common features	11
5.2.2 Reference system.....	11
5.3 Mating information – Contacts – mating conditions.....	12
5.4 Fixed connector	14
5.5 Free connector.....	20
5.6 Accessories	25
5.7 Mounting information for connectors.....	25
5.8 Gauges.....	25
6 Characteristics	26
6.1 General.....	26
6.2 Pin and pair grouping assignment.....	26
6.3 Classification into climatic category	28
6.4 Electrical characteristics	28
6.4.1 Voltage rating	28
6.4.2 Creepage and clearance distances	28
6.4.3 Voltage proof.....	29
6.4.4 Current-carrying capacity.....	29
6.4.5 Contact and shield resistance.....	30
6.4.6 Initial insulation resistance	30
6.4.7 Impedance.....	30
6.5 Mechanical characteristics	31
6.5.1 Mechanical operation.....	31
6.5.2 Insertion and withdrawal forces	31
6.5.3 Polarization and coding method.....	31
6.5.4 Effectiveness of connector coupling devices.....	31
6.6 Transmission performance	32
6.6.1 General	32
6.6.2 Insertion loss	32
6.6.3 Return loss	32
6.6.4 Near-end crosstalk	32
6.6.5 Far-end crosstalk.....	33

6.6.6	Transverse conversion loss	33
6.6.7	Transverse conversion transfer loss	33
6.6.8	Transfer impedance	33
6.6.9	Propagation delay	33
6.6.10	Delay skew	33
7	Test schedule	34
7.1	General	34
7.2	Test procedures and measuring methods	34
7.3	Mounting of specimens	34
7.3.1	General	34
7.3.2	Arrangement for contact resistance measurement	34
7.3.3	Arrangement for dynamic stress tests	35
7.3.4	Wiring of specimens	36
7.4	Test schedules	36
7.4.1	Basic (minimum) test schedule	36
7.4.2	Full test schedule	36
Figure 1	– View showing typical fixed and free connectors	11
Figure 2	– Contact interface dimensions with terminated free connector	12
Figure 3a	– Fixed connector Type A	14
Figure 3b	– Fixed connector Type B	16
Figure 3c	– Fixed connector Type C	18
Figure 3	– Fixed connectors	18
Figure 4a	– Free connector Type A	20
Figure 4b	– Free connector Type B	22
Figure 4c	– Free connector Type C	24
Figure 4	– Free connectors	24
Figure 5a	– Fixed connector pin assignment for Type A, front view of connector	26
Figure 5b	– Free connector pin assignment for Type A, front view of connector	26
Figure 5c	– Fixed connector pin assignment for Type B, front view of connector	26
Figure 5d	– Free connector pin assignment for Type B, front view of connector	27
Figure 5e	– Fixed connector pin assignment for Type C, front view of connector	27
Figure 5f	– Free connector pin assignment for Type C, front view of connector	27
Figure 5	– Connector pin assignment	27
Figure 6	– Derating diagram	30
Figure 7	– Contact resistance arrangement	35
Figure 8	– Arrangement for vibration test	36
Table 1	– Dimensions for Figure 2	12
Table 2	– Dimensions for Figure 3a	15
Table 3	– Dimensions for Figure 3b	17
Table 4	– Dimensions for Figure 3c	19
Table 5	– Dimensions for Figure 4a	21
Table 6	– Dimensions for Figure 4b	23
Table 7	– Dimensions for Figure 4c	25

Table 8 – Board connector pin assignment for 10/100 Mbit/s Ethernet (Type A connectors of Figure 5a and Figure 5b and Type C connectors of Figure 5e and Figure 5f) 27

Table 9 – Board connector pin assignment for 1/10 Gbit/s Ethernet: (Type A connectors of Figure 5a and Figure 5b and Type C connectors of Figure 5e and Figure 5f) 28

Table 10 – Climatic category..... 28

Table 11 – Creepage and clearance distances..... 29

Table 12 – Preferred values for the number of mating cycles 31

Table 13 – Test group P 37

Table 14 – Test group AP 38

Table 15 – Test group BP 40

Table 16 – Test group CP 41

Table 17 – Test group DP 42

Table 18 – Test group EP 43

Table 19 – Test group FP 44

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[IEC 61076-3-124:2019](#)

<https://standards.iteh.ai/catalog/standards/sist/eef0c937-1ff1-4b7e-ae27-69b4d2213652/iec-61076-3-124-2019>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**CONNECTORS FOR ELECTRICAL AND ELECTRONIC EQUIPMENT –
PRODUCT REQUIREMENTS –****Part 3-124: Rectangular connectors – Detail specification for 10-way,
shielded, free and fixed connectors for I/O and data transmission
with frequencies up to 500 MHz**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This International Standard IEC 61076-3-124 has been prepared by subcommittee 48B: Electrical connectors, of IEC technical committee 48: Electrical connectors and mechanical structures for electrical and electronic equipment.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
48B/2711/FDIS	48B/2726/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61076 series, published under the general title *Connectors for electrical and electronic equipment – Product requirements*, can be found on the IEC website.

Future standards in this series will carry the new general title as cited above. Titles of existing standards in this series will be updated at the time of the next edition.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be


- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

The contents of the corrigendum of March 2020 have been included in this copy.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[IEC 61076-3-124:2019](#)

<https://standards.iteh.ai/catalog/standards/sist/eef0c937-1ff1-4b7e-ae27-69b4d2213652/iec-61076-3-124-2019>

<p>IEC SC 48B – Electrical connectors</p> <p>Specification available from: IEC General secretariat Or from the addresses shown on the inside cover.</p>	IEC 61076-3-124 Ed. 1
<p>ELECTRONIC COMPONENTS</p> <p>DETAIL SPECIFICATION in accordance with IEC 61076-1</p>	
 <p style="text-align: center;"> https://standards.iteh.ai/catalog/standards/sist/eef0c937-1ff1-4b7e-ae27-69b4d2213652/iec-61076-3-124-2019 IEC 61076-3-124:2019 (standards.iteh.ai) </p>	<p>10-way, shielded rectangular connectors</p> <p>male and female connectors</p> <p>for data transmission with frequencies up to 500 MHz</p> <p>solderless terminations, solder or printed board connections upon agreement between manufacturer and user</p> <p>rewirable – non-rewirable</p>
<p>NOTE The above axonometric view shows a Type A connector pair (male fixed, printed board connector style, female free connector style) with coding edge on lower left corner viewed on the fixed connector mating side</p>	<p>free cable connectors</p> <p>straight and right-angle connectors</p> <p>fixed connectors are mounted on printed circuit board by means of soldering or press-in, the free connector is attached to wires by means of soldering, crimping, IDC or other termination technology.</p> <p>locking means to avoid unintended disengagement of mated connectors</p>
	<p>Performance levels:</p> <p>MPL 750 = 500 mating cycles</p> <p>MPL 2 500 = 2 500 mating cycles</p> <p>MPL 5 000 = 5 000 mating cycles</p> <p>other MPL upon agreement between manufacturer and user</p>

CONNECTORS FOR ELECTRICAL AND ELECTRONIC EQUIPMENT – PRODUCT REQUIREMENTS –

Part 3-124: Rectangular connectors – Detail specification for 10-way, shielded, free and fixed connectors for I/O and data transmission with frequencies up to 500 MHz

1 Scope

This part of IEC 61076 covers 10-way, shielded, free and fixed rectangular connectors for data transmission with frequencies up to 500 MHz and specifies the common dimensions, mechanical, electrical and transmission characteristics and environmental requirements as well as test specifications respectively.

Connectors covered in this document are provided in three codings that differ only for the position of the polarization key and keyway, in view of their differently intended use:

- Connectors Type A and C are intended for 10/100 Mbit/s as well as for 1/ 2,5 / 5 /10 Gbit/s Ethernet communication.
- Connectors Type B are intended for all other non-Ethernet applications such as signalling, serial or other industrial bus communication systems.

A-coding: The 45° cut corner used as polarization key and keyway system is located on the lower left corner of the male fixed connector (viewed from mating face) (Figures 5a, 5b).

B-coding: The 45° cut corner is located on the upper left corner of the male fixed connector (Figures 5c, 5d).

C-coding: There are two 45° corners located at the upper left and lower left corner (Figures 5e, 5f).

In this document, the three codings, A, B, and C are designated as “Type A”, “Type B” and “Type C”.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-581, *International Electrotechnical Vocabulary – Part 581: Electromechanical components for electronic equipment*

IEC 60068-1, *Environmental testing – Part 1: General and guidance*

IEC 60068-2-38, *Environmental testing – Part 2-38: Tests – Test Z/AD: Composite temperature/humidity cyclic test*

IEC 60352 (all parts), *Solderless connections*

IEC 60512-1, *Connectors for electronic equipment – Tests and measurements – Part 1: General*

IEC 60512-1-1, *Connectors for electronic equipment – Tests and measurements – Part 1-1: General examination – Test 1a: Visual examination*

IEC 60512-1-2, *Connectors for electronic equipment – Tests and measurements – Part 1-2: General examination – Test 1b: Examination of dimension and mass*

IEC 60512-2-1, *Connectors for electronic equipment – Tests and measurements – Part 2-1: Electrical continuity and contact resistance tests – Test 2a: Contact resistance – Millivolt level method*

IEC 60512-2-5, *Connectors for electronic equipment – Tests and measurements – Part 2-5: Electrical continuity and contact resistance tests – Test 2e: Contact disturbance*

IEC 60512-3-1, *Connectors for electronic equipment – Tests and measurements – Part 3-1: Insulation tests – Test 3a: Insulation resistance*

IEC 60512-4-1, *Connectors for electronic equipment – Tests and measurements – Part 4-1: Voltage stress tests – Test 4a: Voltage proof*

IEC 60512-5-2, *Connectors for electronic equipment – Tests and measurements – Part 5-2: Current-carrying capacity tests – Test 5b: Current-temperature derating*

IEC 60512-6-3, *Connectors for electronic equipment – Tests and measurements – Part 6-3: Dynamic stress tests – Test 6c: Shock*

IEC 60512-6-4, *Connectors for electronic equipment – Tests and measurements – Part 6-4: Dynamic stress tests – Test 6d: Vibration (sinusoidal)*

IEC 60512-9-1, *Connectors for electronic equipment – Tests and measurements – Part 9-1: Endurance tests – Test 9a: Mechanical operation*

IEC 60512-11-3, *Connectors for electronic equipment – Tests and measurements – Part 11-3: Climatic tests – Test 11c: Damp heat, steady state*

IEC 60512-11-4, *Connectors for electronic equipment – Tests and measurements – Part 11-4: Climatic tests – Test 11d: Rapid change of temperature*

IEC 60512-11-7, *Connectors for electronic equipment – Tests and measurements – Part 11-7: Climatic tests – Test 11g: Flowing mixed gas corrosion test*

IEC 60512-11-9, *Connectors for electronic equipment – Tests and measurements – Part 11-9: Climatic tests – Test 11i: Dry heat*

IEC 60512-11-10, *Connectors for electronic equipment – Tests and measurements – Part 11-10: Climatic tests – Test 11j: Cold*

IEC 60512-13-2, *Connectors for electronic equipment – Tests and measurements – Part 13-2: Mechanical operation tests – Test 13b: Insertion and withdrawal forces*

IEC 60512-13-5, *Connectors for electronic equipment – Tests and measurements – Part 13-5: Mechanical operation tests – Test 13e: Polarizing and keying method*

IEC 60512-15-6, *Connectors for electronic equipment – Tests and measurements – Part 15-6: Connector tests (mechanical) – Test 15f: Effectiveness of connector coupling devices*

IEC 60512-25-7, *Connectors for electronic equipment – Tests and measurements – Part 25-7: Test 25g – Impedance, reflection coefficient, and voltage standing wave ratio (VSWR)*

IEC 60512-27-100, *Connectors for electronic equipment – Tests and measurements – Part 27-100: Signal integrity tests up to 500 MHz on 60603-7 series connectors – Tests 27a to 27g*

IEC 60603-7:2008, *Connectors for electronic equipment – Part 7: Detail specification for 8-way, unshielded, free and fixed connectors*

IEC 60664-1, *Insulation coordination for equipment within low-voltage systems – Part 1: Principles, requirements and tests*

IEC 61076-1:2006, *Connectors for electronic equipment – Product requirements – Part 1: Generic specification*

IEC 61076-3:2008, *Connectors for electronic equipment – Product requirements – Part 3: Rectangular connectors - Sectional specification*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60050-581, IEC 61076-1, IEC 61076-3 and IEC 60512-1 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

4 Technical information

4.1 Systems of levels – Compatibility levels, according to IEC 61076-1:2006

4.1.1 Performance level

Connectors according to this document are classified by mating performance level (MPL). See 6.5.1, Table 12 for details.

4.1.2 Compatibility levels according to IEC 61076

a) Intermateability

Intermateability (level 2 of IEC 61076-1:2006) standardizes only dimensions of electrical and mechanical interfaces. Intermateability shall be ensured by application of the “Go” and “No-Go” gauge requirements in the standards that may be referenced, and adherence to the dimensional requirements within.

b) Interoperability

Interoperability of different connectors shall be assured by compliance with the specified interface dimensions and by compliance with the relevant signal integrity test group FP.

4.2 Classification into climatic categories

See 6.3.

4.3 Clearance and creepage distances

See 6.4.2.

4.4 Current carrying capacity

See 6.4.4.

4.5 Marking

The marking of the connector and the packaging shall be in accordance with 2.7 of IEC 61076-1:2006.

5 Dimensional information

5.1 General

Dimensions are given in millimetres. Drawings are shown in the third angle projection. The shape of connectors may deviate from those shapes given in the following figures as long as the specified dimensions are not influenced (see Figure 1 to Figure 8 and Table 1 to Table 9).

Coordination dimensions are dimensions without tolerances which indicate the boundary or centre-line references in order to allow for (modular) arrangement.

5.2 Isometric view and common features



Figure 1 – View showing typical fixed and free connectors


5.2.1 Common features

Not applicable.

5.2.2 Reference system

Not applicable.

5.3 Mating information – Contacts – mating conditions



NOTE Fixed male connector on the left side and free female connector on the right.

Figure 2 – Contact interface dimensions with terminated free connector

Table 1 – Dimensions for Figure 2

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Dimensions in millimetres

Letter	Minimum	Nominal	Maximum
AA1	3,35	3,54	3,65
AA2	1,6	1,8	2

This page is intentionally left blank.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[IEC 61076-3-124:2019](https://standards.iteh.ai/catalog/standards/sist/eef0c937-1ff1-4b7e-ae27-69b4d2213652/iec-61076-3-124-2019)

<https://standards.iteh.ai/catalog/standards/sist/eef0c937-1ff1-4b7e-ae27-69b4d2213652/iec-61076-3-124-2019>