

INTERNATIONAL STANDARD

**Maritime navigation and radiocommunication equipment and systems – Digital
interfaces –
Part 450: Multiple talkers and multiple listeners – Ethernet interconnection**

IEC 61162-450:2018

<https://standards.iteh.ai/catalog/standards/iec/95709d08-a6d7-4b32-8b89-a3da3fef0eb6/iec-61162-450-2018>

Withhold



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2018 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 21 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC 61162-450:2018

<https://standards.iteh.ai/catalog/standards/iec/99709d08-a6d7-4b32-8b89-a3da3fef0eb6/iec-61162-450-2018>

INTERNATIONAL STANDARD

**Maritime navigation and radiocommunication equipment and systems – Digital
interfaces –
Part 450: Multiple talkers and multiple listeners – Ethernet interconnection**

<https://standards.iteh.ai/catalog/standards/iec/99709d08-a6d7-4b32-8b89-a3da3fef0eb6/iec-61162-450-2018>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 47.020.70

ISBN 978-2-8322-5636-7

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	7
1 Scope.....	9
2 Normative references	9
3 Terms and definitions	10
4 General network and equipment requirements.....	14
4.1 Network topology example	14
4.2 Basic requirements	15
4.2.1 Requirements for equipment to be connected to the network.....	15
4.2.2 Additional requirements for network infrastructure equipment.....	16
4.3 Network function (NF) requirements.....	16
4.3.1 General requirements	16
4.3.2 Maximum data rate requirements.....	16
4.3.3 Error logging function	17
4.3.4 Provisions for network traffic filtering – IGMP.....	19
4.4 System function block (SF) requirements.....	19
4.4.1 General requirements	19
4.4.2 Assignment of unique system function ID (SFI).....	19
4.4.3 Implementing configurable transmission groups.....	20
4.5 Serial to network gateway function (SNGF) requirements.....	20
4.5.1 General requirements	20
4.5.2 Serial line output buffer management.....	21
4.5.3 Datagram output requirements.....	22
4.5.4 Multi SF serial port	22
4.5.5 Handling malformed data received on serial line.....	22
4.6 PGN to network gateway function (PNGF) requirements.....	23
4.6.1 General requirements.....	23
4.6.2 Output buffer management from IEC 61162-450 network to IEC 61162-3 network.....	23
4.6.3 Datagram output requirements.....	23
4.6.4 PGN group number.....	23
4.7 Other network function (ONF) requirements.....	24
5 Low level network requirements.....	24
5.1 Electrical and mechanical requirements	24
5.2 Network protocol requirements.....	25
5.3 IP address assignment for equipment	26
5.4 Multicast address range	26
5.5 Device address for instrument networks.....	26
6 Transport layer specification.....	26
6.1 General.....	26
6.2 UDP messages	27
6.2.1 UDP multicast protocol	27
6.2.2 Use of multicast addresses and port numbers.....	27
6.2.3 UDP checksum	29
6.2.4 Datagram size	29
7 Application layer specification.....	30
7.1 Datagram header	30

7.1.1	Valid header	30
7.1.2	Error logging.....	30
7.2	General IEC 61162-1 sentence transmissions.....	30
7.2.1	Application of this protocol.....	30
7.2.2	Types of messages for which this protocol can be used.....	30
7.2.3	TAG block parameters for sentences transmitted in the datagram.....	30
7.2.4	Requirements for processing incoming datagrams	34
7.2.5	Error logging for processing incoming datagrams	34
7.3	Binary file transfer using UDP multicast – Single transmitter, multiple receivers.....	34
7.3.1	Application of this protocol.....	34
7.3.2	Binary file structure.....	35
7.3.3	61162-450 header	35
7.3.4	Binary file descriptor structure	37
7.3.5	Binary file data fragment.....	38
7.3.6	Sender process for binary file transfer	39
7.3.7	Receiver process for binary file transfer.....	42
7.3.8	Other requirements.....	44
7.3.9	Error logging.....	46
7.4	General IEC 61162-3 PGN message transmissions.....	46
7.4.1	Message structure	46
7.4.2	Message format.....	47
7.4.3	Address translation requirements.....	47
7.4.4	Message processing.....	48
7.4.5	Additional management requirements	48
7.5	System function ID resolution.....	48
7.5.1	General	48
7.5.2	Transmitter functions	49
7.6	Binary file transfer using TCP point-to-point.....	49
7.6.1	Definition.....	49
7.6.2	Data field structure for transfer of files.....	50
7.6.3	Structure of the transfer stream	52
7.6.4	TCP port and IP addresses.....	52
7.6.5	Implementation guidance.....	52
8	Methods of test and required results.....	53
8.1	Test set-up and equipment.....	53
8.2	Basic requirements	54
8.2.1	Equipment to be connected to the network	54
8.2.2	Network infrastructure equipment	54
8.2.3	Documentation	54
8.3	Network function (NF).....	54
8.3.1	Maximum data rate	54
8.3.2	Error logging function	55
8.4	System function block (SF)	55
8.4.1	General	55
8.4.2	Assignment of unique system function ID (SFI).....	55
8.4.3	Implementing configurable transmission groups.....	55
8.5	Serial to network gateway function (SNGF).....	55
8.5.1	General	55

8.5.2	Serial line output buffer management	56
8.5.3	Datagram output.....	56
8.5.4	Datagram output multi SF serial port.....	56
8.5.5	Handling malformed data received on serial line	57
8.6	Other network function (ONF)	58
8.7	Low level network	59
8.7.1	Electrical and mechanical requirements	59
8.7.2	Network protocol.....	59
8.7.3	IP address assignment for equipment	59
8.7.4	Multicast address range.....	59
8.8	Transport layer	59
8.9	Application layer	60
8.9.1	Application.....	60
8.9.2	Datagram header.....	60
8.9.3	Types of messages.....	60
8.9.4	TAG block parameters	60
8.9.5	General authentication.....	61
8.10	Error logging	62
8.11	Binary file transfer using UDP multicast – Single transmitter, multiple receiver	62
8.11.1	Sender process test.....	62
8.11.2	Receiver process test	63
8.11.3	Binary file descriptor test	64
8.11.4	Binary file transfer error logging.....	64
8.11.5	Maximum outgoing rate	65
8.12	PGN to network gateway function (PNGF).....	65
8.12.1	General	65
8.12.2	Output buffer management	65
8.12.3	Datagram output.....	65
8.12.4	PGN group	65
8.12.5	Address conflicts	65
8.13	System function ID resolution.....	65
8.14	Binary file transfer using TCP point-to-point.....	65
8.14.1	Test of transmit client	66
8.14.2	Test of receiver server.....	66
8.14.3	Maximum outgoing rate	67
8.14.4	TCP port and IP addresses.....	67
Annex A (normative) Classification of IEC 61162-1 talker identifier mnemonics and sentences		68
A.1	General.....	68
A.2	Talker identifier mnemonic to transmission group mapping	68
A.3	List of all sentence formatters and the sentence type	70
Annex B (normative) TAG block definitions		74
B.1	Validity.....	74
B.2	Valid TAG block characters.....	74
B.3	TAG block format.....	74
B.4	TAG block "hexadecimal checksum" (*hh).....	75
B.5	TAG block "line"	75
B.6	TAG block parameter-code dictionary	76

Annex C (normative) Reliable transmission of command-response pair messages	77
C.1 Purpose	77
C.2 Information exchange examples	77
C.3 Characteristics	77
C.4 Requirements	77
C.5 Data flow description	78
C.5.1 Heartbeat message	78
C.5.2 Command response pair	78
Annex D (informative) Compatibility between IEC 61162-450 nodes based on IEC 61162-450:2011 connected to network which uses methods based on IEC 61162- 450:2018	79
D.1 General	79
D.2 Alternative methods for compatibility	79
D.2.1 Use of IGMP proxy node	79
D.2.2 Use of virtual LAN (VLAN)	79
D.2.3 Use of static multicast switch configuration	80
Annex E (informative) Use of switch setup configuration to filter network traffic	81
Annex F (normative) Sentence to support SFI collision detection	82
F.1 General	82
F.2 SRP – System function ID resolution protocol	82
Bibliography	83
Figure 1 – Network topology example	15
Figure 2 – Ethernet frame example for a SBM from a rate of turn sensor	27
Figure 3 – Non re-transmittable sender process	40
Figure 4 – Re-transmittable sender process	42
Figure 5 – Re-transmittable receive process	44
Figure C.1 – Command response communications	77
Table 1 – Syslog message format	18
Table 2 – Syslog error message codes	19
Table 3 – Interfaces, connectors and cables	25
Table 4 – Destination multicast addresses and port numbers	28
Table 5 – Destination multicast addresses and port numbers for binary data transfer	29
Table 6 – Destination multicast addresses and port numbers for other services	29
Table 7 – Description of terms	35
Table 8 – Binary file structure	35
Table 9 – 61162-450 header format	36
Table 10 – Binary file descriptor format	38
Table 11 – Examples of MIME content type for DataType codes	38
Table 12 – Binary file data fragment format	38
Table 13 – Structure for PGN message	46
Table 14 – PGN message descriptor	47
Table 15 – Description of terms	49
Table 16 – Binary file structure	50

Table 17 – Header structure 50

Table 18 – Package data structure..... 51

Table A.1 – Classification of IEC 61162-1 talker identifier mnemonics 68

Table A.2 – Classification of IEC 61162-1 sentences 70

Table B.1 – Defined parameter-codes 76

Withdrawing

iTech Standards
(<https://standards.iteh.ai>)
Document Preview

IEC 61162-450:2018
<https://standards.iteh.ai/catalog/standards/iec/99709d08-a6d7-4b32-8b89-a3da3fef0eb6/iec-61162-450-2018>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**MARITIME NAVIGATION AND RADIOCOMMUNICATION
EQUIPMENT AND SYSTEMS –
DIGITAL INTERFACES –****Part 450: Multiple talkers and multiple listeners –
Ethernet interconnection**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61162-450 has been prepared by IEC technical committee 80: Maritime navigation and radiocommunication equipment and systems.

This second edition of IEC 61162-450 cancels and replaces the first edition published in 2011 and Amendment 1:2016. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) network traffic filtering based on IGMP snooping added;
- b) network traffic balancing added;
- c) new encapsulation of IEC 61162-3 PGNs added;

- d) new alternative for binary file transfer added: TCP/IP based on Annex H of IEC 62388:2007 on radars;
- e) general authentication tag "a:" added to support managing of cyber security risk.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
80/880/FDIS	80/885/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.


This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61162 series, published under the general title *Maritime navigation and radiocommunication equipment and systems -Digital interfaces*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.



MARITIME NAVIGATION AND RADIOCOMMUNICATION EQUIPMENT AND SYSTEMS – DIGITAL INTERFACES –

Part 450: Multiple talkers and multiple listeners – Ethernet interconnection

1 Scope

This part of IEC 61162 specifies interface requirements and methods of test for high speed communication between shipboard navigation and radiocommunication equipment as well as between such systems and other ship systems that need to communicate with navigation and radio-communication equipment. This document is based on the application of an appropriate suite of existing international standards to provide a framework for implementing data transfer between devices on a shipboard Ethernet network.

This document specifies an Ethernet based bus type network where any listener can receive messages from any sender with the following properties

- This document includes provisions for multicast distribution of information formatted according to IEC 61162-1, for example position fixes and other measurements, as well as provisions for transmission of general data blocks (binary file), for example between radar and VDR, and also includes provisions for multicast distribution of information formatted according to IEC 61162-3, for example position fixes and other measurements.
- This document is limited to protocols for equipment (network nodes) connected to a single Ethernet network consisting only of OSI level one or two devices and cables (Network infrastructure).
- This document provides requirements only for equipment interfaces. By specifying protocols for transmission of IEC 61162-1 sentences, IEC 61162-3 PGN messages and general binary file data, these requirements will guarantee interoperability between equipment implementing this document as well as a certain level of safe behaviour of the equipment itself.
- This document permits equipment using other protocols than those specified in this document to share a network infrastructure, provided that it is supplied with interfaces which satisfy the requirements described for ONF.
- This document includes provisions for filtering of the network traffic in order to limit the amount of traffic to manageable level for each individual equipment.

This document does not contain any system requirements other than the ones that can be inferred from the sum of individual equipment requirements. An associated standard, IEC 61162-460, further addresses system requirements.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60825-2, *Safety of laser products – Part 2: Safety of optical fibre communication systems (OFCS)*

IEC 60945, *Maritime navigation and radiocommunication equipment and systems – General Requirements – Methods of testing and required test results*

IEC 61162-1:2016, *Maritime navigation and radiocommunication equipment and systems – Digital interfaces – Part 1: Single talker and multiple listeners*

IEC 61162-3:2008, *Maritime navigation and radiocommunication equipment and systems – Digital interfaces – Part 3: Serial data instrument network*

IEEE Std 802.3-2015, *IEEE Standard for Ethernet*

ISOC RFC 768, *User Datagram Protocol, Standard STD0006*

ISOC RFC 791, *Internet Protocol (IP), Standard STD0005 (and updates)*

ISOC RFC 792, *Internet Control Message Protocol (ICMP), Standard STD0005 (and updates)*

RFC 793:1981, *Transmission Control Protocol (TCP)*

ISOC RFC 826, *An ethernet Address Resolution Protocol*

ISOC RFC 1112, *Host Extensions for IP Multicasting, Standard STD0005 (and updates), (include IGMP version 1)*

ISOC RFC 1918, *Address Allocation for Private Internets, Best Current Practice BCP0005*

ISOC RFC 2236, *Internet Group Management Protocol, Version 2*

ISOC RFC 2474, *Definition of the Differentiated Services Field (DS Field) in the IPv4 and IPv6 Headers*

ISOC RFC 3376, *Internet Group Management Protocol, Version 3*

ISOC RFC 5000, *Internet Official Protocol Standards, Standard 0001*

ISOC RFC 5227, *IPv4 Address Conflict Detection*

ISOC RFC 5424, *The Syslog Protocol*

NMEA 0183:2008, *Standard for interfacing marine electronic devices, Version 4.00*

NOTE The standards of the Internet Society (ISOC) are available on the IETF websites <http://www.ietf.org>. Later updates can be tracked at <http://www.rfc-editor.org/rfcsearch.html>.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

ASCII

printable 7 bit character encoded in one byte

3.2 binary file

data block without formatting known to this protocol, i.e., non IEC 61162-1 formatted data, that can be transmitted with the protocol defined in 7.3 or in 7.5

Note 1 to entry: The term "binary file" is used to differentiate the general data transfer protocol (which may or may not be in ordinary text format) from the transmission of sentences that is always in 7 bit ASCII format.

3.3 byte

group of 8 bits treated as one unit

Note 1 to entry: This corresponds to what is also sometimes called an octet.

3.4 command-response pair CRP

messages exchanged between parties that synchronize state changes on both sides through the exchange

Note 1 to entry: CRP are defined in Annex A.

Note 2 to entry: Both the command and the reply message may also be used as a sensor broadcast message in some cases. Thus, the implementation of the semantics of the message exchange is somewhat different between different users of the exchange.

3.5 datagram

atomic UDP transmission unit on the Ethernet as defined in ISOC RFC 768 and as constrained elsewhere in this document

3.6 Ethernet

carrier sense, multiple access collision detect (CSMA/CD) local area network protocol standard as defined in IEEE Std 802.3 and later revisions and additions to IEEE 802

Note 1 to entry: The types of Ethernet media that can be used for implementation of this document are defined in Clause 5.

3.7 function block

specified functionality implemented by equipment

Note 1 to entry: Equipment normally implements multiple function blocks. Requirements to equipment are the sum of requirements to the function blocks it implements. Function blocks are defined in Clause 4.

3.8 Internet Group Management Protocol IGMP

communications protocol used by hosts and adjacent routers on IPv4 networks to establish multicast group memberships

Note 1 to entry: The IGMP is an integral part of IP multicast.

3.9 IGMP snooping

process of listening to Internet Group Management Protocol (IGMP) network traffic

3.10 **Internet assigned number authority** **IANA**

global coordination of the Domain Name Server (DNS) Root, IP addressing, and other Internet protocol resources, including UDP and TCP port numbers

Note 1 to entry: The currently assigned numbers are listed in <http://www.iana.org/assignments/port-numbers>.

3.11 **Internet protocol** **IP**

signalling protocol used and defined in ISOC RFC 791 (and updates)

3.12 **message**

collection of one or more sentences that are grouped by mechanisms internal to the sentence, for instance by sequence numbers as in the TXT sentence

Note 1 to entry: A stand-alone sentence is a message.

3.13 **message type**

classification of IEC 61162-1 sentence formatters into SBM, MSM and CRP types

Note 1 to entry: SBM, MSM and CRP types are defined in Annex A.

Note 2 to entry: This document defines different requirements to the transmission of different message types.

3.14 **multi-sentence message** **MSM**

logical group of messages and/or sentences where the full meaning of the group is dependent on the receiver reading the full group

Note 1 to entry: Multi-sentence messages that are grouped together with a TAG construct are also a sentence group.

Note 2 to entry: MSM are defined in Annex A.

3.15 **network**

physical Ethernet network with one Internet address space, consisting only of the network nodes, switches, cables and supporting equipment such as power supply units

3.16 **network function block** **NF**

function block responsible for physical connectivity to the network and connectivity to the transport layer as described in 4.3

3.17 **network infrastructure**

part of the network that provides a transmission path between network nodes

Note 1 to entry: The network nodes are not part of the network infrastructure.

3.18 **network node**

physical device connected to the network and which have an Internet address

Note 1 to entry: It is also called an Internet host.