INTERNATIONAL 80601-2-12 **STANDARD**

Second edition 2020-02

ISO

Medical electrical equipment —

Part 2-12:

Particular requirements for basic safety and essential performance of critical care ventilators

iTeh STAppareils électromédicaux - VIII. W

Partie 2-12: Exigences particulières relatives à la sécurité de base et aux performances essentielles des ventilateurs pulmonaires pour utilisation en soins intensifs

ISO 80601-2-12:2020

https://standards.iteh.ai/catalog/standards/sist/4231e22d-7e27-4b3d-b9e4b56c353b4b0c/iso-80601-2-12-2020



iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 80601-2-12:2020 https://standards.iteh.ai/catalog/standards/sist/4231e22d-7e27-4b3d-b9e4-b56c353b4b0c/iso-80601-2-12-2020



COPYRIGHT PROTECTED DOCUMENT

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Fax: +41 22 749 09 47 Email: copyright@iso.org Website: www.iso.org Published in Switzerland

Contents

| 201.1 | Scope, object | and related standards | 1 |
|--------|-----------------------|--|-----|
| 201. | 1.1 * Scope | | 1 |
| 201. | 1.2 Object | | 2 |
| 201. | 1.3 Collateral | standards | 3 |
| 201. | 1.4 Particular | standards | 3 |
| 201. 2 | Normative ref | erences | 4 |
| 201.3 | Terms and de | finitions | 7 |
| 201.4 | General requi | rements | 9 |
| 201. | 4.3 Essential p | erformance | 9 |
| 201. | 4.3.101 | * Additional requirements for essential performance | 9 |
| 201. | 4.4 Additional | requirements for expected service life | 9 |
| 201. | 4.6 * <i>ME equip</i> | ment or ME system parts that contact the patient | 10 |
| | 4.11.101 | * Additional requirements for pressurized gas input | |
| 201. | 4.11.101.1 | Overpressure requirement | 10 |
| 201. | 4.11.101.2 | Compatibility requirement | 10 |
| 201.5 | General requi | rements for testing of ME equipment | 11 |
| 201. | 5.101 | Additional requirements for general requirements for testing and articles and artistic states are stated as a second state of the states are stated as a second state of the states are stated as a second state of the states are stated as a second state of the states are stated as a second state of the states are stated as a second state of the states are stated as a second state of the states are stated as a second state of the states are stated as a second state of the states are stated as a second state of the states are stated as a second state of the states are stated as a second state of the states are stated as a second state of the states are stated as a second state of the states are stated as a second state of the states are stated as a second state of the states are stated as a second state of the states are stated as a second state of the states are stated as a second state of the state of th | ıg |
| | | ndards.iteh.ai/catalog/standards/sist/4231e22d-7e27-4b3d-b9e4- b56c353b/b0c/iso_80601_2_12_2020 | 11 |
| | 5.101.1 | b56c353b4b0c/iso-80601-2-12-2020 Ventilator test conditions | |
| | 5.101.2 | * Gas flowrate and leakage specifications | |
| | 5.101.3 | * Ventilator testing errors | |
| 201.6 | | of ME equipment and ME systems | |
| 201.7 | ME equipment | identification, marking and documents | 12 |
| 201. | 7.2.3 | * Consult accompanying documents | 12 |
| 201. | 7.2.4.101 | Additional requirements for accessories | 12 |
| 201. | 7.2.13.101 | Additional requirements for physiological effects | 12 |
| 201. | 7.2.17.101 | Additional requirements for protective packaging | 12 |
| 201. | 7.2.18 | External gas source | 13 |
| 201. | 7.2.101 | * Additional requirements for marking on the outside of | 4.0 |
| 204 | | or ME equipment parts | |
| | 7.4.3 | * Units of measurement | |
| | 7.9.1 | Additional general requirements | |
| | 7.9.2.1.101 | Additional general requirements | |
| | 7.9.2.2.101 | * Additional requirements for warnings and safety notices | |
| | 7.9.2.8.101 | * Additional requirements for start-up <i>procedure</i> | |
| | 7.9.2.9.101 | * Additional requirements for operating instructions | |
| | 7.9.2.12 | Cleaning, disinfection, and sterilization | 1 / |
| 201. | 7.9.2.14.101 | * Additional requirements for <i>accessories</i> , supplementary | 17 |

| 201. / | description | * Additional requirements for reference to the technical | 18 |
|---------|-----------------------|---|------|
| 201 7 | 7.9.3.1.101 | * Additional general requirements | |
| | '.9.3.101 | Additional requirements for the technical description | |
| 201. 8 | | gainst electrical hazards from ME equipment | |
| | _ | gainst mechanical hazards of ME equipment and ME system. | |
| 201. 9 | 0.6.2.1.101 | * Additional requirements for audible acoustic energy | 19 |
| 201. 9 | | * Additional requirements for suction <i>procedures</i> | |
| 201. 10 | Protection ag | ainst unwanted and excessive radiation hazards | |
| 201. 11 | Protection ag | gainst excessive temperatures and other hazards | 23 |
| 201. 1 | 1.1.2.2 | * Applied parts not intended to supply heat to a patient | 23 |
| 201. 1 | 1.6.5.101 | * Additional requirements for ingress of water or particulat | |
| | matter into M | E equipment or ME system | |
| 201. 1 | 1.6.6 | * Cleaning and disinfection of ME equipment or ME system | 24 |
| 201. 1 | 1.6.7 | Sterilization of ME equipment or ME system | 24 |
| 201. 1 | 1.7 Biocompa | tibility of ME equipment and ME systems | 24 |
| 201. 1 | 1.8.101 supply/supply | * Additional requirements for interruption of the power mains to ME equipment | 25 |
| 201. 12 | Accuracy of c | ontrols and instruments and protection against hazardou | S |
| 204.4 | outputs | y of controls (na instruments.iteh.ai) | 27 |
| | | | |
| | 2.1.101 | * Volume-control inflation-type | 27 |
| | 2.1.102 | * Pressure-control inflation-type https://standards.teh.a/catalog/standards/stst/4231e22d-7e27-4b3d-b9e4 Other inflationctypes _{00c/iso-80601-2-12-2020} | 31 |
| | 2.1.103 | | |
| | 2.1.104 | * Inspiratory volume monitoring | 35 |
| 201. 1 | 2.1.105 | * Response of the <i>ventilator</i> to an increase in set 0_2 | |
| | concentration | | |
| | | n against hazardous output | |
| | 2.4.101 | Oxygen monitor | |
| | 2.4.102 | * Measurement of airway pressure | 38 |
| 201. 1 | 2.4.103 conditions | * Measurement of expired volume and low volume alarm | 39 |
| 201. 1 | 2.4.103.1 | Ventilators intended to provide a tidal volume >50 ml | 39 |
| 201. 1 | 2.4.103.2 | Ventilators intended to provide a tidal volume ≤50 ml | 40 |
| 201. 1 | 2.4.104 | * Expiratory end-tidal CO ₂ monitoring equipment | 41 |
| 201. 1 | 2.4.105 | * Maximum limited pressure protection device | 42 |
| 201. 1 | 2.4.106 | * High airway pressure alarm condition and protection device | e 42 |
| 201. 1 | 2.4.107 | PEEP alarm conditions | 43 |
| 201. 1 | 2.4.108 | * Obstruction alarm condition | 44 |
| 201. 1 | 2.4.109 | * Disconnection alarm condition | 45 |
| 201. 1 | 2.4.110 | Protection against inadvertent setting of high airway pressu | |
| 201. 1 | 2.101 | * Protection against accidental or unintentional adjustments | |
| 201. 13 | Hazardous sit | tuations and fault conditions for ME equipment | 46 |

| 201. 13.2.101 | * Additional specific single fault conditions | 46 |
|-----------------------------|---|------------------|
| 201. 13.2.102 | * Failure of one gas supply to a ventilator | 46 |
| 201. 13.2.103 | * Independence of ventilation control function and rela | ated <i>risk</i> |
| | sures | |
| 201. 13.2.104 | * Failure of functional connection to a ventilator control | |
| | means | |
| | ble electrical medical systems (PEMS) | |
| 201. 14.101 | Software life cycle | |
| | n of ME equipment | |
| 201. 15.3.5.101 | Additional requirements for rough handling | |
| 201. 15.3.5.101.1 | * Shock and vibration (robustness) | |
| 201. 15.3.5.101.2 operation | * Shock and vibration for a transit-operable ventilator | |
| 201. 15.4.1 | Construction of connectors | |
| 201. 15.4.1 | Mode of operation | |
| 201. 15.101 | Delivered oxygen concentration | |
| 201. 15.102 | Accessory self-check | |
| | Accessory sen-encek | |
| - | | |
| 201. 16.1.101 | Additional general requirements for ME systems | |
| of an ME syst | tem(standards.iteh.ai) | 52 |
| | netic compatibility of ME equipment and ME systems | |
| | tions ISO 80601-2-12:2020 /standards.iteh.ai/catalog/standards/sist/4231e22d-7e27-4b3d-b9e4- | |
| https:// | /standards.iteh.a/catalog/standards/sist/4231e22d-7e27-4b3d-b9e4- * Protection against neverse gas(leakage | 52 |
| 201. 101.1 | Connection to a high-pressure input port | |
| 201. 101.2.1 | Connector | |
| 201. 101.2.2 | * Filter | |
| 201. 101.2.2 | VBS connectors | |
| 201. 101.3.1 | * General | |
| 201. 101.3.2 | Other named ports | |
| 201. 101.3.2.1 | Patient-connection port | |
| 201. 101.3.2.2 | Gas output port and gas return portport | |
| 201. 101.3.2.3 | Emergency intake port | |
| 201. 101.3.2.4 | Flow-direction-sensitive components | |
| 201. 101.3.2.5 | * Accessory port | |
| 201. 101.3.2.6 | Gas exhaust port | |
| 201. 101.3.2.7 | Temperature sensor port | 55 |
| 201. 102 Requiremen | nts for the <i>VBS</i> and <i>accessories</i> | |
| 201. 102.1 | * General | |
| 201. 102.2 | Labelling | 55 |
| 201. 102.3 | Breathing tubes | |
| 201. 102.4 | * Water vapour management | 56 |
| 201. 102.4.1 | Humidification system | 56 |
| 201. 102.4.2 | Heat and moisture exchanger (HME) | 56 |

| connection | 58 |
|--|-----------------------------|
| General | 58 |
| | |
| | |
| | |
| | |
| - | |
| | |
| | |
| | |
| | |
| netic disturbances — Requirements and tests | 61 |
| | |
| | |
| ng | 63 |
| uirements, tests and guidance for alarm systems in med quipment and medical electrical systems | lical 64 |
| e) Guide to marking and labelling requirements for | |
| ent and ME systems | 66 |
| - | |
| ent and ME systems | their |
| Marking on the outside of ME equipment, ME systems or | their 66 |
| Marking on the outside of ME equipment, ME systems or Accompanying documents, general | their 66 67 |
| Marking on the outside of ME equipment, ME systems or Accompanying documents, general Accompanying documents, instructions for use Accompanying documents, technical description | their 66 67 70 |
| Marking on the outside of ME equipment, ME systems or Accompanying documents, general | their 66 67 70 |
| Marking on the outside of ME equipment, ME systems or Accompanying documents, general Accompanying documents, instructions for use Accompanying documents, technical description | their 66 67 70 |
| Marking on the outside of ME equipment, ME systems or Accompanying documents, general | their |
| Marking on the outside of ME equipment, ME systems or Accompanying documents, general Accompanying documents, instructions for use Accompanying documents, technical description | their |
| Marking on the outside of ME equipment, ME systems or Accompanying documents, general Accompanying documents, instructions for use Accompanying documents, technical description E) Symbols on marking Ve) Particular guidance and rationale | their |
| Marking on the outside of ME equipment, ME systems or Accompanying documents, general Accompanying documents, instructions for use Accompanying documents, technical description e) Symbols on marking ve) Particular guidance and rationale lance r particular clauses and subclauses | their |
| Marking on the outside of ME equipment, ME systems or Accompanying documents, general Accompanying documents, instructions for use Accompanying documents, technical description e) Symbols on marking ve) Particular guidance and rationale r particular clauses and subclauses ve) Data interfaces | their |
| Marking on the outside of ME equipment, ME systems or Accompanying documents, general Accompanying documents, instructions for use Accompanying documents, technical description e) Symbols on marking ve) Particular guidance and rationale r particular clauses and subclauses ve) Data interfaces and purpose | their |
| Marking on the outside of ME equipment, ME systems or Accompanying documents, general Accompanying documents, instructions for use Accompanying documents, technical description E) Symbols on marking ve) Particular guidance and rationale ance r particular clauses and subclauses ve) Data interfaces and purpose ve) Reference to the essential principles ve) Reference to the general safety and performance | their |
| Marking on the outside of ME equipment, ME systems or Accompanying documents, general Accompanying documents, instructions for use Accompanying documents, technical description e) Symbols on marking ve) Particular guidance and rationale r particular clauses and subclauses ve) Data interfaces and purpose ve) Reference to the essential principles ve) Reference to the general safety and performance nts | their |
| Marking on the outside of ME equipment, ME systems or Accompanying documents, general Accompanying documents, instructions for use Accompanying documents, technical description E) Symbols on marking ve) Particular guidance and rationale ance r particular clauses and subclauses ve) Data interfaces and purpose ve) Reference to the essential principles ve) Reference to the general safety and performance | their |
| | * Leakage from complete VBS |

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the CTechnical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

ISO 80601-2-12:2020

This document was prepared in by in Technical a Gommittee 2 ISO/TC 121,9 Anaesthetic and respiratory equipment, Subcommittee SC 3, Respiratory devices and related equipment used for patient care and Technical Committee IEC/TC 62, Electrical equipment in medical practice, Subcommittee SC 62D, Electric equipment, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 215, Respiratory and anaesthetic equipment, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This second edition cancels and replaces the first edition (ISO 80601-2-12:2011), which has been technically revised. It also incorporates the Technical Corrigendum ISO 80601-2-12:2011/Cor 1:2011. The main changes compared to the previous edition are as follows:

- alignment with IEC 60601-1:2005+AMD1:2012, IEC 60601-1-8:2006+AMD1:2012, IEC 60601-1-2:2014 and IEC 60601-1-6:2010+AMD1:2013.
- determination of probability of component failure during the expected service life;
- delivered gas maximum enthalpy requirement;
- new test protocol for *internal electrical power source* operation time;
- performance test and disclosure requirements for other inflation-types;
- additional protections against hazardous outputs;
- clarification of performance requirements during abnormals testing;
- consideration of input gas of Oxygen 93 %; and
- harmonization of terminology with ISO 19223, where appropriate.

A list of all parts in the ISO 80601 series and the IEC 80601 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 80601-2-12:2020 https://standards.iteh.ai/catalog/standards/sist/4231e22d-7e27-4b3d-b9e4-b56c353b4b0c/iso-80601-2-12-2020

Introduction

In this document, the following print types are used:

- Requirements and definitions: roman type;
- Instructions, test specifications and terms defined in Clause 3 of the general standard, in this document or as noted: italic type;
- Informative material appearing outside of tables, such as notes, examples and references: in smaller type. Normative text of tables is also in a smaller type.

In referring to the structure of this document, the term

- "clause" means one of the four numbered divisions within the table of contents, inclusive of all subdivisions (e.g. Clause 201 includes subclauses 201.7, 201.8, etc.);
- "subclause" means a numbered subdivision of a clause (e.g. 201.7, 201.8 and 201.12 are all subclauses of Clause 201).

References to clauses within this document are preceded by the term "Clause" followed by the clause number. References to subclauses within this document are by number only.

In this document, the conjunctive "or" is used as an "inclusive or" so a statement is true if any combination of the conditions is true.

For the purposes of this document, the auxiliary verb 1e22d-7e27-4b3d-b9e4-

- "shall" means that conformance with a requirement or a test is mandatory for conformance with this document,
- "should" means that conformance with a requirement or a test is recommended but is not mandatory for conformance with this document;
- "may" is used to describe permission (e.g. a permissible way to achieve conformance with a requirement or test),
- "can" is used to describe a possibility or capability, and
- "must" is used to express an external constraint.

Annex C contains a guide to the marking and labelling requirements in this document.

Annex D contains a summary of the symbols referenced in this document.

An asterisk (*) as the first character of a title or at the beginning of a paragraph or table title indicates that there is guidance or rationale related to that item in Annex AA.

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 80601-2-12:2020

https://standards.iteh.ai/catalog/standards/sist/4231e22d-7e27-4b3d-b9e4-b56c353b4b0c/iso-80601-2-12-2020

Medical electrical equipment — Part 2-12: Particular requirements for basic safety and essential performance of critical care ventilators

201.1 Scope, object and related standards

Clause 1 of the general standard applies, except as follows:

NOTE The general standard is IEC 60601-1:2005+AMD1:2012.

201.1.1 * Scope

Replacement:

This document applies to the *basic safety* and *essential performance* of a *ventilator* in combination with its *accessories*, hereafter referred to as *ME equipment*:

— intended for use in an environment that provides specialized care for *patients* whose conditions can be life-threatening and who can require comprehensive care and constant monitoring in a *professional healthcare facility*;

NOTE 1 For the purposes of this document, such an environment is referred to as a critical care environment. Ventilators for this environment are considered life-sustaining.

1. **The content of the purpose of this document, such an environment is referred to as a critical care environment.

Ventilators for this environment are considered life-sustaining.

1. **The content of the purpose of this document, such an environment is referred to as a critical care environment.

Ventilators for this environment are considered life-sustaining.

1. **The content of the purpose of this document, such an environment is referred to as a critical care environment.

Ventilators for this environment are considered life-sustaining.

1. **The content of the content of t

NOTE 2 For the purposes of this document, such a *ventilator* can provide transport within a *professional healthcare facility* (i.e. be a *transit-operable ventilator*).

NOTE 3 A critical care *ventilator* intended for use in transport within a *professional healthcare facility* is not considered as an *emergency medical services environment ventilator*.

- intended to be operated by a healthcare professional operator; and
- intended for those *patients* who need differing levels of support from artificial ventilation including for *ventilator-dependent patients*.

A critical care *ventilator* is not considered to utilize a *physiologic closed-loop-control system* unless it uses a physiological *patient* variable to adjust the ventilation therapy settings.

This document is also applicable to those *accessories* intended by their *manufacturer* to be connected to a *ventilator breathing system*, or to a *ventilator*, where the characteristics of those *accessories* can affect the *basic safety* or *essential performance* of the *ventilator*.

NOTE 4 If a clause or subclause is specifically intended to be applicable to *ME equipment* only, or to *ME systems* only, the title and content of that clause or subclause will say so. If that is not the case, the clause or subclause applies both to *ME equipment* and to *ME systems*, as relevant.

Hazards inherent in the intended physiological function of *ME equipment* or *ME systems* within the scope of this document are not covered by specific requirements in this document except in IEC 60601-1:2005, 7.2.13 and 8.4.1.

NOTE 5 Additional information can be found in IEC 60601-1:2005+AMD1:2012. 4.2.

This document is not applicable to *ME equipment* or an *ME system* operating in a *ventilator-operational mode* solely intended for *patients* who are not dependent on artificial ventilation.

NOTE 6 A critical care *ventilator*, when operating in such a *ventilator-operational mode*, is not considered life-sustaining.

This document is not applicable to *ME equipment* that is intended solely to augment the ventilation of spontaneously breathing *patients* within a *professional healthcare facility*.

This document does not specify the requirements for:

- *ventilators* or *accessories* intended for anaesthetic applications, which are given in ISO 80601-2-13[2];
- *ventilators* or *accessories* intended for the *emergency medical services environment*, which are given in ISO 80601-2-84^[3], the future replacement for ISO 10651-3^[4];
- ventilators or accessories intended for ventilator-dependent patients in the home healthcare environment, which are given in ISO 80601-2-72:2015[5]; al
- ventilators or accessories intended for home care ventilatory support devices, which are given in ISO 80601-2,79:201861 and ISO 80601-2,80:201861 and ISO 80601-2,80:201861

b56c353b4b0c/iso-80601-2-12-2020

- obstructive sleep apnoea therapy *ME equipment*, which are given in ISO 80601-2-70[9];
- continuous positive airway pressure (CPAP) ME equipment;
- high-frequency jet ventilators (HFJVs) and high-frequency oscillatory ventilators (HFOVs), which are given in ISO 80601-2-87^[63];

NOTE 7 A critical care *ventilator* can incorporate high-frequency jet or high-frequency oscillatory *ventilator* operational modes.

- oxygen therapy constant flow ME equipment; and
- cuirass or "iron-lung" ventilation equipment.

201.1.2 Object

Replacement:

The object of this document is to establish *basic safety* and *essential performance* requirements for a *ventilator* and its *accessories*.

¹ ISO 80601-2-79 and ISO 80601-2-80 replace ISO 10651-6, which has been withdrawn.

Accessories are included because the combination of the *ventilator* and the *accessories* needs to be adequately safe. Accessories can have a significant impact on the *basic safety* or *essential performance* of a *ventilator*.

NOTE 1 This document has been prepared to address the relevant *essential principles of safety and performance* of ISO 16142-1:2016 as indicated in Annex CC.

NOTE 2 This document has been prepared to address the relevant general safety and performance requirements of European regulation (EU) 2017/745 as indicated in Annex DD.

201.1.3 Collateral standards

Amendment (add after existing text):

This document refers to those applicable collateral standards that are listed in Clause 2 of the general standard and in 201.2 of this document.

IEC 60601-1-2, IEC 60601-1-6 and IEC 60601-1-8 apply as modified in Clauses 202, 206 and 208 respectively. IEC 60601-1- $3^{[12]}$, IEC 60601-1- $9^{[13]}$, IEC 60601-1-11 and IEC 60601-1-12 do not apply. All other published collateral standards in the IEC 60601-1 series apply as published.

201.1.4 Particular standards DARD PREVIEW

Replacement:

(standards.iteh.ai)

In the IEC 60601 series, particular standards may modify, replace or delete requirements contained in the general standard, including the collateral standards, as appropriate for the particular *ME equipment* under consideration, and may add other *basic safety* or *essential performance* requirements.

A requirement of a particular standard takes priority over IEC 60601-1:2005 or the collateral standards.

For brevity, IEC 60601-1:2005+AMD1:2012 is referred to in this particular document as the general standard. Collateral standards are referred to by their document number.

The numbering of clauses and subclauses of this document corresponds to those of the general standard with the prefix "201" (e.g. 201.1 in this document addresses the content of Clause 1 of the general standard) or applicable collateral standard with the prefix "2xx" where xx is the final digits of the collateral standard document number (e.g. 202.4 in this document addresses the content of Clause 4 of the IEC 60601-1-2 collateral standard, 208.4 in this document addresses the content of Clause 4 of the IEC 60601-1-8 collateral standard, etc.). The changes to the text of the general standard are specified by the use of the following words:

"Replacement" means that the clause or subclause of IEC 60601-1:2005+AMD1:2012 or the applicable collateral standard is replaced completely by the text of this document.

"Addition" means that the text of this document is additional to the requirements of IEC 60601-1:2005+AMD1:2012 or the applicable collateral standard.

"Amendment" means that the clause or subclause of IEC 60601-1:2005+AMD1:2012 or the applicable collateral standard is amended as indicated by the text of this document.

Subclauses, figures or tables that are additional to those of the general standard are numbered starting from 201.101. However, due to the fact that definitions in the general standard are numbered 3.1 through 3.147, additional definitions in this document are numbered beginning from 201.3.201. Additional annexes are lettered AA, BB, etc., and additional items aa), bb), etc.

Subclauses or figures that are additional to those of a collateral standard are numbered starting from 20x, where "x" is the number of the collateral standard, e.g. 202 for IEC 60601-1-2, 203 for IEC 60601-1- $3^{[12]}$, etc.

The term "this document" is used to make reference to the general standard, any applicable collateral standards and this particular document taken together.

Where there is no corresponding clause or subclause in this document, the clause or subclause of IEC 60601-1:2005+AMD1:2012 or the applicable collateral standard, although possibly not relevant, applies without modification; where it is intended that any part of IEC 60601-1:2005+AMD1:2012 or the applicable collateral standard, although possibly relevant, is not to be applied, a statement to that effect is given in this particular document.

201.2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies. (Standards.iteh.al)

Clause 2 of the general standard applies, except as follows:0

https://standards.iteh.ai/catalog/standards/sist/4231e22d-7e27-4b3d-b9e4-b56c353b4b0c/iso-80601-2-12-2020

Replacement:

ISO 7000, Graphical symbols for use on equipment — Registered symbols

ISO 7010:2019, Graphical symbols — Safety colours and safety signs — Registered safety signs

ISO 15223-1:2016, Medical devices — Symbols to be used with medical device labels, labelling and information to be supplied — Part 1: General requirements

IEC 60601-1-2:2014, Medical electrical equipment — Part 1-2: General requirements for basic safety and essential performance — Collateral Standard: Electromagnetic disturbances — Requirements and tests

IEC 60601-1-6:2010+AMD1:2013, Medical electrical equipment — Part 1-6: General requirements for basic safety and essential performance — Collateral Standard: Usability

IEC 60601-1-8:2006+AMD1:2012, Medical electrical equipment — Part 1-8: General requirements for basic safety and essential performance — Collateral Standard: General requirements, tests and guidance for alarm systems in medical electrical equipment and medical electrical systems

IEC 61672-1:2013, Electroacoustics — Sound level meters — Part 1: Specifications

IEC 62304:2006+AMD1:2015, Medical device software — Software life cycle processes

Addition:

ISO 3744:2010, Acoustics — Determination of sound power levels and sound energy levels of noise sources using sound pressure — Engineering methods for an essentially free field over a reflecting plane

 $ISO\ 4871:1996, Acoustics - Declaration\ and\ verification\ of\ noise\ emission\ values\ of\ machinery\ and\ equipment$

ISO 5356-1:2015, Anaesthetic and respiratory equipment — Conical connectors — Part 1: Cones and sockets

ISO 5359:2014, Anaesthetic and respiratory equipment — Low-pressure hose assemblies for use with medical gases

ISO 5367:2014, Anaesthetic and respiratory equipment — Breathing sets and connectors

ISO 7396-1:2016, Medical gas pipeline systems — Part 1: Pipeline systems for compressed medical gases and vacuum

ISO 8836:2014, Suction catheters for use in the respiratory tract

iTeh STANDARD PREVIEW

ISO 9000:2015, Quality management systems — Fundamentals and vocabulary (standards.iteh.ai)

ISO 9360-1:2000, Anaesthetic and respiratory equipment — Heat and moisture exchangers (HMEs) for humidifying respired gases in humans 060 | Part: 102HMEs for use with minimum tidal volumes of https://standards.iteh.ai/catalog/standards/sist/4231e22d-7e27-4b3d-b9e4-

b56c353b4b0c/iso-80601-2-12-2020

ISO 9360-2:2001, Anaesthetic and respiratory equipment — Heat and moisture exchangers (HMEs) for humidifying respired gases in humans — Part 2: HMEs for use with tracheostomized patients having minimum tidal volumes of 250 ml

ISO 14937:2009, Sterilization of health care products — General requirements for characterization of a sterilizing agent and the development, validation and routine control of a sterilization process for medical devices

ISO 16142-1:2016, Medical devices — Recognized essential principles of safety and performance of medical devices — Part 1: General essential principles and additional specific essential principles for all non-IVD medical devices and guidance on the selection of standards

ISO 17510:2015, Medical devices — Sleep apnoea breathing therapy — Masks and application accessories

ISO 17664:2017, Processing of health care products — Information to be provided by the medical device manufacturer for the processing of medical devices

ISO 18562-1:2017, Biocompatibility evaluation of breathing gas pathways in healthcare applications — Part 1: Evaluation and testing within a risk management process

ISO 19223:2019, Lung ventilators and related equipment — Vocabulary and semantics