

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 62664-1-1

May 2013

ICS 33.180.20

English version

**Fibre optic interconnecting devices and passive components -
Fibre optic connector product specifications -
Part 1-1: LC-PC duplex multimode connectors terminated on
IEC 60793-2-10 category A1a fibre
(IEC 62664-1-1:2013)**

Dispositifs d'interconnexion et
composants passifs à fibres optiques -
Spécifications de produits pour
connecteurs à fibres optiques -
Partie 1-1: Connecteurs multimodaux
duplex LC-PC câblés sur une fibre de
catégorie A1a selon la CEI 60793-2-10
(CEI 62664-1-1:2013)

Lichtwellenleiter -
Verbindungselemente und passive
Bauteile -
Lichtwellenleiter -
Steckverbinder Produktnormen -
Teil 1-1: LC-PC-Duplex Mehrmoden-
Steckverbinder zum Anschluss an Fasern
der Kategorie A1a nach IEC 60793-2-10
(IEC 62664-1-1:2013)

[SIST EN 62664-1-1:2013](https://standards.iteh.ai/catalog/standards/sist/4f822740-f144-4572-ab9e-2013-03-27)

<https://standards.iteh.ai/catalog/standards/sist/4f822740-f144-4572-ab9e-2013-03-27>

This European Standard was approved by CENELEC on 2013-03-27. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 86B/3550/FDIS, future edition 1 of IEC 62664-1-1, prepared by SC 86B, "Fibre optic interconnecting devices and passive components", of IEC TC 86, "Fibre optics" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62664-1-1:2013.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2013-12-27
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2016-03-27

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

iTeh STANDARD PREVIEW Endorsement notice (standards.iteh.ai)

The text of the International Standard IEC 62664-1-1:2013 was approved by CENELEC as a European Standard without any modification.

[SIST EN 62664-1-1:2013](#)

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60794-2-11	NOTE	Harmonised as EN 60794-2-11.
IEC 60794-2-50	NOTE	Harmonised as EN 60794-2-50.
IEC 61300 series	NOTE	Harmonised in EN 61300 series.
IEC 61300-3-23	NOTE	Harmonised as EN 61300-3-23.
IEC 61300-3-35	NOTE	Harmonised as EN 61300-3-35.
IEC 61753-022-2	NOTE	Harmonised as EN 61753-022-2.
IEC 61754-20	NOTE	Harmonised as EN 61754-20.
ISO 8015	NOTE	Harmonised as EN ISO 8015.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60793-2-10	-	Optical fibres - Part 2-10: Product specifications - Sectional specification for category A1 multimode fibres	EN 60793-2-10	-
IEC 61300-2-1	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-1: Tests - Vibration (sinusoidal)	EN 61300-2-1	-
IEC 61300-2-2	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-2: Tests - Mating durability	EN 61300-2-2	-
IEC 61300-2-4	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-4: Tests - Fibre/cable retention	EN 61300-2-4	-
IEC 61300-2-6	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-6: Tests - Tensile strength of coupling mechanism	EN 61300-2-6	-
IEC 61300-2-12	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-12: Tests - Impact	EN 61300-2-12	-
IEC 61300-2-17	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-17: Tests - Cold	EN 61300-2-17	-
IEC 61300-2-18	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-18: Tests - Dry heat - High temperature endurance	EN 61300-2-18	-
IEC 61300-2-19	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-19: Tests - Damp heat (steady state)	EN 61300-2-19	-
IEC 61300-2-22	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-22: Tests - Change of temperature	EN 61300-2-22	-

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61300-2-42	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-42: Tests - Static side load for connectors	EN 61300-2-42	-
IEC 61300-2-44	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-44: Tests - Flexing of the strain relief of fibre optic devices	EN 61300-2-44	-
IEC 61300-3-6	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 3-6: Examinations and measurements - Return loss	EN 61300-3-6	-
IEC 61300-3-28	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 3-28: Examinations and measurements - Transient loss	EN 61300-3-28	-
IEC 61300-3-34	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 3-34: Examinations and measurements - Attenuation of random mated connectors	EN 61300-3-34	-
IEC 62614	-	Fibre optics - Launch condition requirements for measuring multimode attenuation	EN 62614	-
ISO/IEC 11801	-	Information technology - Generic cabling for customer premises	-	-

iTeh STANDARD PREVIEW
 (standards.iteh.ai)
 SIST EN 62664-1-1:2013
<https://standards.iteh.ai/catalog/standards/sist/4f822740-f144-4572-ab9e-c18e4a7b3ece/sist-en-62664-1-1-2013>



IEC 62664-1-1

Edition 1.0 2013-02

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Fibre optic interconnecting devices and passive components – Fibre optic connector product specifications –
Part 1-1: LC-PC duplex multimode connectors terminated on IEC 60793-2-10 category A1a fibre**

[SIST EN 62664-1-1:2013](https://standards.iteh.ai/catalog/standards/sist/4f822740-f144-4572-ab9e-1f8e170c1e1c/iec-62664-1-1-2013)

<https://standards.iteh.ai/catalog/standards/sist/4f822740-f144-4572-ab9e-1f8e170c1e1c/iec-62664-1-1-2013>

**Dispositifs d'interconnexion et composants passifs à fibres optiques –
Spécifications de produits pour connecteurs à fibres optiques –
Partie 1-1: Connecteurs multimodaux duplex LC-PC câblés sur une fibre de
catégorie A1a selon la CEI 60793-2-10**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX



ICS 33.180.20

ISBN 978-2-83220-654-6

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD	4
1 Scope	7
2 Normative references	7
3 Description	8
3.1 General	8
3.1.1 Intermateability and interoperation	8
3.1.2 Operating environment	8
3.1.3 Reliability	8
3.1.4 Quality assurance	9
3.2 Plug	9
3.3 Adaptor	9
3.4 Materials	9
3.5 Dimensions	9
3.6 Colour and marking	9
4 Variants	10
4.1 Terminated plug	10
4.2 Adaptor	10
4.3 Identification of variants	10
5 Dimensional requirements	10
5.1 Outline dimensions	10
5.1.1 Plug variants	10
5.1.2 Adaptor variants	12
5.2 Mating face and other limit dimensions	13
5.2.1 Plug	13
5.2.2 Ferrule endface geometry after termination	16
5.2.3 Adaptor	18
5.2.4 Pin gauge for adaptor	21
6 Tests	22
6.1 Sample size	22
6.2 Test and measurement methods	22
6.3 Test sequence	22
6.4 Pass/fail criteria	22
7 Test report	22
8 Performance requirements	22
8.1 Dimensional and marking requirements	22
8.2 Performance requirements	22
Annex A (informative) Reference connector details	29
Annex B (normative) Sample size and product sourcing requirements	30
Annex C (normative) Requirements of the launch modal condition	31
Bibliography	32
Figure 1 – Outline dimensions – Plug	11
Figure 2 – Outline dimensions – Adaptor (Variant number: A01)	12
Figure 3 – Duplex adaptor SC cutout – (Variant number: A02)	13

Figure 4 – Plug connector interface reference planes	14
Figure 5 – Plug connector interface	14
Figure 6 – Duplex plug interface	15
Figure 7 – Ferrule endface geometry – After termination.....	16
Figure 8 – Ferrule endface Geometry – Allowable undercut BK versus ferrule endface radius BF (After termination).....	17
Figure 9 – Adaptor interface.....	18
Figure 10 – Junior (Jr) Adaptor interface (optional – Note e of Table 7)	19
Figure 11 – Duplex adaptor interface	20
Figure 12 – Pin gauge for adaptor.....	21
Table 1 – Preferred colour scheme	9
Table 2 – Plug fibre / cable variants with fibre category IEC 60793-2-10 Type A1a	10
Table 3 – Adaptor Variants	10
Table 4 – Identification plug fibre / cable variants with fibre category IEC 60793-2-10	10
Table 5 – Adaptor variants	10
Table 6 – Dimensions of the plug connector interface	15
Table 7 – Dimensions of the adaptor connector interface (1 of 2).....	20
Table 8 – Performance requirements (1 of 7).....	23
Table A.1 – Details for reference connector	29
Table B.1 – Sample size and product sourcing requirements	30
Table C.1 – Normative EF requirements for 50 µm core fibre at 850 nm.....	31

iTeh STANDARD PREVIEW
 (standards.iteh.ai)
 SIST EN 62664-1-1:2013
<https://standards.iteh.ai/catalog/standards/sist/4f822740-f144-4572-ab9e-c18e4a7b3ece/sist-en-62664-1-1-2013>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**FIBRE OPTIC INTERCONNECTING
DEVICES AND PASSIVE COMPONENTS –
FIBRE OPTIC CONNECTOR PRODUCT SPECIFICATIONS –**

**Part 1-1: LC-PC duplex multimode connectors
terminated on IEC 60793-2-10 category A1a fibre**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62664-1-1 has been prepared by subcommittee 86B: Fibre optic interconnecting devices and passive components, of IEC technical committee 86: Fibre optics.

The text of this standard is based on the following documents:

FDIS	Report on voting
86B/3550/FDIS	86B/3592/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 62664 series, published under the general title *Fibre optic interconnecting devices and passive components – Fibre optic connector product specifications*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 62664-1-1:2013](https://standards.iteh.ai/catalog/standards/sist/4f822740-f144-4572-ab9e-c18e4a7b3ece/sist-en-62664-1-1-2013)

<https://standards.iteh.ai/catalog/standards/sist/4f822740-f144-4572-ab9e-c18e4a7b3ece/sist-en-62664-1-1-2013>

COVER SHEET


Connector sets and interconnect components to be used in optical fibre communication systems – Product specifications

Part 1-1: LC-PC duplex multimode terminated on IEC 60793-2-10 category A1a fibre

Description		Performance	
Coupling mechanism:	latch push-pull	Application:	For use in customer premises IEC category C environment
Configuration:	plug/adaptor/plug	Random mate attenuation:	Grade B _M : 0,60 dB for ≥ 97% and 0,35 dB mean @ 850 nm Grade C _M : 1,0 dB for ≥ 97% and 0,50 dB mean @ 850 nm
Fibre category:	IEC 60793-2-10, category A1a	Random mate return loss:	≥ 20 dB
Cable type	see Clause 4		

iTeh STANDARD PREVIEW

Outline and maximum dimensions:
(standards.iteh.ai)



FIBRE OPTIC INTERCONNECTING DEVICES AND PASSIVE COMPONENTS – FIBRE OPTIC CONNECTOR PRODUCT SPECIFICATIONS –

Part 1-1: LC-PC duplex multimode connectors terminated on IEC 60793-2-10 category A1a fibre

1 Scope

This International Standard contains the initial, start-of-life dimensional, optical, mechanical and environmental performance requirements which a terminated and assembled multimode resilient alignment sleeve LC-PC duplex connector set (plug/adaptor/plug) should meet in order for it to be categorized as an International Standard product.

Since different variants are permitted, product marking details are given in 3.6.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60793-2-10, *Optical fibres - Part 2-10: Product specifications – Sectional specification for category A1 multimode fibres*

IEC 61300-2-1, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-1: Tests – Vibration (sinusoidal)*

IEC 61300-2-2, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures - Part 2-2: Tests - Mating durability*

IEC 61300-2-4, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-4: Tests – Fibre/cable retention*

IEC 61300-2-6, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-6: Tests – Tensile strength of coupling mechanism*

IEC 61300-2-12, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-12: Tests – Impact*

IEC 61300-2-17, *Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-17: Tests - Cold*

IEC 61300-2-18, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-18: Tests – Dry heat – High temperature endurance*

IEC 61300-2-19, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-19: Tests – Damp heat (steady state)*

IEC 61300-2-22, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 2-22: Tests – Change of temperature*