

SLOVENSKI STANDARD

SIST EN 60695-11-10:2014

01-februar-2014

Nadomešča:

SIST EN 60695-11-10:2000

SIST EN 60695-11-10:2000/A1:2004

Preskušanje požarne ogroženosti - 11-10. del: Preskusni plameni - Preskusne metode s 50-vatnim vodoravnim in navpičnim plamenom (IEC 60695-11-10:2013)

Fire hazard testing - Part 11-10: Test flames - 50 W horizontal and vertical flame test methods

iTeh STANDARD PREVIEW

Prüfungen zur Beurteilung der Brandgefahr - Teil 11-10: Prüfflammen - Prüfverfahren mit einer 50-W-Prüfflamme horizontal und vertikal

[SIST EN 60695-11-10:2014](https://standards.iteh.ai/catalog/standards/sist/14e6c561-2fca-4954-819-21ca0d05fab9/sist-en-60695-11-10-2014)

Essais relatifs aux risques du feu - Partie 11-10: Flammes d'essai - Méthodes d'essai horizontale et verticale à la flamme de 50 W

Ta slovenski standard je istoveten z: EN 60695-11-10:2013

ICS:

13.220.40	Sposobnost vžiga in obnašanje materialov in proizvodov pri gorenju	Ignitability and burning behaviour of materials and products
29.020	Elektrotehnika na splošno	Electrical engineering in general

SIST EN 60695-11-10:2014

en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 60695-11-10:2014

<https://standards.iteh.ai/catalog/standards/sist/14e6c561-2eca-4954-8da9-21ca0d05fab9/sist-en-60695-11-10-2014>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 60695-11-10

August 2013

ICS 13.220.40; 29.020

Supersedes EN 60695-11-10:1999 + A1:2003

English version

**Fire hazard testing -
Part 11-10: Test flames -
50 W horizontal and vertical flame test methods
(IEC 60695-11-10:2013)**

Essais relatifs aux risques du feu -
Partie 11-10: Flamme d'essai -
Méthodes d'essai horizontal et vertical
à la flamme de 50 W
(CEI 60695-11-10:2013)

Prüfungen zur Beurteilung der
Brandgefahr -
Teil 11-10: Prüfflammen -
Prüfverfahren mit einer 50-W-Prüfflamme
horizontal und vertikal
(IEC 60695-11-10:2013)

iTeh STANDARD PREVIEW
(standards.iteh.ai)

This European Standard was approved by CENELEC on 2013-06-25. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 89/1161/FDIS, future edition 2 of IEC 60695-11-10, prepared by IEC/TC 89 "Fire hazard testing" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 60695-11-10:2013.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2014-03-25
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2016-06-25

This document supersedes EN 60695-11-10:1999 + A1:2003.

EN 60695-11-10:2013 includes the following significant technical changes with respect to EN 60695-11-10:1999 + A1:2003:

- editorial changes have been made throughout the document for the purpose of aligning EN 60695-11-10 with EN 60695-11-20.
- details on test specimen dimensions have been added to Clause 7;
- new Subclause 9.1.4 Conditioning of the cotton pad has been added;
- new Subclause 9.2.4 Evaluation of "burned to the holding clamp" has been added;
- the Bibliography has been updated and references added.

This standard shall be used in conjunction with EN 60695-11-4.

<https://standards.iteh.ai/catalog/standards/sist/14e6c561-2eca-4954-8da9-21ca0d05fab9/sist-en-60695-11-10-2014>

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

This standard covers the Principle Elements of the Safety Objectives for Electrical Equipment Designed for Use within Certain Voltage Limits (LVD - 2006/95/EC).

Endorsement notice

The text of the International Standard IEC 60695-11-10:2013 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60695-1-10:2009	NOTE	Harmonised as EN 60695-1-10:2010 (not modified).
IEC 60695-1-11:2010	NOTE	Harmonised as EN 60695-1-11:2010 (not modified).
IEC 60695-11-5:2004	NOTE	Harmonised as EN 60695-11-5:2005 (not modified).
IEC 60695-1-30:2008	NOTE	Harmonised as EN 60695-1-30:2008 (not modified).
IEC 60695-11-20	NOTE	Harmonised as EN 60695-11-20.
ISO 1043-1	NOTE	Harmonised as EN ISO 1043-1.
ISO 845	NOTE	Harmonised as EN ISO 845.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60695-4	-	Fire hazard testing - Part 4: Terminology concerning fire tests for electrotechnical products	EN 60695-4	-
IEC 60695-11-4	-	Fire hazard testing - Part 11-4: Test flames - 50 W flame - Apparatus and confirmational test method	EN 60695-11-4	-
IEC Guide 104	-	The preparation of safety publications and the use of basic safety publications and group safety publications	-	-
ISO/IEC Guide 51	-	Safety aspects - Guidelines for their inclusion in standards	-	-
ISO/IEC 13943	2008	Fire safety - Vocabulary	-	-
ISO 291	2008	Plastics - Standard atmospheres for conditioning and testing	EN ISO 291	2008
ISO 293	-	Plastics - Compression moulding of test specimens of thermoplastic materials	EN ISO 293	-
ISO 294	Series	Plastics - Injection moulding of test specimens of thermoplastic materials	EN ISO 294	Series
ISO 295	-	Plastics - Compression moulding of test specimens of thermosetting materials	EN ISO 295	-
ISO 307	-	Plastics - Polyamides - Determination of viscosity number	EN ISO 307	-
ISO 9773	-	Plastics - Determination of burning behaviour of thin flexible vertical specimens in contact with a small-flame ignition source	EN ISO 9773	-
ISO 16012	-	Plastics - Determination of linear dimensions - of test specimens	-	-

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 60695-11-10:2014

<https://standards.iteh.ai/catalog/standards/sist/14e6c561-2eca-4954-8da9-21ca0d05fab9/sist-en-60695-11-10-2014>



IEC 60695-11-10

Edition 2.0 2013-05

INTERNATIONAL STANDARD

NORME INTERNATIONALE



BASIC SAFETY PUBLICATION

PUBLICATION FONDAMENTALE DE SÉCURITÉ

Fire hazard testing – **STANDARD PREVIEW**
Part 11-10: Test flames – 50 W horizontal and vertical flame test methods
 (standards.iteh.ai)

Essais relatifs aux risques du feu –
Partie 11-10: Flammes d'essai – Méthodes d'essai horizontal et vertical à la
flamme de 50 W

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX

W

ICS 13.220.40; 29.020

ISBN 978-2-83220-796-3

Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references	7
3 Terms and definitions	8
4 Principle	11
5 Significance of the fire tests	12
5.1 Vertical and horizontal testing	12
5.2 Limitations on the use of test results	12
5.3 Physical properties that can affect burning behaviour	12
5.4 Shrinkage and distortion.....	12
5.5 Effects of test specimen conditioning.....	12
6 Apparatus.....	12
6.1 Laboratory fume hood/chamber	12
6.2 Laboratory burner.....	13
6.3 Support stand.....	13
6.4 Timing device.....	13
6.5 Measuring scale.....	13
6.6 Wire gauze.....	13
6.7 Conditioning chamber.....	13
6.8 Micrometer	13
6.9 HB support fixture.....	13
6.10 Desiccator.....	13
6.11 Air-circulating oven.....	14
6.12 Cotton pads.....	14
7 Test specimens	14
7.1 Test specimen preparation	14
7.2 Test specimen dimensions	14
7.3 Testing materials – ranges in formulations	15
7.3.1 General	15
7.3.2 Density, melt flows and filler/reinforcement.....	15
7.3.3 Colour	15
8 Test method A – Horizontal burning test.....	16
8.1 Conditioning and test conditions	16
8.1.1 General	16
8.1.2 “As received” conditioned test specimens	16
8.1.3 Test conditions	16
8.2 Test procedure	16
8.2.1 Test specimen marking.....	16
8.2.2 Test specimen setup.....	16
8.2.3 Flame setup.....	16
8.2.4 Application of flame and use of the HB support fixture.....	17
8.2.5 Method and observations.....	17
8.3 Calculation	17
8.4 Classification.....	17

ITeH STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 60695-11-10:2014](http://standards.iteh.ai/catalog/standards/sist/14e6c561-2eca-4954-8da9-21ca0d05fab9/sist-en-60695-11-10-2014)

<http://standards.iteh.ai/catalog/standards/sist/14e6c561-2eca-4954-8da9-21ca0d05fab9/sist-en-60695-11-10-2014>

8.4.1	General	17
8.4.2	HB classification	18
8.4.3	HB40 classification	18
8.4.4	HB75 classification	18
8.5	Test report	18
9	Test method B – Vertical burning test	19
9.1	Conditioning and test conditions	19
9.1.1	General	19
9.1.2	“As received” conditioned test specimens	19
9.1.3	Oven conditioned test specimens	19
9.1.4	Conditioning of the cotton pads	19
9.1.5	Test conditions	19
9.2	Test procedure	19
9.2.1	Test specimen setup	19
9.2.2	Flame setup	19
9.2.3	Flame application and observations	20
9.2.4	Evaluation of “burned to the holding clamp”	21
9.2.5	Criteria for retest	21
9.3	Calculation of the total afterflame time, t_f	21
9.4	Classification	21
9.5	Test report	22
Annex A (informative)	Precision of test method A	34
Annex B (informative)	Precision of test method B	35
Bibliography	36
Figure 1	– Horizontal burning test apparatus	23
Figure 2	– Flexible test specimen support fixture – method A	24
Figure 3	– Vertical burning test apparatus – method B	25
Figure 4	– Bar test specimen	26
Figure 5	– Optional clearance gauge	27
Figure 6	– Clearance gauge	28
Figure 7	– Flame application	29
Figure 8	– Flame application when there are molten drips	30
Figure 9	– HB Specimen Gauge (Example)	30
Figure 10	– V Specimen Gauge (Example)	31
Figure 11	– Flame front position not classified as “burned to the holding clamp”	32
Figure 12	– Flame front position classified as “burned to the holding clamp”	33
Table 1	– Thickness tolerances	15
Table 2	– Criteria for vertical burning classification	21
Table A.1	– Linear burning rate	34
Table B.1	– Afterflame time and afterflame plus afterglow times	35

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FIRE HAZARD TESTING –

Part 11-10: Test flames –
50 W horizontal and vertical flame test methods

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
<https://standards.iteh.ai/catalog/standards/sist/14e6c561-2cca-4954-8da9-21ca0d05fab9/sist-en-60695-11-10-2014>
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60695-11-10 has been prepared by IEC technical committee 89: Fire hazard testing.

The text of this standard is based on the following documents:

FDIS	Report on voting
89/1161/FDIS	89/1165/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

This second edition cancels and replaces the consolidated version of IEC 60695-11-10 published in 2003 and constitutes a technical revision.

The main changes with respect to the first edition are listed below:

- Editorial changes have been made throughout the document for the purpose of aligning IEC 60695-11-10 with IEC 60695-11-20.
- Details on test specimen dimensions have been added to Clause 7.
- New Subclause 9.1.4 Conditioning of the cotton pad has been added.
- New Subclause 9.2.4 Evaluation of “burned to the holding clamp” has been added.
- New Annex C with examples of datasheets has been added.
- The Bibliography has been updated and references added.

It has the status of a basic safety publication in accordance with IEC Guide 104 and ISO/IEC Guide 51.

This International Standard is to be used in conjunction with IEC 60695-11-4.

A list of all the parts in the IEC 60695 series, under the general title *Fire hazard testing*, can be found on the IEC website.

Part 11 consists of the following parts:

- STANDARD PREVIEW**
(standards.iteh.ai)
- Part 11-2: *Test flames – 1 kW nominal pre-mixed flame – Apparatus, confirmatory test arrangement and guidance*
- Part 11-3: *Test flames – 500 W flames – Apparatus and confirmational test methods*
- Part 11-4: *Test flames – 50 W flame – Apparatus and confirmational test method*
- Part 11-5: *Test flames – Needle-flame test method – Apparatus, confirmatory test arrangement and guidance*
- Part 11-10: *Test flames – 50 W horizontal and vertical flame test methods*
- Part 11-11: *Test flames – Determination of the characteristic heat flux for ignition from a non-contacting flame source*
- Part 11-20: *Test flames – 500 W flame test methods*
- Part 11-30: *Test flames – History and development from 1979 to 1999*
- Part 11-40: *Test flames – Confirmatory tests – Guidance*

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

In the design of any electrotechnical product, the risk of fire and the potential hazards associated with fire need to be considered. In this respect the objective of component, circuit, and product design, as well as the choice of materials, is to reduce to acceptable levels the potential risks of fire during normal operating conditions, reasonable foreseeable abnormal use, malfunction, and/or failure. IEC Technical Committee 89 has developed IEC 60695-1-10, together with its companion, IEC 60695-1-11, to provide guidance on how this is to be accomplished.

The primary aims of IEC 60695-1-10 and IEC 60695-1-11 are to provide guidance on how:

- a) to prevent ignition caused by an electrically energized component part, and
- b) to confine any resulting fire within the bounds of the enclosure of the electrotechnical product in the event of ignition.

Secondary aims of these documents include the minimization of any flame spread beyond the product's enclosure and the minimization of harmful effects of fire effluents such as heat, smoke, toxicity and/or corrosivity.

Fires involving electrotechnical products can also be initiated from external non-electrical sources. Considerations of this nature should be dealt with in the overall fire hazard assessment.

This part of IEC 60695 describes the test procedures for small scale tests to be carried out on materials used in electrotechnical equipment. A 50-W test flame is used as an ignition source. The test methods described provide classifications which may be used for quality assurance, the pre-selection of component materials of products, or to verify the required minimum flammability classification of materials used in end products.

<https://standards.iteh.ai/catalog/standards/sist/14e6c561-2eca-4954-8da9-71e9d055b1e7/iec-60695-11-10-2014>

These test methods should not be used solely to describe or appraise the fire hazard or fire risk of materials, products, or assemblies under actual fire conditions. However, results of these test methods may be used as elements of a fire hazard assessment which takes into account all of the factors which are pertinent to a particular end use.

This international standard may involve hazardous materials, operations, and equipment. It does not purport to address all of the safety problems associated with its use. It is the responsibility of the user of this international standard to establish appropriate safety and health practices and determine the applicability of regulatory limitations prior to use.

FIRE HAZARD TESTING –

Part 11-10: Test flames – 50 W horizontal and vertical flame test methods

1 Scope

This part of IEC 60695 specifies small-scale laboratory test procedures intended to compare the burning behaviour of different materials used in electrotechnical products when vertically or horizontally oriented test bar specimens are exposed to a small flame ignition source with a nominal thermal power of 50 W. These test methods determine either the linear burning rate or the self-extinguishing properties of materials.

These test methods are applicable to solid and cellular materials that have an apparent density of more than 250 kg/m³, determined in accordance with ISO 845.

Two test methods are described. Method A is a horizontal burning test and is intended to determine the linear burning rate of materials under specific test conditions. Method B is a vertical burning test and is intended to determine whether materials self-extinguish under specific test conditions.

NOTE 1 ISO 9772 [8]¹ describes a test method for the determination of the burning characteristics to be used for materials with an apparent density of 250 kg/m³ or less. ISO 9773 describes a test method for the determination of the burning behaviour to be used for materials that due to their thinness, either distort and/or are burned up to the holding clamp using Method B of this standard.

The test methods described provide classifications (see 8.4 and 9.4), which may be used for quality assurance, the pre-selection of component materials of products, or to verify the required minimum flammability classification of materials used in end products.

NOTE 2 Guidance on pre-selection is given in IEC 60695-1-30.

This basic safety publication is intended for use by technical committees in the preparation of standards in accordance with the principles laid down in IEC Guide 104 and ISO/IEC Guide 51.

One of the responsibilities of a technical committee is, wherever applicable, to make use of basic safety publications in the preparation of its publications. The requirements, test methods or test conditions of this basic safety publication will not apply unless specifically referred to or included in the relevant publications.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60695-4, *Fire hazard testing – Part 4: Terminology concerning fire tests for electrotechnical products*

¹ Figures in square brackets refer to the bibliography.