

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE

Household and similar electrical appliances – Safety –  
Part 2-43: Particular requirements for clothes dryers and towel rails

Appareils électrodomestiques et analogues – Sécurité –  
Partie 2-43: Exigences particulières pour les appareils de séchage du linge  
et les sèche-serviettes



**THIS PUBLICATION IS COPYRIGHT PROTECTED**  
**Copyright © 2017 IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

#### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

#### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

#### IEC publications search - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

#### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary on electrotechnology, containing more than 22,000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)

67,000 electrotechnical terminology entries in English and French, extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

#### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

#### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Recherche de publications IEC - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

#### Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [sales@iec.ch](mailto:sales@iec.ch).

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

#### Glossaire IEC - [std.iec.ch/glossary](http://std.iec.ch/glossary)

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE

---

Household and similar electrical appliances – Safety –  
Part 2-43: Particular requirements for clothes dryers and towel rails

Appareils électrodomestiques et analogues – Sécurité –  
Partie 2-43: Exigences particulières pour les appareils de séchage du linge  
et les sèche-serviettes

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

---

ICS 13.120; 97.060

ISBN 978-2-8322-9103-0

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

FOREWORD.....	3
INTRODUCTION.....	5
1 Scope.....	6
2 Normative references .....	6
3 Terms and definitions .....	6
4 General requirement.....	7
5 General conditions for the tests .....	7
6 Classification.....	7
7 Marking and instructions.....	8
8 Protection against access to live parts.....	8
9 Starting of motor-operated appliances .....	8
10 Power input and current.....	8
11 Heating.....	8
12 Void.....	9
13 Leakage current and electric strength at operating temperature.....	9
14 Transient overvoltages .....	9
15 Moisture resistance.....	9
16 Leakage current and electric strength.....	10
17 Overload protection of transformers and associated circuits .....	10
18 Endurance .....	10
19 Abnormal operation.....	10
20 Stability and mechanical hazards.....	12
21 Mechanical strength .....	12
22 Construction .....	12
23 Internal wiring.....	13
24 Components .....	13
25 Supply connection and external flexible cords .....	13
26 Terminals for external conductors.....	13
27 Provision for earthing .....	13
28 Screws and connections .....	13
29 Clearances, creepage distances and solid insulation .....	13
30 Resistance to heat and fire .....	13
31 Resistance to rusting.....	14
32 Radiation, toxicity and similar hazards.....	14
Annexes .....	15
Bibliography.....	16

STANDARD PREVIEW  
(standards.iteh.ai)

[IEC 60335-2-43:2017](#)

[http://standards.iteh.ai/catalog/standards/sist/081fc543-d789-46a1-aca4-](#)

[742b5aa8178b/iec-60335-2-43-2017](#)

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES –  
SAFETY –****Part 2-43: Particular requirements for  
clothes dryers and towel rails**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60335-2-43 has been prepared by IEC technical committee 61: Safety of household and similar electrical appliances.

This fourth edition cancels and replaces the third edition published in 2002 including its Amendment 1 (2005) and its Amendment 2 (2008). This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- requirements for clothes dryers intended for drying footwear or gloves have been introduced (1, 3.1.9, 6.2, 11.8, 19.1, 19.13, 19.101, 19.102, 22.40, 23.3).

The text of this International Standard is based on the following documents:

CDV	Report on voting
61/5290/CDV	61/5376A/RVC

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 60335 series, under the general title: *Household and similar electrical appliances – Safety*, can be found on the IEC website.

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments. It was established on the basis of the fifth edition (2010) of that standard.

NOTE 1 When “Part 1” is mentioned in this standard, it refers to IEC 60335-1.

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Safety requirements for clothes dryers and towel rails.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states “addition”, “modification” or “replacement”, the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- *test specifications: in italic type;*
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

NOTE 4 The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations may need a transitional period following publication of a new, amended or revised IEC publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests.

It is the recommendation of the committee that the content of this publication be adopted for implementation nationally not earlier than 12 months or later than 36 months from the date of publication.

## INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

When a part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

NOTE 1 This means that the technical committees responsible for the part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

NOTE 2 Horizontal and generic standards covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards. For example, in the case of temperature requirements for surfaces on many appliances, generic standards, such as ISO 13732-1 for hot surfaces, are not applicable in addition to Part 1 or part 2 standards.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

# HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

## Part 2-43: Particular requirements for clothes dryers and towel rails

### 1 Scope

This clause of Part 1 is replaced by the following.

This part of IEC 60335 deals with the safety of electric clothes dryers for drying textiles on racks located in a warm airflow, **clothes dryers** intended for drying footwear or gloves and to electric **towel rails**, for household and similar purposes, their **rated voltage** being not more than 250 V.

NOTE 101 The clothes racks can be fixed or free-standing in a cabinet. The air circulation can be natural or forced.

Appliances not intended for normal household use but that nevertheless may be a source of danger to the public, such as appliances intended to be used by laymen in shops, in light industry and on farms, are within the scope of this standard.

As far as is practicable, this standard deals with the common hazards presented by appliances that are encountered by all persons in and around the home. However, in general, it does not take into account

- persons (including children) whose
  - physical, sensory or mental capabilities; or
  - lack of experience and knowledge
 prevents them from using the appliance safely without supervision or instruction;
- children playing with the appliance.

NOTE 102 Attention is drawn to the fact that

- for appliances intended to be used in vehicles or on board ships or aircraft, additional requirements may be necessary;
- in many countries, additional requirements are specified by the national health authorities, the national authorities responsible for the protection of labour and similar authorities.

NOTE 103 This standard does not apply to

- spin extractors (IEC 60335-2-4);
- tumble dryers (IEC 60335-2-11);
- appliances intended exclusively for industrial purposes;
- appliances intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas).

### 2 Normative references

This clause of Part 1 is applicable.

### 3 Terms and definitions

This clause of Part 1 is applicable except as follows.



### 3.1.9 Replacement:

#### normal operation

operation of the appliance under the following conditions

Textiles positioned over the racks or rails in accordance with the instructions. The textiles are pre-washed, double-hemmed cotton sheets having dimensions approximately 700 mm × 700 mm and a specific mass between 140 g/m<sup>2</sup> and 175 g/m<sup>2</sup> in the dry condition.

Four layers of textiles are used for appliances having a heated surface supporting the textiles. One layer is used for appliances in which the textiles are dried by a warm airflow.

Note 101 to entry: In case of doubt, the cotton sheets are conditioned for at least 24 h at a temperature of 20 °C ± 5 °C and a relative humidity of (60 ± 5) %.

For **clothes dryers** intended for drying footwear or gloves, having loads that cover all of the air outlets, if any, the air outlets are blocked with a number of layers of textile material that results in the most unfavourable condition without operation of a **protective device**.

### 3.5 Additional definitions:

#### 3.5.101

##### clothes dryer

appliance that does not have a mechanical action such as tumbling or spinning that is intended to dry clothes by air flow

Note 1 to entry: These appliances may also be suitable to dry footwear, gloves and the like.

#### 3.5.102

##### towel rail

appliance to hold, warm and dry towels

Note 1 to entry: These appliances may also be suitable to dry swimwear, bath robes or the like.

### 3.6 Additional definition:

#### 3.6.101

##### free space

space with a volume exceeding 60 l where a child can be entrapped and which is accessible after opening any door or lid and removing any **detachable internal part**, including shelves and containers

Note 1 to entry: In calculating the volume, a space with any single dimension not exceeding 150 mm or any two orthogonal dimensions, each of which do not exceed 200 mm, is ignored.

## 4 General requirement

This clause of Part 1 is applicable.

## 5 General conditions for the tests

This clause of Part 1 is applicable.

## 6 Classification

This clause of Part 1 is applicable except as follows.

### 6.2 Addition:

**Clothes dryers** intended for drying footwear or gloves that when in use have electrical components located below or inserted inside the footwear or gloves shall be at least IPX2. All other appliances shall be at least IPX1.

## 7 Marking and instructions

This clause of Part 1 is applicable except as follows.

### 7.12 Addition:

The instructions for **clothes dryers** shall include the substance of the following:

WARNING: This appliance is intended only for drying textiles washed in water.

#### 7.12.1 Addition:

The installation instructions for **fixed towel rails** shall include the substance of the following:

WARNING: In order to avoid a hazard for very young children, this appliance should be installed so that the lowest heated rail is at least 600 mm above the floor.

The instructions for **fixed towel rails** likely to be used in a bathroom shall state that the **towel rail** is to be installed so that switches and other controls cannot be touched by a person in the bath or shower. This instruction is not necessary if the **towel rail** is at least IPX4.

## 8 Protection against access to live parts

This clause of Part 1 is applicable. [IEC 60335-2-43:2017  
https://standards.iteh.ai/catalog/standards/sist/081fe543-d789-46a1-aca4-742b5aa8178b/iec-60335-2-43-2017](https://standards.iteh.ai/catalog/standards/sist/081fe543-d789-46a1-aca4-742b5aa8178b/iec-60335-2-43-2017)

## 9 Starting of motor-operated appliances

This clause of Part 1 is not applicable.

## 10 Power input and current

This clause of Part 1 is applicable.

## 11 Heating

This clause of Part 1 is applicable except as follows.

### 11.1 Addition:

**Towel rails** are also subjected to the test of 11.101.

### 11.4 Addition:

*If the temperature rise limits are exceeded in appliances incorporating motors, transformers or electronic circuits, and the power input is lower than the **rated power input**, the test is repeated with the appliance supplied at 1,06 times **rated voltage**.*

### 11.6 Addition:

**Combined appliances** are operated as **heating appliances**.

**11.7 Replacement:**

*Appliances are operated until steady conditions are established.*

*If drying action is controlled by a timer, clothes dryers are operated for two cycles with the timer set to the maximum time.*

**11.8 Addition:**

*The temperature rise of the textiles shall not exceed 75 K.*

*The temperature rise at the air outlet of **clothes dryers** intended for drying footwear or gloves shall not exceed the limits of Table 3 for handles held for short periods only.*

*The temperature rise limits of motors, transformers and components of **electronic circuits**, including parts directly influenced by them, may be exceeded when the appliance is operated at 1,15 times **rated power input**.*

*For oil-filled appliances, the temperature rise of parts in contact with oil is not measured.*

**11.101 Towel rails are operated at **rated power input** but without textiles.**

*The temperature rises of the surface shall not exceed the following values:*

- metal and painted metal 60 K
- vitreous enamelled metal 65 K
- glass and ceramic surfaces 70 K
- plastic having a thickness exceeding 0,3 mm 85 K

*The temperature rise limit of 85 K also applies for plastic material having a metal finish of thickness less than 0,1 mm.*

NOTE When the thickness of the plastic coating does not exceed 0,3 mm, the temperature rise limits of the supporting material apply.

**12 Void****13 Leakage current and electric strength at operating temperature**

This clause of Part 1 is applicable.

**14 Transient overvoltages**

This clause of Part 1 is applicable.

**15 Moisture resistance**

This clause of Part 1 is applicable except as follows.

**15.2 Replacement:**

**Clothes dryers**, in which electrical components are located below the textiles, shall be constructed so that dripping water does not affect their electrical insulation.

Compliance is checked by the following test.

**Clothes dryers with type X attachment**, except those having a specially prepared cord, are fitted with the lightest permissible type of flexible cord of the smallest cross-sectional area specified in Table 13.

Water containing approximately 1 % NaCl is dripped at a rate of 12 ml/min from a height just above the top rail. It is uniformly distributed over the usable area, 3 l of solution being used for each cubic metre of usable volume.

NOTE 101 The following dimensions are used to calculate the usable volume:

- height, maximum distance between the top of the uppermost rail and the top surface of the heating unit;
- width, length of the longest rail;
- depth, overall horizontal distance between the outer rails.

The appliance shall then withstand the electric strength test of 16.3 and inspection shall show that there is no trace of water on insulation that could result in a reduction of **clearances** and **creepage distances** below the values specified in Clause 29.

## 16 Leakage current and electric strength

This clause of Part 1 is applicable.

## 17 Overload protection of transformers and associated circuits

This clause of Part 1 is applicable.

## 18 Endurance

<https://standards.iteh.ai/catalog/standards/sist/081fe543-d789-46a1-aca4-742b5aa8178b/iec-60335-2-43-2017>

This clause of Part 1 is not applicable.

## 19 Abnormal operation

This clause of Part 1 is applicable except as follows.

### 19.1 Addition:

For each of the tests, new textiles are used.

**Clothes dryers** intended for drying footwear or gloves are subjected to the tests of 19.101 and 19.102.

### 19.2 Addition:

For appliances having a heated surface that supports the textiles, eight layers of textiles are used. For appliances in which the textiles are dried by a warm airflow, two layers of textiles are placed on the heating element guard or over the air inlet if the heating unit is located above the textiles.

The test is carried out with the textiles completely covering the guard or air inlet and then with the textiles covering 80 % of the area of the guard or air inlet, taking into account different positions of the textiles in order to find the most unfavourable condition.