



Edition 2.0 2017-12

INTERNATIONAL STANDARD

Household and similar electrical appliances – Safety – Part 2-102: Particular requirements for gas, oil and solid-fuel burning appliances having electrical connections

Document Preview

IEC 60335-2-102:2017

https://standards.iteh.ai/catalog/standards/iec/0852a6a6-0205-4d25-a362-fb90c4a5a90c/iec-60335-2-102-2017





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2017 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office	Tel.: +41 22 919 02 11
3, rue de Varembé	Fax: +41 22 919 03 00
CH-1211 Geneva 20	info@iec.ch
Switzerland	www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc If you wish to give us your feedback on this publication or

need further assistance, please contact the Customer Service Centre: csc@iec.ch.

EC 60335-2-102:2017

https://standards.iteh.ai/catalog/standards/iec/0852a6a6-0205-4d25-a362-fb90c4a5a90c/iec-60335-2-102-2017





Edition 2.0 2017-12

INTERNATIONAL STANDARD

Household and similar electrical appliances – Safety – Part 2-102: Particular requirements for gas, oil and solid-fuel burning appliances having electrical connections

Document Preview

IEC 60335-2-102:2017

https://standards.iteh.ai/catalog/standards/iec/0852a6a6-0205-4d25-a362-fb90c4a5a90c/iec-60335-2-102-2017

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 97.100.20, 97.100.30, 13.120

ISBN 978-2-8322-4843-0

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FO	REWORD	
	RODUCTION	
1	Scope	
2	Normalive references	
3	Perms and definitions	
4	General requirement	
5	General conditions for the tests	
6	Classification	
(Marking and instructions	
8	Protection against access to live parts	
9	Starting of motor-operated appliances	
10	Power input and current	
11	Heating	
12	Void	
13	Leakage current and electric strength at operating temperature9	
14	Transient overvoltages	
15	Moisture resistance9	
16	Leakage current and electric strength	
17	Overload protection of transformers and associated circuits	
18	Endurance	
19	Abnormal operation	
20	Stability and mechanical hazards11	
21	Mechanical strength	
22	Construction	
23	Internal wiring13	
24	Components	
25	Supply connection and external flexible cords	
26	Terminals for external connections13	
27	Provision for earthing13	
28	Screws and connections	
29	Clearances, creepage distances and solid insulation13	
30	Resistance to heat and fire	
31	Resistance to rusting14	
32	Radiation, toxicity and similar hazards14	
Ann	nexes	
Bibl	liography16	
Figu	ure 101 – Pulse waveform14	
Tab	le 101 – Accessible spark-ignition circuit limits8	

INTERNATIONAL ELECTROTECHNICAL COMMISSION

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-102: Particular requirements for gas, oil and solid-fuel burning appliances having electrical connections

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.

5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.

- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60335-2-102 has been prepared by IEC technical committee 61: Safety of household and similar electrical appliances.

This second edition cancels and replaces the first edition published in 2004 including its Amendment 1 (2008) and its Amendment 2 (2012). This edition constitutes constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a spillage test is introduced for appliances that have a flat surface on which a cup may be placed (15.101);
- terms and definitions were renumbered;
- some notes have been converted to normative text or deleted (19.11.2, 22.103).

The text of this International Standard is based on the following documents:

CDV	Report on voting
61/5295/CDV	61/5381A/RVC

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 60335 series, under the general title: *Household and similar electrical appliances – Safety*, can be found on the IEC website.

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments. It was established on the basis of the fifth edition (2010) of that standard.

NOTE 1 When "Part 1" is mentioned in this standard, it refers to IEC 60335-1.

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Safety requirements for gas, oil and solid-fuel burning appliances having electrical connections.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification" or "replacement", the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;

additional annexes are lettered AA, BB, etc. 60335-2-102:2017

https://standards.iteh.ai/catalog/standards/iec/0852a6a6-0205-4d25-a362-fb90c4a5a90c/iec-60335-2-102-2017 NOTE 3 The following print types are used:

requirements: in roman type;

- test specifications: in italic type;
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

NOTE 4 The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations may need a transitional period following publication of a new, amended or revised IEC publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests.

It is the recommendation of the committee that the content of this publication be adopted for implementation nationally not earlier than 12 months or later than 36 months from the date of publication.

INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

When a part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

NOTE 1 This means that the technical committees responsible for the part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

NOTE 2 Horizontal and generic standards covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards. For example, in the case of temperature requirements for surfaces on many appliances, generic standards, such as ISO 13732-1 for hot surfaces, are not applicable in addition to Part 1 or part 2 standards.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

- 6 -

Part 2-102: Particular requirements for gas, oil and solid-fuel burning appliances having electrical connections

1 Scope

This clause of Part 1 is replaced by the following.

This International Standard deals with the safety of gas, oil and solid-fuel burning appliances having electrical connections, for household and similar purposes, their **rated voltage** being not more than 250 V for single-phase appliances and 480 V for other appliances.

This standard covers the electrical safety and some other safety aspects of these appliances. All safety aspects are covered when the appliance also complies with the relevant standard for the fuel-burning appliance. If the appliance incorporates electric heating sources, safety aspects concerning these electric sources are covered when the appliance also complies with the relevant part 2 of IEC 60335.

NOTE 101 Examples of appliances within the scope of this standard are

- central heating boilers; creating v/standards itch ai
- commercial catering equipment;
- cooking appliances;

warm air heaters;

- laundry and cleaning appliances;
- room heaters;
- IEC 60335-2-102:2017

https://=tar.water.heaters/catalog/standards/iec/0852a6a6-0205-4d25-a362-fb90c4a5a90c/iec-60335-2-102-2017

Appliances not intended for normal household use but which nevertheless may be a source of danger to the public, such as appliances intended to be used by laymen in shops, in light industry and on farms, are within the scope of this standard.

This standard deals with the reasonably foreseeable hazards presented by appliances that are encountered by all persons.

However, in general, it does not take into account

- persons (including children) whose
 - physical, sensory or mental capabilities; or
 - lack of experience and knowledge
 - prevents them from using the appliance safely without supervision or instruction;
- children playing with the appliance.

NOTE 102 Attention is drawn to the fact that

- for appliances intended to be used in vehicles or on board ships or aircraft, additional requirements may be necessary;
- in many countries, additional requirements are specified by the national health authorities, the national authorities responsible for the protection of labour and similar authorities.

NOTE 103 This standard does not apply to

appliances intended exclusively for industrial purposes;

IEC 60335-2-102:2017 © IEC 2017 - 7 -

 appliances intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas).

2 Normative references

This clause of Part 1 is applicable except as follows.

Addition:

IEC 61558-2-3, Safety of transformers, reactors, power supply units and combinations thereof – Part 2-3: Particular requirements and tests for ignition transformers for gas and oil burners

ISO 3808, Road vehicles – Unscreened high-voltage ignition cables – General specifications, test methods and requirements

3 Terms and definitions

This clause of Part 1 is applicable except as follows.

3.5.101

spark-ignition circuit

electrical circuit for producing sparks which ignite gaseous or liquid fuel

3.8.101

lock-out shut-down requiring a manual operation to restart the appliance

3.8.102

shut-down

de-energization of a control resulting from the action of a limiting device or detection of a fault in the control system, thus stopping the flow of gaseous or liquid fuel

tps://standards.iteh.ai/catalog/standards/iec/0852a6a6-0205-4d25-a362-fb90c4a5a90c/iec-60335-2-102-2017

4 General requirement

This clause of Part 1 is applicable.

5 General conditions for the tests

This clause of Part 1 is applicable except as follows.

5.2 Addition:

A separate appliance may be used for the tests carried out on the fuel-burning appliance, in accordance with its relevant standard.

The tests of this standard may be carried out in conjunction with the tests of another part 2, if applicable.

5.3 Addition:

If a test has been carried out in accordance with the fuel-burning appliance standard, it is not repeated.

5.4 Addition:

When the appliance incorporates electric heating sources, the tests are carried out with all parts of the appliance in operation, as allowed by the construction.

5.101 Appliances are supplied as specified for **motor-operated appliances**.

6 Classification

This clause of Part 1 is applicable.

7 Marking and instructions

This clause of Part 1 is applicable.

8 **Protection against access to live parts**

This clause of Part 1 is applicable except as follows.

8.1 Addition:

The requirement does not apply to accessible parts of spark-ignition circuits.

8.101 Parts of the **spark-ignition circuits** shall not be accessible if the limits in Table 101 are exceeded, unless they are piezoelectric igniters:

Table 101 – Ac	cessible spark	-ignition cir	cuit limits
	liment	Previe	

		Pulse duration (<i>d</i>)		
	Interval between pulses (<i>t</i>)	d ≤ 0,1 ms	0,1 ms < <i>d</i> ≤ 100 ms	<i>d</i> > 100 ms
ps://	standard $t < 40 \text{ ms}_{catalog/s}$	$V_{\rm o} \le 10$ kV and $I \le 0.7$ mA	$V_{\rm o} \le 10$ kV and $I \le 0.7$ mA	a5a90c/iec-60335-2-102
1	40 ms ≤ <i>t</i> < 250 ms	45 μC/pulse	$V_{\rm o} \leq 10$ kV and $I \leq 0.7$ mA	$V_{o} \le 10$ kV and $l \le 0.7$ mA (only applicable if $d < t$) ^a
	<i>t</i> ≥ 250 ms	100 μC/pulse	100 μC/pulse	$V_{\rm o} \le 10 \text{ kV}$ and $I \le 0.7 \text{ mA}$
	NOTE 1 For the pulse dur NOTE 2 V_{o} is the no-load	ation (<i>d</i>) and the interval betwood to be the interval betwood to be the ignition circuit	ween pulses (<i>t</i>), see also Fig . <i>V_o and I</i> are peak values.	ure 101.

Compliance is checked by inspection, by applying test probe B of IEC 61032 as described in 8.1.1 and by the following test.

The **spark-ignition circuit** is operated and the pulse duration measured across the spark gap until it has reduced to 10 % of its peak value, as shown in Figure 101.

A resistor having a nominal non-inductive resistance of 2 000 Ω is connected across the spark gap and the voltage measured. The current flowing through the resistor is calculated from the voltage measured across it.

The quantity of electricity in the discharge is calculated from the current and duration of the pulse.