

INTERNATIONAL STANDARD



**Digital living network alliance (DLNA) home networked device interoperability
guidelines –
Part 1-3: Architecture and protocols – Cloud access**

[IEC 62481-1-3:2017](https://standards.iteh.ai/catalog/standards/sist/3d7330a4-ac5e-4cf4-b371-c3a62e3e670d/iec-62481-1-3-2017)

[https://standards.iteh.ai/catalog/standards/sist/3d7330a4-ac5e-4cf4-b371-
c3a62e3e670d/iec-62481-1-3-2017](https://standards.iteh.ai/catalog/standards/sist/3d7330a4-ac5e-4cf4-b371-c3a62e3e670d/iec-62481-1-3-2017)



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2017 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

IEC 62481-1-3:2017
INTERNATIONAL STANDARD
(standards.iteh.ai)
c3a62e3e670d/iec-62481-1-3-2017

INTERNATIONAL STANDARD



**Digital living network alliance (DLNA) home networked device interoperability
guidelines –
Part 1-3: Architecture and protocols – Cloud access**

IEC 62481-1-3:2017

<https://standards.iteh.ai/catalog/standards/sist/3d7330a4-ac5e-4cf4-b371-c3a62e3e670d/iec-62481-1-3-2017>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 33.160; 35.100.05; 35.110

ISBN 978-2-8322-4539-2

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	3
INTRODUCTION.....	5
1 Scope.....	6
2 Normative references	6
3 Terms, definitions and conventions.....	6
3.1 General terms	7
3.2 Conventions.....	8
4 Networking architecture, device models and guideline conventions	8
4.1 DLNA home networking architecture	8
4.2 Document conventions and conventions	8
4.3 Guideline structure and layout	8
5 Cloud Access Device Model and Device Function.....	8
5.1 Device Model	8
5.2 Device Function	8
6 Cloud Access Device Function guidelines.....	8
6.1 Implementation requirements	8
6.2 Cloud Service and parameter syntax.....	9
6.2.1 Cloud-service-name type syntax	9
6.2.2 ProtocolInfo syntax.....	9
6.2.3 dlina-service URI syntax (cloudservice-URI).....	9
6.2.4 upnp:resExt::dlina:serviceInitialization element syntax.....	10
6.3 Cloud Service advertisement.....	10
6.3.1 Cloud Service advertisement UPnP service	10
6.3.2 Cloud Service advertisement element.....	10
6.3.3 HTML5 RUI Cloud Service advertisement element.....	11
6.3.4 Cloud Service advertisement element detail	11
6.3.5 Cloud Service advertisement search support	12
6.3.6 dlina-service URI advertisement	12
6.3.7 Support for dlina-service URI.....	12
6.3.8 Support for dlina-service URI without app-id-parameter	12
6.3.9 Support for dlina-service URI with app-id-parameter.....	13
6.4 Service invocation.....	13
6.4.1 Service invocation only if Cloud Access is supported	13
6.4.2 Service initialization parameters	13
Annex A (informative) Cloud Service access and device interaction.....	14
A.1 Cloud Service access model	14
A.2 Cloud device interaction.....	14
Figure 0.1 – Cloud device interaction.....	15

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**DIGITAL LIVING NETWORK ALLIANCE (DLNA) HOME
NETWORKED DEVICE INTEROPERABILITY GUIDELINES –****Part 1-3: Architecture and protocols – Cloud access****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62481-1-3 has been prepared under technical area 8: Multimedia home systems and applications for end-user network IEC technical committee 100: Audio, video and multimedia systems and equipment.

The text of this International Standard is based on the following documents:

CDV	Report on voting
100/2738/CDV	100/2886/CDV

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of IEC 62481 series, published under the general title *Digital Living Network Alliance (DLNA) home networked device interoperability guidelines*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

iTeh STANDARD PREVIEW **(standards.iteh.ai)**

[IEC 62481-1-3:2017](https://standards.iteh.ai/catalog/standards/sist/3d7330a4-ac5e-4cf4-b371-c3a62e3e670d/iec-62481-1-3-2017)

<https://standards.iteh.ai/catalog/standards/sist/3d7330a4-ac5e-4cf4-b371-c3a62e3e670d/iec-62481-1-3-2017>

INTRODUCTION

Consumers are acquiring, viewing, and managing an increasing amount of digital media (photos, music, and video) on devices in the consumer electronics (CE), mobile, and personal computer (PC) domains. As such, they want to conveniently enjoy the content, regardless of the source, across different devices and locations in the home. The digital home vision integrates the Internet, mobile, and broadcast networks through a seamless, interoperable network, which will provide a unique opportunity for manufacturers and consumers alike. In order to deliver on this vision, a common set of industry design guidelines is needed that allows vendors to participate in a growing marketplace, leading to more innovation, simplicity, and value for consumers. This document serves that purpose and provides vendors with the information needed to build interoperable networked platforms and devices for the digital home.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[IEC 62481-1-3:2017](https://standards.iteh.ai/catalog/standards/sist/3d7330a4-ac5e-4cf4-b371-c3a62e3e670d/iec-62481-1-3-2017)

<https://standards.iteh.ai/catalog/standards/sist/3d7330a4-ac5e-4cf4-b371-c3a62e3e670d/iec-62481-1-3-2017>

DIGITAL LIVING NETWORK ALLIANCE (DLNA) HOME NETWORKED DEVICE INTEROPERABILITY GUIDELINES –

Part 1-3: Architecture and protocols – Cloud access

1 Scope

This part of IEC 62481 specifies guidelines for accessing content in the cloud, that is, outside of the home by devices in the home.

These Guidelines focus on the discovery, association, and control of Apps capable of augmenting DLNA devices with the ability to consume content from sources outside the home. The basic support is realized with the UPnP ApplicationManagement Service.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 62481-1-1:2017, *Digital living network alliance (DLNA) Guidelines – Part 1-1: Architecture and protocols*

IEC 62481-2:2017, *Digital living network alliance (DLNA) Guidelines – Part 2: Media format profiles*

IEC 62481-6-1:2017, *Digital living network alliance (DLNA) Guidelines – Part 6-1: HTML 5 RUI*

ISO/IEC 29341-3-10, *Information Technology – UPnP Device Architecture – Part 3-10: Audio Video Device Control Protocol – Audio Video Transport Service*

ISO/IEC 29341-3-11, *Information Technology – UPnP Device Architecture – Part 3-11: Audio Video Device Control Protocol – Connection Manager Service*

ISO/IEC 29341-20-12, *Information technology – UPnP Device Architecture – Part 20-12: Audio video device control protocol – Level 4 – Content directory service*

IETF RFC 3986, *Uniform Resource Identifier (URI): General Syntax*.
<http://www.ietf.org/rfc/rfc3986.txt>

UPnP/AMS, *ApplicationManagement:1*, UPnP Forum
[https://members.dlna.org/apps/org/workgroup/ils/download.php/30975/ApplicationManagement-v1&2_-_20140331_v0.75\[1\].zip](https://members.dlna.org/apps/org/workgroup/ils/download.php/30975/ApplicationManagement-v1&2_-_20140331_v0.75[1].zip)

3 Terms, definitions and conventions

For the purposes of this document, the terms and definitions given in IEC 62481-1-1:2017 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1 General terms

3.1.1

App

computer software application

Note 1 to entry: General shorthand for the term.

3.1.2

Cloud Content Renderer

DMR or XDMP that supports the Cloud Access Device Function

3.1.3

Cloud Service

one or more media servers outside of the home network

Note 1 to entry: Typically, it would provide content using non-DLNA means.

3.1.4

AVT

Audio Video Transport

UPnP service that provides network-based control for common transport operations such as play, stop, pause, next, previous and seek; the AVTransport service specification is a standard UPnP DCP

3.1.5

CDS

Content Directory Service

UPnP service that provides network-based discovery of content and ContentDirectory Service specification is a standard UPnP Device Control Protocol

3.1.6

DMR

Digital Media Renderer

DLNA Device Class having home network environmental characteristics, with the role of rendering content it receives after being setup by another network entity

3.1.7

DMS

Digital Media Server

DLNA Device Class having home network environmental characteristics, with the role of exposing and distributing content throughout the home

3.1.8

MSCP

Media Server Control Point

UPnP AV control point that issues actions to a DMS

3.1.9

XDMP

eXtended DMR

DLNA device class defined to combine the functionality of a Digital Media Renderer (DMR) and a Media Server Control Point (MSCP)

Note 1 to entry: This device class is equivalent to combining previous device classes known as a DMR and a DMP.

3.2 Conventions

In this document a number of terms, conditions, mechanisms, sequences, parameters, events, states, or similar terms are printed with the first letter of each word in uppercase and the rest lowercase (e.g., Move). Any lowercase uses of these words have the normal technical English meaning.

4 Networking architecture, device models and guideline conventions

4.1 DLNA home networking architecture

This document extends the DLNA home networking architecture that is defined in Clause 4 of IEC 62481-1-1:2017.

4.2 Document conventions and conventions

See Clause 6 in IEC 62481-1-1:2017 for a full description of the DLNA document conventions.

4.3 Guideline structure and layout

See 7.1 in IEC 62481-1-1:2017 for guideline and attribute table layout descriptions.

5 Cloud Access Device Model and Device Function

5.1 Device Model

Refer to Clause 5 of IEC 62481-1-1:2017 for detailed descriptions of the existing DLNA Device Model. This document extends the existing DLNA devices and system usages. See 0 for additional description on Cloud Service access models and device interaction.

5.2 Device Function

For the Cloud Access guidelines, the following Device Function is defined.

Cloud Access Device Function: this enables a Rendering Endpoint to express support for Cloud Services and the available Apps needed to render the content from Cloud Services. This complements Media Management Guidelines in Clause 10 of IEC 62481-1-1:2017.

6 Cloud Access Device Function guidelines

6.1 Implementation requirements

6.1.1

[GUIDELINE] A DLNA Device Class should implement the Cloud Access Device Function.

[ATTRIBUTES]

S	A	DMC, DMR, XDMP	M-DMC	n/a	n/a	I8OWW	
---	---	----------------	-------	-----	-----	-------	--

6.1.2

[GUIDELINE] If a DLNA Device Class implements the Cloud Access Device Function, then it shall conform to the Guidelines in 6.2, 6.3, and 6.4.

[ATTRIBUTES]

M	A	DMC, DMR, XDMR	M-DMC	n/a	n/a	8KZ67	
---	---	----------------	-------	-----	-----	-------	--

6.2 Cloud Service and parameter syntax**6.2.1 Cloud-service-name type syntax**

[GUIDELINE] The cloud-service-name type is a UTF-8 quoted-string of a fully-qualified domain name.

[ATTRIBUTES]

M	A	n/a	n/a	n/a	IETF RFC 3986	Q6M9Z	
---	---	-----	-----	-----	---------------	-------	--

[COMMENT] Example: MyService.example.com

6.2.2 ProtocolInfo syntax

[GUIDELINE] The ProtocolInfo value describing support for dlina-service URIs shall be compliant with the following definition:

cloud-protocolInfo = "dlina.org:*:dlina-service:*"

[ATTRIBUTES]

M	A	n/a	n/a	n/a	ISO/IEC 29341-3-11	LDC2P	
---	---	-----	-----	-----	--------------------	-------	--

iTeh STANDARD PREVIEW
(standards.iteh.ai)
IEC 62481-1-3:2017
<https://standards.iteh.ai/catalog/standards/sist/3d7330a4-ac5e-4cf4-b371-c3a62e3e670d/iec-62481-1-3-2017>

[COMMENT] This string is used by the Cloud Content Renderer in its ConnectionManager:SinkProtocolInfo state variable to indicate that it supports the dlina-service URI scheme.

6.2.3 dlina-service URI syntax (cloudservice-URI)

[GUIDELINE] The URI that identifies a content item located on a Cloud Service shall be compliant with the following definition:

cloudservice-URI = "dlina-service://" cloud-service-name "?" URI-parameters

cloud-service-name is defined in 6.2.1

- URI-parameters = (app-id-parameter "&" content-id-parameter) |
(content-id-parameter ["&" app-id-parameter])
- app-id-parameter = "appid=" DQUOTE app-id DQUOTE
- app-id = the application@id attribute of an <application> element in the ApplicationManagement service
- content-id-parameter = "contentid=" DQUOTE content-id DQUOTE
- content-id = 1*(ALPHA | "." | "_" | ":" | "/")

[ATTRIBUTES]

M	A	n/a	n/a	n/a	UPnP/AMS	AU9Y2	
---	---	-----	-----	-----	----------	-------	--