

IEC 62271-209 EXV

Edition 2.1 2022-09 EXTENDED VERSION

INTERNATIONAL STANDARD



This extended version of IEC 62271-209:2019+AMD1:2022 includes the content of the references made to IEC 62271-1:2017+AMD1:2021 CSV and IEC 62271-203:2011

High-voltage switchgear and controlgear – Part 209: Cable connections for gas-insulated metal-enclosed switchgear for rated voltages above 52 kV – Fluid-filled and extruded insulation cables – Fluid-filled and dry-type cable-terminations

IEC 62271-209:2019





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2022 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat 3, rue de Varembé CH-1211 Geneva 20 Switzerland Tel.: +41 22 919 02 11 info@iec.ch

www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

vice

IEC 62271-209:2019



IEC 62271-209 EXV

Edition 2.1 2022-09 EXTENDED VERSION

INTERNATIONAL STANDARD



This extended version of IEC 62271-209:2019+AMD1:2022 includes the content of the references made to IEC 62271-1:2017+AMD1:2021 CSV and IEC 62271-203:2011

High-voltage switchgear and controlgear – 12 1008

Part 209: Cable connections for gas-insulated metal-enclosed switchgear for rated voltages above 52 kV – Fluid-filled and extruded insulation cables – Fluid-filled and dry-type cable-terminations

IEC 62271-209:2019

https://standards.iteh.ai/catalog/standards/iec/a3f865aa-c8db-426d-b14a-5cf861a793a9/iec-62271-209-2019

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 29.130.10 ISBN 978-2-8322-5678-7

Warning! Make sure that you obtained this publication from an authorized distributor.

INTERNATIONAL ELECTROTECHNICAL COMMISSION

IEC 62271-1 Edition 2.0 2017-07

HIGH-VOLTAGE SWITCHGEAR AND CONTROLGEAR -

Part 1: Common specifications for alternating current switchgear and controlgear

INTERPRETATION SHEET 1

This interpretation sheet has been prepared by IEC technical committee 17: High-voltage switchgear and controlgear.

The text of this interpretation sheet is based on the following documents:

DISHStand	Report on voting
17/1090/DISH	17/1095/RVDISH

Full information on the voting for the approval of this interpretation sheet can be found in the report on voting indicated in the above table. 71-209:2019

Interpretation of 4.2.2 of IEC 62271-1:2017 regarding the altitude correction factor

Subclause 4.2.2 of IEC 62271-1:2017 contains two references for calculation of the required insulation withstand level at altitudes higher than 1 000 m, IEC 60071-2:1996 and IEC TR 62271-306. The two references are in conflict, as the altitude correction factor according to IEC 60071-2:1996 starts at sea level and that of IEC TR 62271-306 starts at an altitude of 1 000 m. This results in different altitude correction factors.

As already stated in 5.3 of IEC 62271-1:2017, the rated insulation levels refer to normal service conditions. Altitudes up to 1 000 m above sea level are covered and need no altitude correction.

For altitudes higher than 1 000 m the equation provided in 4.5.1.1 b) of IEC TR 62271-306:2012 and in H.3.4 of IEC 60071-2:2018 shall be used, i.e.

$$k_{\text{alt}} = e^{m(\frac{H-1\,000}{8\,150})}$$

where

 k_{alt} is the altitude correction factor;

H is the altitude in m above sea level;

m is an exponent.

Conservative values for the exponent m are provided in Table 4 of IEC TR 62271-306:2012. For further details about the exponent m, see H.4 of IEC 60071-2:2018.

iTeh Standards (https://standards.iteh.ai) Document Preview

IEC 62271-209:2019

CONTENTS

INTROL	UCTION TO Amendment 1	8				
1 Scc	pe	9				
2 Nor	mative references	9				
3 Ter	ms and definitions	12				
3.1	General terms and definitions	12				
3.2	Assemblies of switchgear and controlgear	15				
3.3	Parts of assemblies					
3.4	Switching devices					
3.5	Parts of switchgear and controlgear					
3.6	Operational characteristics of switchgear and controlgear					
3.7	Characteristic quantities					
3.8	Index of definitions	23				
4 Nor	mal and special service conditions	27				
4.1	General	27				
4.2	Normal service conditions	27				
4.2	.1 Indoor switchgear and controlgear	27				
4.2	.2 Outdoor switchgear and controlgear	28				
4.3	Special service conditions					
4.3	.1 Altitude	28				
4.3	.2 Pollution	30				
4.3	.3 Temperature and humidity	30				
4.3	.4 Vibrations, shock or tilting	30				
4.3						
stan 4.3	.6 itch. Other parameters	62.27130				
5 Rat	ings	31				
5.1	General	31				
5.2	Rated voltage of the equipment of the cable connection (U_{rm})	31				
5.3	Rated insulation level $(U_{d},\ U_{p},\ U_{s})$					
5.4	Rated frequency (f _r)	31				
5.5	Rated continuous current (I _r)	31				
5.6	Rated short-time withstand current (I _k)					
5.7	Rated peak withstand current (I _p)					
5.8	Rated duration of short circuit $(r_{\mathbf{k}})$					
6 Des	sign and construction	32				
6.1	Gas and vacuum tightness	32				
6.1	_					
6.1	.2 Controlled pressure systems for gas	32				
6.1	· · · · · · · · · · · · · · · · · · ·					
6.1						
6.101	6.101 Limits of supply					
	6.101.1 General					
6.1	01.2 Over-voltage protection and earthing					
6.102	6.102 Filling pressure of insulating gas in the cable connection enclosure					
	6.103 Pressure withstand requirements					

		6.104	Med	chanical forces on cable terminations	35
		6.105	Swit	tchgear connection interface and cable termination connection interface	35
7		Туре	test	S	36
		7.1	Gen	neral	36
		7.1.1		Basics	36
		7.1.2)	Information for identification of test objects	36
		7.1.3	}	Information to be included in type-test reports	
		7.2	Elec	ctrical type tests of cable terminations	
		7.2.1		General	
		7.2.2	<u>, </u>	Electrical type test of cable terminations in a single-phase enclosure	
		7.2.3		Electrical type test of cable termination in a three-phase enclosure	
		7.2.4		Additional electrical type tests on the insulator to be installed by switchgea manufacturer (plug in cable termination)	r
		7.1.1	01	Power-frequency voltage tests on the main circuit	
		7.1.1	02	Partial discharge measurement	
		7.3	Pres	ssure test on the insulator of a cable termination	
		7.4	Lea	k rate type test on the insulator of a cable termination	40
	8	Rout		ests	
		8.1	Gen	neral	40
		8.2		ssure test	
		8.3		ual inspectionAh	
	9			dimensions	
	Ŭ	9.1		neral (MITTINS://Standards.iten.ai)	
		9.2		d-filled cable terminations	
		9.3		-type cable terminations	
		9.4		ee-phase cable connection enclosure	
	10			on to be given with enquiries, tenders and orders	
	_			transport, storage, erection, service and maintenance	
	11				
		11.1		neral	
		11.2		ditions during transport, storage and installation	
		11.3		allation	
		11.3. 11.3.	-	General	
		11.3. 11.3.		Unpacking and lifting	
		11.3. 11.3.		Assembly Mounting	
		11.3.		Connections	
		11.3.		Information about gas and gas mixtures for controlled and closed pressure systems	
		11.3.	7	Final installation inspection	
		11.3.		Basic input data by the user	
		11.3.		Basic input data by the manufacturer	
		11.4 Operating instructions			
		11.5 Maintenance			
		11.5	General		
		11.5.		Information about fluids and gas to be included in maintenance manual	
		11.5.		Recommendations for the manufacturer	
		11.5.		Recommendations for the user	
		11.5.		Failure report	46

11.2 2 Safe	Tests after cable system installationty practices and constraints during installation of cable connection to switchgear	
	ence of the product on the environment	
, iiiiid	since of the product on the chiviloniment	
nnex A	(normative) Identification of test objects	54
A.1	General	
A.2	Data	
A.3	Drawings	_
	(informative) Determination of the equivalent RMS value of a short-time current	
	short-circuit of a given duration	56
	(normative) Method for the weatherproofing test for outdoor switchgear and ar	57
Ū	(informative) References for auxiliary and control circuit components	
	(normative) Tolerances on test quantities during tests	
Annex F	(informative) Information and technical requirements to be given with enquiries, nd orders	
F.1	General	
F.2	Normal and special service conditions (refer to Clause 4)	
F.3	Ratings (refer to Clause 5)	
F.4	Design and construction (refer to Clause 6)	
F.5	System information	67
F.6	Documentation for enquiries and tenders	
nnex G	(informative) List of symbols	68
	(informative) Electromagnetic compatibility on site	
	nformative) List of notes concerning certain countries	
,	informative) Extension of validity of type tests	
staudards		
J.2	Dielectric tests.	
J.3	Short-time withstand current tests	
J.4	Continuous current test	
J.5	Electromagnetic immunity test on auxiliary and control circuits	
J.6	Environmental tests on auxiliary and control circuits	
nnex K	(informative) Exposure to pollution	
K.1	General	
K.2	Pollution levels	
K.3	Minimum requirements for switchgear	
	(informative) Mechanical forces applied on the flange of the cable connection	75
A.1	General	75
A.2	Recommendation when connecting cable systems to switchgear	75
Bibliograp	bhy	77
igure 1 -	- Altitude correction factor	30
igure 1 -	- Operating pressure of the gas insulation in the cable connection enclosure	34
igure 2	- Fluid-filled cable connection assembly – Typical arrangement	50

© IEC 2022	
Figure 3 – Fluid-filled cable connection – Assembly dimensions	51
Figure 4 – Dry-type cable connection assembly – Typical arrangement	52
Figure 5 – Dry-type cable connection assembly – Assembly dimensions	53
Figure B.1 – Determination of short-time current	56
Figure C.1 – Arrangement for weatherproofing test	58
Figure C.2 – Nozzle for weatherproofing test	59
Table 1 – Reference table of service conditions relevant to GIS	30
Table 1 – Test voltages for additional electrical type tests according to 7.2.4	38
Table 7 – On site test voltages	39
Table D.1 – List of reference documents for auxiliary and control circuit components	60
Table E.1 – Tolerances on test quantities for type test	63
Table K.1 – Environmental examples by site pollution severity (SPS) class	74
Table K.2 – Minimum nominal specific creepage distance by pollution level	74
Table A.1 – Moment and forces applied on the flange of the cable connection enclosure	

iTeh Standards (https://standards.iteh.ai) Document Preview

EC 62271-209:2019

INTERNATIONAL ELECTROTECHNICAL COMMISSION

HIGH-VOLTAGE SWITCHGEAR AND CONTROLGEAR -

Part 209: Cable connections for gas-insulated metal-enclosed switchgear for rated voltages above 52 kV – Fluid-filled and extruded insulation cables – Fluid-filled and dry-type cable terminations

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This extended version (EXV) of the official IEC Standard provides the user with a comprehensive content of the Standard.

IEC 62271-209:2019+AMD1:2022 EXV includes the content of the references made to IEC 62271-1:2017+AMD1:2021 CSV and IEC 62271-203:2011.

Particular subclauses of IEC 62271-1:2017+AMD1:2021 CSV and IEC 62271-203:2011 are displayed in the content on a blue background.

IEC 62271-209:2019+AMD1:2022 EXV - 7 - © IEC 2022

This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.

IEC 62271-209 edition 2.1 contains the second edition (2019-02) [documents 17C/696/FDIS and 17C/701/RVD] and its amendment 1 (2022-03) [documents 17C/833/FDIS and 17C/841/RVD].

International Standard IEC 62271-209 has been prepared by subcommittee 17C: Assemblies, of IEC technical committee 17: High-voltage switchgear and controlgear.

This second edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) New numbering in accordance with ISO/IEC directives, Part 2 (2016) and to IEC 62271-1:2017;
- b) Clause 3: addition of a definition for plug-in cable termination, filling pressure and minimum function pressure for insulation;
- c) Clause 7: An additional dielectric type test for plug-in cable termination was added; also a pressure type test as well as a leak rate test on the insulator of a cable termination was implemented;
- d) Clause 12: New clause about safety practices;
- e) Clause 13: New clause about influence of the product on the environment;
- f) New informative Annex A: Mechanical forces applied on the flange of the cable connection enclosure.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

This standard is to be read in conjunction with IEC 62271-1:2017, to which it refers and which is applicable unless otherwise specified in this standard. In order to simplify the indication of corresponding requirements, the same numbering of clauses and subclauses is used as in IEC 62271-1. Amendments to these clauses and subclauses are given under the same references whilst additional subclauses are numbered from 101.

A list of all parts in the IEC 62271 series, published under the general title *High-voltage* switchgear and controlgear, can be found on the IEC website.

The committee has decided that the contents of the base publication and its amendment will remain unchanged until the stability date indicated on the IEC web site under webstore.iec.ch in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

This amendment includes the following modifications:

a) In accordance with the decision taken at IEC Plenary Meeting October 2019 in Shanghai (17C/Shanghai/Sec07) Subclause 6.103, Figure 1 and Figure 2 have been modified;

INTRODUCTION TO Amendment 1

b) The CDV was modified in accordance with the above-mentioned documents and based on the decision taken at the virtual IEC Plenary Meeting in October 2021 (17C/823/RM).

NOTE CIGRE has published TB 784 "Standard design of a common, dry type plug-in interface for GIS and power cables up to 145 kV describing the basis for further standardisation of such a common interface. The matter will be dealt with during the next revision of IEC 62271-209.

iTeh Standards (https://standards.iteh.ai) Document Preview

EC 62271-209:2019

HIGH-VOLTAGE SWITCHGEAR AND CONTROLGEAR -

Part 209: Cable connections for gas-insulated metal-enclosed switchgear for rated voltages above 52 kV – Fluid-filled and extruded insulation cables – Fluid-filled and dry-type cable terminations

1 Scope

This part of IEC 62271 covers the connection assembly of fluid-filled and extruded cables to gas-insulated metal enclosed switchgear (GIS), in single- or three-phase arrangements where the cable terminations are fluid-filled or dry-type and there is a separating insulating barrier between the cable insulation and the gas insulation of the switchgear.

The purpose of this document is to establish electrical and mechanical interchangeability between cable terminations and the gas-insulated metal-enclosed switchgear and to determine the limits of supply. It complements and amends, if applicable, the relevant IEC standards. For the purpose of this document the term "switchgear" is used for "gas-insulated metal enclosed switchgear".

It does not cover directly immersed cable terminations, as described in CIGRE brochure 89 [4] 1.

2 Normative references **/ Standards.iteh.ai)

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60038, IEC standard voltages

IEC 60050-131:2002, International Electrotechnical Vocabulary (IEV) - Part 131: Circuit theory

IEC 60050-151:2001, International Electrotechnical Vocabulary (IEV) – Part 151: Electrical and magnetic devices

IEC 60050-192:2015, International Electrotechnical Vocabulary (IEV) – Part 192: Dependability

IEC 60050-351, International Electrotechnical Vocabulary (IEV) – Part 351: Control technology

IEC 60050-441:1984, International Electrotechnical Vocabulary (IEV) – Part 441: Switchgear, controlgear and fuses

IEC 60050-441:1984/AMD1:2000

IEC 60050-551, International Electrotechnical Vocabulary (IEV) – Part 551: Power electronics

¹ Numbers in square brackets refer to the Bibliography.

IEC 60050-581:2008, International Electrotechnical Vocabulary (IEV) – Part 581: Electromechanical components for electronic equipment

IEC 60050-601, International Electrotechnical Vocabulary (IEV) – Chapter 601: Generation, transmission and distribution of electricity – General

IEC 60050-605, International Electrotechnical Vocabulary (IEV) – Chapter 605: Generation, transmission and distribution of electricity – Substations

IEC 60050-614:2016, International Electrotechnical Vocabulary (IEV) – Part 614: Generation, transmission and distribution of electricity – Operation

IEC 60050-811, International Electrotechnical Vocabulary (IEV) - Part 811: Electric traction

IEC 60050-826:2004, International Electrotechnical Vocabulary (IEV) – Part 826: Electrical installations

IEC 60060-1:2010, High-voltage test techniques – Part 1: General definitions and test requirements

IEC 60068-2-1:2007, Environmental testing - Part 2-1: Tests - Test A: Cold

IEC 60068-2-2:2007, Environmental testing – Part 2-2: Tests – Test B: Dry heat

IEC 60068-2-17:1994, Basic environmental testing procedures – Part 2-17:Tests – Test Q: Sealing

IEC 60068-2-30:2005, Environmental testing – Part 2-30: Tests – Test Db: Damp heat, cyclic (12 h + 12 h cycle)

IEC 60071-1:2006, Insulation co-ordination – Part 1: Definitions, principles and rules IEC 60071-1:2006/AMD1:2010

IEC 60071-2:1996, Insulation co-ordination - Part 2: Application guide

IEC 60085:2007, Electrical insulation – Thermal evaluation and designation

IEC 60141 (all parts), Tests on oil-filled and gas-pressure cables and their accessories

IEC 60255-21-1:1988, Electrical relays – Part 21: Vibration, shock, bump and seismic tests on measuring relays and protection equipment – Section One: Vibration tests (sinusoidal)

IEC 60270, High-voltage test techniques – Partial discharge measurements

IEC 60296, Fluids for electrotechnical applications – Unused mineral insulating oils for transformers and switchgear

IEC 60376, Specification of technical grade sulphur hexafluoride (SF_6) and complementary gases to be used in its mixtures for use in electrical equipment

IEC 60480, Guidelines for the checking and treatment of sulphur hexafluoride (SF_6) taken from electrical equipment and specification for its re-use

IEC 60507, Artificial pollution tests on high-voltage ceramic and glass insulators to be used on a.c. systems