IEC PAS 63088

Edition 1.0 2017-03

PUBLICLY AVAILABLE SPECIFICATION

PRE-STANDARD

colour inside

Smart manufacturing – Reference architecture model industry 4.0 (RAMI4.0)

IEC PAS 63088:2017-03(en)

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC
The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications
The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue
The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub
The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,…). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org
The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary
65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc
If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

IEC PAS 63088

Edition 1.0 2017-03

PUBLICLY AVAILABLE SPECIFICATION

PRE-STANDARD

colour inside

Smart manufacturing – Reference architecture model industry 4.0 (RAMI4.0)

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 25.040.01; 35.080; 35.240.50

ISBN 978-2-8322-4053-3

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD 5
INTRODUCTION 7
1 Scope 9
2 Normative references 9
3 Terms and definitions 9
4 Assets in Industry 4.0 11
4.1 The object world 11
4.2 Information carriers 12
4.3 Assets and the information world 12
4.4 Life (“vita”) and characterization of an asset 13
4.5 Means by which an asset is actively presented, or made known, in the information system 14
4.5.1 General 14
4.5.2 Unknown assets 15
4.5.3 Anonymously known assets 15
4.5.4 Individually known assets 15
4.5.5 Assets administered as entities 15
4.6 State in an asset’s lifetime (“vita”) 16
4.6.1 General 16
4.6.2 Type 16
4.6.3 Instance 16
4.7 Communication capability 17
4.7.1 Communication capability of assets in the physical world 17
4.7.2 Communication capability of assets in the information world 18
4.8 Classification of assets in terms of presentation and communication capability 18
4.9 Representation by means of information and technical functionality 19
5 Reference Architecture Model Industry 4.0 (RAMI4.0) 20
5.1 General 20
5.2 Architecture axis (“Layers”) 21
5.2.1 Overview 21
5.2.2 Business layer 21
5.2.3 Functional layer 21
5.2.4 Information layer 22
5.2.5 Communication layer 22
5.2.6 Integration layer 22
5.2.7 Asset layer 23
5.3 Life cycle & value stream axis 23
5.4 Hierarchy axis 23
6 Industry 4.0 components 24
6.1 General 24
6.1.1 Overview 24
6.1.2 Properties of I4.0 components 25
6.1.3 Identifiability 25
6.1.4 State in the lifetime (“vita”) 25
6.1.5 Secure I4.0-compliant communication, services and quality of service 26
6.1.6 Representation by information with I4.0-compliant semantics 26

6.1.7 I4.0 system consisting of I4.0 components 27
6.1.8 Nestability 27
6.1.9 Encapsulability 28
6.1.10 Domain specific functionality and state model 29
6.2 Administration shell of I4.0 components 29
6.2.1 General 29
6.2.2 Basic structure of the administration shell 30
6.2.3 DF header and DF body 30
6.2.4 Partial models and views 31
6.2.5 Properties 32
6.2.6 Managing the administration shell 34
6.2.7 Fundamental requirements for the administration shell 36
6.3 Forms of I4.0 components 36
6.3.1 Different assets with administration shells 36
6.3.2 Asset with multiple administration shells 37
6.3.3 Administration shell for multiple assets 38
Bibliography 39

Figure 1 – Structure of the object worlds with examples 12
Figure 2 – Assets in the information world and their physical carriers 12
Figure 3 – Life (“vita”) of an asset 13
Figure 4 – Concepts of an asset 14
Figure 5 – Component manager for administering entities 16
Figure 6 – Active presentation of an asset in the information system and its communication capability 19
Figure 7 – CP notation system for classifying according to communication capability and presentation (“publicity”) 19
Figure 8 – Reference architecture model Industry 4.0 (RAMI4.0) 20
Figure 9 – Hierarchical levels of RAMI4.0 24
Figure 10 – An I4.0 component as a necessary connection between the asset and the administration shell 25
Figure 11 – Nestability of I4.0 components 28
Figure 12 – Encapsulability of I4.0-compliant and deterministic real-time communication 29
Figure 13 – Diagram of an I4.0 administration shell 30
Figure 14 – Examples of domain specific models 31
Figure 15 – Diagram of how views are created 32
Figure 16 – Availability of administration shells via repository or directly via the represented assets 35
Figure 17 – Different assets that become I4.0 components by adding the administration shell 37
Figure 18 – Representation of an asset by means of multiple administration shells 37
Figure 19 – Representation of multiple assets 38

Table 1 – Basic views of a partial model 32
Table 2 – Property classes..... 33

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

SMART MANUFACTURING – REFERENCE ARCHITECTURE MODEL INDUSTRY 4.0 (RAMI4.0)

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

A PAS is a technical specification not fulfilling the requirements for a standard, but made available to the public.

IEC PAS 63088 has been processed by IEC technical committee 65: Industrial-process measurement, control and automation.

The text of this PAS is based on the following document:	This PAS was approved for publication by the P-members of the committee concerned as indicated in the following document
Draft PAS	**Report on voting**
65/645/PAS	65/655/RVDPAS

Following publication of this PAS, which is a pre-standard publication, the technical committee or subcommittee concerned may transform it into an International Standard.

This PAS shall remain valid for an initial maximum period of 3 years starting from the publication date. The validity may be extended for a single period up to a maximum of 3 years, at the end of which it shall be published as another type of normative document, or shall be withdrawn.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

Background

Industry requires constant attention on optimization, cost efficiency, energy efficiency, environmental concerns, quality, security, safety, time-to-market, inventory reduction, simulation, ease of maintenance, etc. Customers also want to satisfy new requirements and address new use cases now reachable given the availability of new technologies. Addressing these challenges, several projects in different countries were issued with similar names and aims, e.g. in Germany “Industrie 4.0”, in France “Industrie du Futur”, in China “Intelligent Manufacturing”, in Japan etc.

Manufacturers, customers, service providers are working in a more and more global market. The need of interoperability of products, open interfaces, etc. can only be achieved with International Standards. To cover these needs, IEC and ISO have activities related to Smart Manufacturing.

Objective

This specification defines a Reference Architecture Model to identify, structure, and illustrate the different areas where standards exist or standards are required. It allows setting standards in relation to different aspects, hierarchies and life cycles.

Life cycles are relevant to products, to assets in the factory or plant, to orders from planning to cash and to the supply chain covering the process from source to delivery.

In addition, this specification defines term and definitions generally for Smart Manufacturing. As Smart Manufacturing is covering different domains (batch, continuous, discrete, etc.), terms need to be harmonized and globally accepted.

The fundamental purpose of Industry 4.0 is to facilitate cooperation and collaboration between technical objects, which means they have to be virtually represented and connected. In this context, a technical object is an object that is of value to an organization, which therefore not only means physically tangible objects, but also intangible objects such as ideas, archives and software. The concept of Industry 4.0 is intended to create digital description rules for a technical object throughout its entire lifetime, and for the associated changes in value, in the form of the Reference Architecture Model for Industry 4.0 “RAMI4.0”. The purpose of this model is to represent the technical object and all aspects relevant to it, from its development, production and use right through to its disposal. The Industry 4.0 component provides a digital description of the object, making it possible to represent that object virtually.

Technical objects are intentionally manufactured in order to fulfil a specific purpose. They possess common characteristics in terms of their lifetime and the associated changes in value. Technical objects for which a “change in value” or an “owner” are important aspects are also referred to as “technical assets”. Because this is almost always the case, the terms “technical object” and “technical asset” can be regarded as synonymous. In this document, the term “technical asset”, or simply “asset” is used.

This document describes two fundamental reference models for the Industry 4.0 concept:

– The reference architecture model RAMI4.0 is a reference model of Industry 4.0 reference architecture and gives a structured description of fundamental ideas. See Clause 5.

– The I4.0 component reference model provides digital access to this description. See Clause 6.

The central concept of Industry 4.0 is that assets can be combined in any way, and these assets are formally described in sufficient detail for use in the digital world. This methodology not only enables sufficient generic descriptions of a configuration, but through an increasing degree of detail also allows for very specific descriptions. This is a core concept regardless of the way in which the asset is used.

To virtually represent configurations of assets and the connections between them, the “principle of recursive description of assets” is used to characterize an asset as follows:

– the structural description is compliant with RAMI4.0;
– a configuration of two or more assets collectively forms a new asset, which is described using RAMI4.0;
– components of an asset can themselves represent separate assets that are described with RAMI4.0;
– the asset description is provided as structured information in the administration shell of the I4.0 component that acts as a virtual representation of an asset.

This means that any configuration can be digitally represented to any degree of granularity by describing structured assets, and combinations thereof, using RAMI4.0.

SMART MANUFACTURING – REFERENCE ARCHITECTURE MODEL INDUSTRY 4.0 (RAMI4.0)

1 Scope

This document, which is a PAS, describes a reference architecture model in the form of a cubic layer model, which shows technical objects (assets) in the form of layers, and allows them to be described, tracked over their entire lifetime (or "vita") and assigned to technical and/or organizational hierarchies.

It also describes the structure and function of Industry 4.0 components as essential parts of the virtual representation of assets.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61360-1, *Standard data element types with associated classification scheme for electric components – Part 1: Definitions – Principles and methods*

IEC 61360-2, *Standard data element types with associated classification scheme for electric components – Part 2: EXPRESS dictionary schema*

IEC TR 62794[1], *Industrial-process measurement, control and automation – Reference model for representation of production facilities (digital factory)*

IEC TS 62832-1, *Industrial-process measurement, control and automation – Digital factory framework – Part 1: General principles*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at http://www.iso.org/obp

3.1
administration shell
virtual digital and active representation of an I4.0 component in the I4.0 system

Note 1 to entry: An administration shell contains the manifest and the component manager.

[1] Withdrawn.

3.2
architecture
fundamental concepts or properties of a system in its environment embodied in its elements, relationships, and in the principles of its design and evolution

[SOURCE: ISO/IEC/IEEE 42010:2011, 3.2]

3.3
archive world
all the information in the digital world which is no longer valid or up-to-date and which therefore can no longer be changed

Note 1 to entry: Information which is no longer valid or up-to-date is transferred to the archive world.

Note 2 to entry: No statement is made on when the information is transferred from the model world or state world to the archive world.

3.4
asset
object which has a value for an organization

3.5
service
separate scope of functions offered by an entity or organization via interfaces

Note 1 to entry: This definition is not the same as the definition of services by the OASIS-RM ("Services are the mechanism by which needs and capabilities are brought together").

3.6
entity
uniquely identifiable object which is administered in the information world due to its importance

3.7
information world
digital world or cyber world
ideas, concepts, algorithms, models and entirety of representations of physical objects and people in the virtual environment

Note 1 to entry: The framework for considering each entirety needs to be defined.

Note 2 to entry: The elements of the information world can be semantically related to each other.

3.8
component manager
organizer of autonomous administration and access to resources of the relevant I4.0 component, such as the I4.0 component itself, object, technical functionality, virtual representation

Note 1 to entry: In many documents, the component manager is referred to as the resource manager, but this should be called the component manager in future.

3.9
manifest
externally accessible, defined set of meta-information on the functional and non-functional properties of the relevant I4.0 component

Note 1 to entry: The manifest can be regarded as similar to the manifest in information technology.

3.10
physical world
all actually existing objects and people

Note 1 to entry: The real world is the same as the physical world.

Note 2 to entry: Loaded or stored software is part of the physical world.

Note 3 to entry: The framework for considering each entirety needs to be defined.

3.11
reference architecture
model for an architecture description (for I4.0) which is generally used and recognized as being suitable (has reference character)

Note 1 to entry: A reference architecture can be defined on the basis of a reference model.

3.12
reference model
model that is generally used and recognized as being suitable (has recommendation character) for deriving specific models

3.13
value-added chain
sequence of processes that add value (linear or hierarchical, which formally means acyclically aligned)

Note 1 to entry: Company boundaries are not necessarily relevant for a value-added chain or value chain.

3.14
value-added system
network or system of value-added chains that can include connections and dependencies between them

3.15
value-added process
process during which a commodity can be created which is valuable for a customer

Note 1 to entry: The commodity does not have to be tangible (such as a raw material or manufactured product), but can also be intangible (such as knowledge, information or a service).

Note 2 to entry: The determination of the value or price is not considered here.

Note 3 to entry: Value-added processes are value activities according to Porter.

4 Assets in Industry 4.0

4.1 The object world

Figure 1 shows the structure of the object worlds. In the object world of Industry 4.0, assets from the information world and the physical world are considered. Besides these assets, people (the human world) also play an important part. The information world is divided into the model world, the state world and the archive world. The model world contains objects such as meta-documents, models, concepts, technical documentation, production plans and procedural descriptions. The state world describes the current state. The archive world contains the recorded state and life cycle information of processes that have taken place. These can be production processes, development processes, maintenance processes and so on.

The physical world includes all physical products, installations, resources, IT systems, loaded programs, etc. When classifying software, it should be noted that the algorithm itself belongs to the information world, but the executable program loaded to a system is part of the physical world. People are part of the physical world and participate in the information world. Because of their intelligence and freedom to make decisions, human beings have a special status.