
LED-sijalke za splošno razsvetljavo z vgrajeno predstikalno napravo pri napajalni napetosti nad 50 V - Tehnične zahteve (IEC 62612:2013)

Self-ballasted LED lamps for general lighting services with supply voltages > 50 V - Performance requirements

LED-Lampen mit eingebautem Vorschaltgerät für Allgemeinbeleuchtung mit Versorgungsspannungen > 50 V - Anforderungen an die Arbeitsweise

Lampes à LED autoballastées pour l'éclairage général avec des tensions d'alimentation > 50 V - Exigences de performances

[SIST EN 62612:2014](https://standards.iteh.ai/catalog/standards/sist/b376135e-de57-4d1f-9723-996b109ebed4/sist-en-62612-2014)

[https://standards.iteh.ai/catalog/standards/sist/b376135e-de57-4d1f-9723-](https://standards.iteh.ai/catalog/standards/sist/b376135e-de57-4d1f-9723-996b109ebed4/sist-en-62612-2014)

[996b109ebed4/sist-en-62612-2014](https://standards.iteh.ai/catalog/standards/sist/b376135e-de57-4d1f-9723-996b109ebed4/sist-en-62612-2014)

Ta slovenski standard je istoveten z: EN 62612:2013

ICS:

29.140.01 Žarnice na splošno Lamps in general

SIST EN 62612:2014

en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 62612:2014](#)

<https://standards.iteh.ai/catalog/standards/sist/b376135e-de57-4d1f-9723-996b109ebed4/sist-en-62612-2014>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 62612

August 2013

ICS 29.140.01

English version

**Self-ballasted LED lamps for general lighting services with supply voltages > 50 V -
Performance requirements
(IEC 62612:2013)**

Lampes à LED autoballastées pour l'éclairage général avec des tensions d'alimentation > 50 V - Exigences de performances (CEI 62612:2013)

LED-Lampen mit eingebautem Vorschaltgerät für Allgemeinbeleuchtung mit Versorgungsspannungen > 50 V - Anforderungen an die Arbeitsweise (IEC 62612:2013)

**iTeh STANDARD PREVIEW
(standards.iteh.ai)**

This European Standard was approved by CENELEC on 2013-07-23. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 34A/1662/FDIS, future edition 1 of IEC 62612, prepared by SC 34A "Lamps" of IEC/TC 34A "Lamps and related equipment" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62612:2013.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2014-04-23
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2016-07-23

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 62612:2013 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated :

| | | |
|---------------|------|--|
| IEC 60598 | NOTE | Harmonised as EN 60598. |
| IEC 60901 | NOTE | Harmonised as EN 60901. |
| IEC 61547 | NOTE | Harmonised as EN 61547. |
| CISPR 15:2005 | NOTE | Harmonised as EN 55015:2006 (not modified) |

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

| <u>Publication</u> | <u>Year</u> | <u>Title</u> | <u>EN/HD</u> | <u>Year</u> |
|--------------------|-------------|---|---------------|-------------|
| IEC 60050 | Series | International Electrotechnical Vocabulary (IEV) | - | - |
| IEC 60068-2-14 | - | Environmental testing - Part 2-14: Tests - Test N: Change of temperature | EN 60068-2-14 | - |
| IEC 60081 | - | Double-capped fluorescent lamps - Performance specifications | EN 60081 | - |
| IEC 60630 | - | Maximum lamp outlines for incandescent lamps | EN 60630 | - |
| IEC 61000-3-2 | 2005 | Electromagnetic compatibility (EMC) - Part 3-2: Limits - Limits for harmonic current emissions (equipment input current ≤ 16 A per phase) | EN 61000-3-2 | 2006 |
| IEC 61000-4-7 | - | Electromagnetic compatibility (EMC) - Part 4-7: Testing and measurement techniques - General guide on harmonics and interharmonics measurements and instrumentation, for power supply systems and equipment connected thereto | EN 61000-4-7 | - |
| IEC/TR 61341 | - | Method of measurement of centre beam intensity and beam angle(s) of reflector lamps | EN 61341 | - |
| IEC/TS 62504 | - | General lighting - LEDs and LED modules - Terms and definitions | - | - |
| IEC 62560 | - | Self-ballasted LED-lamps for general lighting services by voltage > 50 V - Safety specifications | EN 62560 | - |
| IEC/TR 62732 | - | Three-digit code for designation of colour rendering and correlated colour temperature | - | - |
| CIE 13.2 | 1974 | Methods of measuring and specifying colour-rendering properties of light sources | - | - |
| CIE 13.3 | 1995 | Method of measuring and specifying colour-rendering of light sources | - | - |
| CIE S 017/E | 2011 | ILV: International Lighting Vocabulary | - | - |
| CIE 191 | 1996 | The photometry and goniophotometry of luminaires | - | - |
| CIE 177 | 2007 | Colour rendering of white LED light sources | - | - |

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 62612:2014](#)

<https://standards.iteh.ai/catalog/standards/sist/b376135e-de57-4d1f-9723-996b109ebed4/sist-en-62612-2014>



IEC 62612

Edition 1.0 2013-06

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Self-ballasted LED lamps for general lighting services with supply voltages
> 50 V – Performance requirements**

**Lampes à LED autoballastées pour l'éclairage général avec des tensions
d'alimentation > 50 V – Exigences de performances**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX



ICS 29.140.01

ISBN 978-2-83220-872-4

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

| | |
|---|----|
| FOREWORD..... | 4 |
| INTRODUCTION..... | 6 |
| 1 Scope..... | 7 |
| 2 Normative references..... | 7 |
| 3 Terms and definitions..... | 8 |
| 4 General requirements on tests..... | 11 |
| 5 Marking..... | 11 |
| 5.1 General requirements for marking..... | 11 |
| 5.2 Places of marking..... | 12 |
| 6 Dimensions..... | 12 |
| 7 Test conditions..... | 12 |
| 7.1 General test conditions..... | 12 |
| 7.2 Creation of lamp families to reduce test effort..... | 13 |
| 7.2.1 General..... | 13 |
| 7.2.2 Variations within a family..... | 13 |
| 7.2.3 Compliance testing of family members..... | 14 |
| 8 Lamp input..... | 14 |
| 8.1 Lamp power..... | 14 |
| 8.2 Displacement factor..... | 15 |
| 9 Light output..... | 15 |
| 9.1 Luminous flux..... | 15 |
| 9.2 Luminous intensity distribution, peak intensity and beam angle..... | 15 |
| 9.2.1 General..... | 15 |
| 9.2.2 Measurement..... | 15 |
| 9.2.3 Luminous intensity distribution..... | 15 |
| 9.2.4 Peak intensity value..... | 16 |
| 9.2.5 Beam angle value..... | 16 |
| 9.3 Efficacy..... | 16 |
| 10 Colour nomenclature, variation and rendering..... | 16 |
| 10.1 Colour variation categories..... | 16 |
| 10.2 Colour rendering index (CRI)..... | 18 |
| 11 Lamp life..... | 18 |
| 11.1 General..... | 18 |
| 11.2 Lumen maintenance..... | 18 |
| 11.3 Endurance tests..... | 20 |
| 11.3.1 General..... | 20 |
| 11.3.2 Temperature cycling test..... | 20 |
| 11.3.3 Supply switching test..... | 21 |
| 11.3.4 Accelerated operational life test..... | 21 |
| 12 Verification..... | 21 |
| Annex A (normative) Method of measuring lamp characteristics..... | 23 |
| Annex B (normative) Explanation of the photometric code..... | 30 |
| Annex C (normative) Measurement of displacement factor..... | 31 |
| Annex D (informative) Explanation of displacement factor..... | 33 |
| Annex E (informative) Explanation of recommended life time metrics..... | 35 |

| | |
|---|----|
| Annex F (informative) Examples of LED dies and LED packages | 40 |
| Bibliography..... | 42 |
| Figure 1 – Luminous flux depreciation over test time..... | 20 |
| Figure A.1 – Relation of rated voltage to test voltage | 24 |
| Figure A.2 – Relation of rated frequency to test frequency | 24 |
| Figure A.3 – Relation of type of tests to test voltage and test frequency | 25 |
| Figure C.1 – Definition of the 1 st harmonic current phase-angle (φ_1) (I_1 leads U_{mains} , $\varphi_1 > 0$) | 31 |
| Figure C.2 – Definition of the 1 st harmonic current phase-angle (φ_1) (I_1 lags U_{mains} , $\varphi_1 < 0$) | 32 |
| Figure E.1 – Life time specification for gradual light output degradation..... | 35 |
| Figure E.2 – Life time specification for abrupt light output degradation..... | 37 |
| Figure E.3 – Reliability curve R_{gradual} for gradual light output degradation | 38 |
| Figure E.4 – Reliability curve R_{abrupt} for abrupt light output degradation..... | 38 |
| Figure E.5 – Combined R_{gradual} and R_{abrupt} degradation | 39 |
| Figure F.1 – Schematic drawings of LED dies | 40 |
| Figure F.2 – Schematic drawings of LED packages..... | 41 |
| iTeh STANDARD PREVIEW | |
| Table 1 – Required markings | 12 |
| Table 2 – Variations allowed within a family..... | 14 |
| Table 3 – Colour | 17 |
| Table 4 – Tolerance (categories) on rated chromaticity co-ordinate values..... | 17 |
| Table 5 – Lumen maintenance code at an operational time as stated in 7.1 | 18 |
| Table 6 – Sample sizes..... | 22 |
| Table A.1 – Relation of rated voltage to test voltage | 25 |
| Table A.2 – Initial tests | 27 |
| Table A.3 – Lifetime and endurance tests | 27 |
| Table D.1 – Recommended values for displacement factor | 34 |
| Table E.1 – Recommended x and y values for life time metrics to be used in life time specification..... | 39 |

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**SELF-BALLASTED LED LAMPS FOR GENERAL
LIGHTING SERVICES WITH SUPPLY VOLTAGES > 50 V –
PERFORMANCE REQUIREMENTS**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62612 has been prepared by subcommittee 34A: Lamps, of IEC technical committee 34: Lamps and related equipment.

This first edition of IEC 62612 cancels and replaces IEC/PAS 62612. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to IEC/PAS 62612.

- a) The standard explicitly states that real life time tests are not part of the test regime. Instead, a period of up to 6 000 h is chosen in order to assess manufacturers' claims of maintenance.
- b) Technical features have been adapted to IEC/PAS 62717 (performance of LED modules) as far as possible. Examples are the family approach and the temperature measuring point.
- c) Marking requirements are shifted from the product to the packaging.
- d) The number of lamps to be tested is made test specific, not general.

- e) First requirements are given for setting the colour for colour adjustable lamps and the luminous flux level of dimmable lamps.
- f) The structure of tests is clearly divided between requirement and compliance.
- g) Statistical compliance is separated into individual and average.
- h) Light output requirements are extended to luminous intensity distribution, peak intensity, beam angle and efficacy.
- i) The use of the terms “correlated colour temperature” and “chromaticity coordinates” is corrected.
- j) The number of tolerance categories is reduced from 8 to 4, and split between initial and maintained values.
- k) Colour rendering is differently assessed at initial and maintained state.
- l) Three lumen maintenance categories are given instead of five.
- m) The endurance tests are completely re-established.
- n) The verification (formerly: assessment) clause is completed.
- o) Information for luminaire design is added.
- p) Stabilisation is more precise (Annex A on the method of measuring lamp characteristics) and extension is made for the additional photometric and colorimetric parameters.
- q) Annex B on measuring luminous flux is contained in Annex A. New Annex B provides the photometric code.
- r) Further annexes are added: Annex C and D for displacement factor, Annex E for life time metrics/reliability and Annex F for examples of LED dies and LED packages.

The text of this standard is based on the following documents:

| | | |
|---------------|--------------------|------------------|
| FDIS | SIST EN 62612:2014 | Report on voting |
| 34A/1662/FDIS | | 34A/1679/RVD |

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

In this standard, the following print types are used:

- requirements: roman type;
- *test specifications*: italic type;
- notes: small roman type.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This International Standard is the first edition of a performance standard (precursor: IEC/PAS 62612) for self-ballasted LED lamps for general lighting applications and acknowledges the need for relevant tests for this new source of electrical light, sometimes called “solid state lighting”.

The provisions in this standard represent the technical knowledge of experts from the fields of the semiconductor (LED chip) industry and of those of the traditional electrical light sources.

iTeh STANDARD PREVIEW **(standards.iteh.ai)**

[SIST EN 62612:2014](https://standards.iteh.ai/catalog/standards/sist/b376135e-de57-4d1f-9723-996b109ebed4/sist-en-62612-2014)

<https://standards.iteh.ai/catalog/standards/sist/b376135e-de57-4d1f-9723-996b109ebed4/sist-en-62612-2014>

SELF-BALLASTED LED LAMPS FOR GENERAL LIGHTING SERVICES WITH SUPPLY VOLTAGES > 50 V – PERFORMANCE REQUIREMENTS

1 Scope

This International Standard specifies the performance requirements, together with the test methods and conditions, required to show compliance of LED lamps with integral means for stable operation, intended for domestic and similar general lighting purposes, having:

- a rated power up to 60 W;
- a rated voltage of > 50 V a.c. up to 250 V a.c.;
- a lamp cap as listed in IEC 62560.

These performance requirements are additional to the safety requirements in IEC 62560.

The only feature provided by this standard, when applied for replacement purposes, is information on maximum lamp outlines.

The requirements of this standard relate to type testing. This standard covers LED lamps that intentionally produce white light, based on inorganic LEDs.

Recommendations for whole product testing or batch testing are under consideration.

The life time of LED lamps is in most cases much longer than the practical test times. Consequently, verification of manufacturer's life time claims cannot be made in a sufficiently confident way, because projecting test data further in time is not standardised. For that reason the acceptance or rejection of a manufacturer's life time claim, past an operational time as stated in 7.1, is out of the scope of this standard.

Instead of life time validation, this standard has opted for lumen maintenance codes at a defined finite test time. Therefore, the code number does not imply a prediction of achievable life time. The categories, represented by the code, are lumen-depreciation character categories showing behaviour in agreement with manufacturer's information, provided before the test is started.

In order to validate a life time claim, several methods of test data extrapolation exist. A general method of projecting measurement data beyond limited test time is under consideration.

The pass/fail criterion of the life time test as defined in this standard is different from the life time metrics claimed by manufacturers. For explanation of recommended life time metrics, see Annex E.

NOTE When lamps are operated in a luminaire the claimed performance data can deviate from the values established via this standard due to e.g. luminaire components that impact the performance of the lamp.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.