



SLOVENSKI STANDARD SIST EN ISO 5459:2011

01-oktober-2011

Nadomešča:
SIST ISO 5459:1995

Specifikacija geometrijskih veličin izdelka - Geometrijsko toleriranje - Reference in sistemi referenc (ISO 5459:2011)

Geometrical product specifications (GPS) - Geometrical tolerancing - Datums and datum systems (ISO 5459:2011)

Geometrische Produktspezifikation (GPS) - Geometrische Tolerierung - Bezüge und Bezugssysteme (ISO 5459:2011)

Spécification géométrique des produits (GPS) - Tolérancement géométrique - Références spécifiées et systèmes de références spécifiées (ISO 5459:2011)

Ta slovenski standard je istoveten z: EN ISO 5459:2011

ICS:

17.040.10	Tolerance in ujemi	Limits and fits
17.040.40	Specifikacija geometrijskih veličin izdelka (GPS)	Geometrical Product Specification (GPS)

SIST EN ISO 5459:2011

en,fr

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 5459:2011](#)

<https://standards.iteh.ai/catalog/standards/sist/6dfe7e72-f361-4f9e-a2f0-2beac16f65b8/sist-en-iso-5459-2011>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN ISO 5459

August 2011

ICS 01.100.20; 17.040.10

English Version

Geometrical product specifications (GPS) - Geometrical tolerancing - Datums and datum systems (ISO 5459:2011)

Spécification géométrique des produits (GPS) -
Tolérancement géométrique - Références spécifiées et
systèmes de références spécifiées (ISO 5459:2011)

Geometrische Produktspezifikation (GPS) - Geometrische
Tolerierung - Bezüge und Bezugssysteme (ISO 5459:2011)

This European Standard was approved by CEN on 18 May 2011.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

[SIST EN ISO 5459:2011](https://standards.iteh.ai/catalog/standards/sist/6dfe7e72-f361-4f9e-a2f0-2beac16f5b8/sist-en-iso-5459-2011)

<https://standards.iteh.ai/catalog/standards/sist/6dfe7e72-f361-4f9e-a2f0-2beac16f5b8/sist-en-iso-5459-2011>



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

Foreword.....3

**iTeh STANDARD PREVIEW
(standards.iteh.ai)**

SIST EN ISO 5459:2011

<https://standards.iteh.ai/catalog/standards/sist/6dfe7e72-f361-4f9e-a2f0-2beac16f5b8/sist-en-iso-5459-2011>

Foreword

This document (EN ISO 5459:2011) has been prepared by Technical Committee ISO/TC 213 "Dimensional and geometrical product specifications and verification" in collaboration with Technical Committee CEN/TC 290 "Dimensional and geometrical product specification and verification" the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by February 2012, and conflicting national standards shall be withdrawn at the latest by February 2012.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

iTeh STANDARD PREVIEW
Endorsement notice
(standards.iteh.ai)

The text of ISO 5459:2011 has been approved by CEN as a EN ISO 5459:2011 without any modification.

[SIST EN ISO 5459:2011](https://standards.iteh.ai/catalog/standards/sist/6dfe7e72-f361-4f9e-a2f0-2beac16f5b8/sist-en-iso-5459-2011)

<https://standards.iteh.ai/catalog/standards/sist/6dfe7e72-f361-4f9e-a2f0-2beac16f5b8/sist-en-iso-5459-2011>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 5459:2011](#)

<https://standards.iteh.ai/catalog/standards/sist/6dfe7e72-f361-4f9e-a2f0-2beac16f65b8/sist-en-iso-5459-2011>

INTERNATIONAL STANDARD

ISO
5459

Second edition
2011-08-15

Geometrical product specifications (GPS) — Geometrical tolerancing — Datums and datum systems

*Spécification géométrique des produits (GPS) — Tolérancement
géométrique — Références spécifiées et systèmes de références
spécifiées*

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 5459:2011](https://standards.iteh.ai/catalog/standards/sist/6df67e72-f361-4f9e-a2f0-2beac16f65b8/sist-en-iso-5459-2011)

[https://standards.iteh.ai/catalog/standards/sist/6df67e72-f361-4f9e-a2f0-
2beac16f65b8/sist-en-iso-5459-2011](https://standards.iteh.ai/catalog/standards/sist/6df67e72-f361-4f9e-a2f0-2beac16f65b8/sist-en-iso-5459-2011)



Reference number
ISO 5459:2011(E)

© ISO 2011

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 5459:2011

<https://standards.iteh.ai/catalog/standards/sist/6dfe7e72-f361-4f9e-a2f0-2beac16f65b8/sist-en-iso-5459-2011>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2011

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction.....	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Symbols.....	6
5 Role of datums.....	7
6 General concepts	9
6.1 General	9
6.2 Intrinsic characteristics of surfaces associated with datum features	10
6.2.1 General	10
6.2.2 A single datum established from a single feature	10
6.2.3 Common datum established from two or more single features simultaneously.....	10
6.2.4 Datum systems established in a defined sequence from two or more single features	12
6.3 Single datums, common datums and datum systems	12
6.3.1 General	12
6.3.2 Single datums	12
6.3.3 Common datums	14
6.3.4 Datum systems	14
7 Graphical language	17
7.1 General	17
7.2 Indication of datum features	17
7.2.1 Datum feature indicator	17
7.2.2 Datum feature identifier	18
7.2.3 Datum targets	18
7.3 Specification of datums and datum systems	21
7.4 Indication and meaning of rules	21
7.4.1 General	21
7.4.2 Rules	22
Annex A (normative) Association for datums.....	37
Annex B (informative) Invariance classes	47
Annex C (informative) Examples	49
Annex D (informative) Former practices.....	71
Annex E (informative) Examples of a datum system or a common datum established with contacting features	73
Annex F (normative) Relations and dimensions of graphical symbols	79
Annex G (informative) Relationship to the GPS matrix model	80
Bibliography.....	81

ISO 5459:2011(E)**Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 5459 was prepared by Technical Committee ISO/TC 213, *Dimensional and geometrical product specification and verification*.

This second edition cancels and replaces the first edition (ISO 5459:1981), which has been technically revised.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 5459:2011](https://standards.iteh.ai/catalog/standards/sist/6dfe7e72-f361-4f9e-a2f0-2beac16f65b8/sist-en-iso-5459-2011)

<https://standards.iteh.ai/catalog/standards/sist/6dfe7e72-f361-4f9e-a2f0-2beac16f65b8/sist-en-iso-5459-2011>

Introduction

ISO 5459 is a geometrical product specification (GPS) standard and is to be regarded as a general GPS standard (see ISO/TR 14638). It influences the chain links 1 to 3 of the chain of standards on datums.

The ISO/GPS Masterplan given in ISO/TR 14638 gives an overview of the ISO/GPS system of which this standard is a part. The fundamental rules of ISO/GPS given in ISO 8015 apply to this standard and the default decision rules given in ISO 14253-1 apply to specifications made in accordance with this standard unless otherwise indicated.

For more detailed information of the relation of this International Standard to the GPS matrix model, see Annex G.

For the definitive presentation (proportions and dimensions) of symbols for geometrical tolerancing, see ISO 7083.

The previous version of ISO 5459 dealt only with planes, cylinders and spheres being used as datums. There is a need to consider all types of surfaces, which are increasingly used in industry. The definitions of classes of surfaces as given in Annex B are exhaustive and unambiguous.

This edition of ISO 5459 applies new concepts and terms that have not been used in previous ISO GPS standards. These concepts are described in detail in ISO/TR 14638, ISO 17450-1 and ISO 17450-2; therefore, it is recommended to refer to these standards when using ISO 5459.

This International Standard provides tools to express location or orientation constraints, or both, for a tolerance zone. It does not provide information about the relationship between datums or datum systems and functional requirements or applications.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 5459:2011](#)

<https://standards.iteh.ai/catalog/standards/sist/6dfe7e72-f361-4f9e-a2f0-2beac16f65b8/sist-en-iso-5459-2011>

Geometrical product specifications (GPS) — Geometrical tolerancing — Datums and datum systems

1 Scope

This International Standard specifies terminology, rules and methodology for the indication and understanding of datums and datum systems in technical product documentation. This International Standard also provides explanations to assist the user in understanding the concepts involved.

This International Standard defines the specification operator (see ISO 17450-2) used to establish a datum or datum system. The verification operator (see ISO 17450-2) can take different forms (physically or mathematically) and is not the subject of this International Standard.

NOTE The detailed rules for maximum and least material requirements for datums are given in ISO 2692.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 128-24:1999, *Technical drawings — General principles of presentation — Part 24: Lines on mechanical engineering drawings*

ISO 1101:2004, *Geometrical Product Specifications (GPS) — Geometrical tolerancing — Tolerances of form, orientation, location and run-out*

ISO 1101:2004/Amd 1:—¹⁾, *Geometrical Product Specifications (GPS) — Geometrical tolerancing — Tolerances of form, orientation, location and run-out — Amendment 1: Representation of specifications in the form of a 3D model*

ISO 2692:2006, *Geometrical product specifications (GPS) — Geometrical tolerancing — Maximum material requirement (MMR), least material requirement (LMR) and reciprocity requirement (RPR)*

ISO 3098-0, *Technical product documentation — Lettering — Part 0: General requirements*

ISO 3098-5, *Technical product documentation — Lettering — Part 5: CAD lettering of the Latin alphabet, numerals and marks*

ISO 14660-1:1999, *Geometrical Product Specifications (GPS) — Geometrical features — Part 1: General terms and definitions*

ISO 17450-1, *Geometrical product specifications (GPS) — General concepts — Part 1: Model for geometrical specification and verification*

ISO 17450-2, *Geometrical product specifications (GPS) — General concepts — Part 2: Basic tenets, specifications, operators and uncertainties*

ISO 81714-1, *Design of graphical symbols for use in the technical documentation of products — Part 1: Basic rules*

1) To be published.

ISO 5459:2011(E)

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 1101, ISO 2692, ISO 14660-1, ISO 17450-1, ISO 17450-2 and the following apply.

3.1 situation feature
point, straight line, plane or helix from which the location and orientation of features, or both, can be defined

3.2 datum feature
real (non-ideal) integral feature used for establishing a datum

NOTE 1 A datum feature can be a complete surface, a portion of a complete surface, or a feature of size.

NOTE 2 An illustration showing the relations between datum feature, associated feature and datum is given in Figure 4.

3.3 associated feature
associated feature for establishing a datum

ideal feature which is fitted to the datum feature with a specific association criterion

NOTE 1 The type of the associated feature is by default the same as the type of the nominal integral feature used to establish the datum (for an exception see 7.4.2.5).

NOTE 2 The associated feature for establishing a datum simulates the contact between the real surface of the workpiece and other components.

NOTE 3 An illustration showing the relations between datum feature, associated feature and datum is given in Figure 4.

3.4 datum
one or more situation features of one or more features associated with one or more real integral features selected to define the location or orientation, or both, of a tolerance zone or an ideal feature representing for instance a virtual condition

NOTE 1 A datum is a theoretically exact reference; it is defined by a plane, a straight line or a point, or a combination thereof.

NOTE 2 The concept of datums is inherently reliant upon the invariance class concept (see Annex A and Annex B).

NOTE 3 Datums with maximum material condition (MMC) or least material condition (LMC) are not covered in this International Standard (see ISO 2692).

NOTE 4 When a datum is established, for example, on a complex surface, the datum consists of a plane, a straight line or a point, or a combination thereof. The modifier [SL], [PL] or [PT], or a combination thereof, can be attached to the datum letter to limit the situation feature(s) taken into account relative to the surface.

NOTE 5 An illustration showing the relation between datum feature, associated feature and datum is given in Figure 4.

3.5 primary datum
datum that is not influenced by constraints from other datums

3.6 secondary datum
datum, in a datum system, that is influenced by an orientation constraint from the primary datum in the datum system

3.7**tertiary datum**

datum, in a datum system, that is influenced by constraints from the primary datum and the secondary datum in the datum system

3.8**single datum**

datum established from one datum feature taken from a single surface or from one feature of size

NOTE The invariance class of a single surface can be complex, prismatic, helical, cylindrical, revolute, planar or spherical. A set of situation features defining the datum (see Table B.1) corresponds to each type of single surface.

3.9**common datum**

datum established from two or more datum features considered simultaneously

NOTE To define a common datum, it is necessary to consider the collection surface created by the considered datum features. The invariance class of a collection surface can be complex, prismatic, helical, cylindrical, revolute, planar or spherical (see Table B.1).

3.10**datum system**

set of two or more situation features established in a specific order from two or more datum features

NOTE To define a datum system, it is necessary to consider the collection surface created by the considered datum features. The invariance class of a collection surface can be complex, prismatic, helical, cylindrical, revolute, planar or spherical (see Table B.1).

3.11**datum target**

portion of a datum feature which can nominally be a point, a line segment or an area

NOTE Where the datum target is a point, a line or an area, it is indicated as a datum target point, a datum target line or a datum target area, respectively.

3.12**moveable datum target**

datum target with a controlled motion

3.13**collection surface**

two or more surfaces considered simultaneously as a single surface

NOTE 1 Table B.1 is used to determine the invariance class of a datum or datum systems when using a collection of surfaces.

NOTE 2 Two intersecting planes may be considered together or separately. When the two intersecting planes are considered simultaneously as a single surface, that surface is a collection surface.

3.14**feature of size**

geometrical shape defined by a linear or angular dimension which is a size

NOTE The features of size can be a cylinder, a sphere, two parallel opposite surfaces, a cone or a wedge.

[ISO 14660-1:1999, 2.2]

NOTE In this International Standard, features which are not features of size according to ISO 14660-1 are used to establish a datum as a feature of size, e.g. a truncated sphere (see the example in C.1.4).