



# SLOVENSKI STANDARD

## SIST EN 61784-5-6:2012

01-junij-2012

Nadomešča:

SIST EN 61784-5-6:2008

---

**Industrijska komunikacijska omrežja - Profili - 5-6. del: Inštalacija procesnih vodil - Inštalacijski profili za CPF 6 (IEC 61784-5-6:2010)**

Industrial communication networks - Profiles - Part 5-6: Installation of fieldbuses - Installation profiles for CPF 6 (IEC 61784-5-6:2010)

Industrielle Kommunikationsnetze - Profile - Teil 5-6: Feldbusinstallation - Installationsprofile für die Kommunikationsprofilfamilie 6 (IEC 61784-5-6:2010)

Réseaux de communication industriels - Profils - Partie 5-6: Installation des bus de terrain - Profils d'installation pour CPF 6 (IEC 61784-5-6:2010)

**Ta slovenski standard je istoveten z: EN 61784-5-6:2012**

---

**ICS:**

25.040.40	Merjenje in krmiljenje industrijskih postopkov	Industrial process measurement and control
35.100.05	Večslojne uporabniške rešitve	Multilayer applications

**SIST EN 61784-5-6:2012** en

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

SIST EN 61784-5-6:2012

<https://standards.iteh.ai/catalog/standards/sist/05007769-d57c-480d-8506-06ef2fddd8cf/sist-en-61784-5-6-2012>

EUROPEAN STANDARD  
NORME EUROPÉENNE  
EUROPÄISCHE NORM

**EN 61784-5-6**

April 2012

ICS 25.040.40; 35.100.40

Supersedes EN 61784-5-6:2008

English version

**Industrial communication networks -  
Profiles -  
Part 5-6: Installation of fieldbuses -  
Installation profiles for CPF 6  
(IEC 61784-5-6:2010)**

Réseaux de communication industriels -  
Profils -  
Partie 5-6: Installation des bus de terrain -  
Profils d'installation pour CPF 6  
(CEI 61784-5-6:2010)

Industrielle Kommunikationsnetze -  
Profile -  
Teil 5-6: Feldbusinstallation -  
Installationsprofile für die  
Kommunikationsprofilfamilie 6  
(IEC 61784-5-6:2010)

**iTeh STANDARD PREVIEW  
(standards.iteh.ai)**

[SIST EN 61784-5-6:2012](https://standards.iteh.ai/catalog/standards/sist/05007769-d57c-480d-2011-10-19)

<https://standards.iteh.ai/catalog/standards/sist/05007769-d57c-480d-2011-10-19>

This European Standard was approved by CENELEC on 2011-10-19. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

**CENELEC**

European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**Management Centre: Avenue Marnix 17, B - 1000 Brussels**

## Foreword

The text of document 65C/602/FDIS, future edition 2 of IEC 61784-5-6, prepared by SC 65C, "Industrial networks", of IEC/TC 65, "Industrial-process measurement, control and automation" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61784-5-6:2012.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2012-10-20
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2014-10-19

EN 61784-5-6:2012 includes the following technical changes with respect to EN 61784-5-6:2008:

a) alignment to IEC 61918:2010;

b) addition of the M12-FO connector.

This standard is to be used in conjunction with IEC 61918, second edition (2010-07), together with the European Common Modification published with EN 61918:2008.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

[SIST EN 61784-5-6:2012](https://standards.iteh.ai/catalog/standards/sist/05007769-d57c-480d-8506-000000000000/sist-en-61784-5-6-2012)

<https://standards.iteh.ai/catalog/standards/sist/05007769-d57c-480d-8506-000000000000/sist-en-61784-5-6-2012>  
**Endorsement notice**

The text of the International Standard IEC 61784-5-6:2010 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 61158 series      NOTE Harmonized as EN 61158 series.

IEC/TR 61158-1      NOTE Harmonized as CLC/TR 61158-1.

## Annex ZA (normative)

### Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60189-1	2007	Low-frequency cables and wires with PVC insulation and PVC sheath - Part 1: General test and measuring methods	-	-
IEC 60794-1-2	2003	Optical fibre cables - Part 1-2: Generic specification - Basic optical cable test procedures	EN 60794-1-2	2003
IEC 61156-1	2007	Multicore and symmetrical pair/quad cables for digital communications - Part 1: Generic specification	-	-
IEC 61156-5	-	Multicore and symmetrical pair/quad cables for digital communications - Part 5: Symmetrical pair/quad cables with transmission characteristics up to 1 000 MHz - Horizontal floor wiring - Sectional specification	-	-
IEC 61918	2010	Industrial communication networks - Installation of communication networks in industrial premises	-	-

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

SIST EN 61784-5-6:2012

<https://standards.iteh.ai/catalog/standards/sist/05007769-d57c-480d-8506-06ef2fddd8cf/sist-en-61784-5-6-2012>



IEC 61784-5-6

Edition 2.0 2010-07

# INTERNATIONAL STANDARD



---

**Industrial communication networks – Profiles –  
Part 5-6: Installation of fieldbuses – Installation profiles for CPF 6**

**STANDARD PREVIEW**  
**(standards.iteh.ai)**

SIST EN 61784-5-6:2012  
<https://standards.iteh.ai/catalog/standards/sist/05007769-d57c-480d-8506-06ef2fddd8cf/sist-en-61784-5-6-2012>

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

PRICE CODE



---

ICS 25.040.40; 35.100.40

ISBN 978-2-88912-054-3

## CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references .....	7
3 Terms, definitions and abbreviated terms .....	7
4 CPF 6: Overview of installation profiles .....	7
5 Installation profile conventions .....	7
6 Conformance to installation profiles.....	8
Annex A (normative) CPF 6 Type 8 network specific installation profile.....	10
Annex B (normative) CPF 6 Ethernet network specific installation profile .....	34
Bibliography.....	50
Figure 1 – Standards relationships.....	6
Figure A.1 – Type 8 network structure example .....	14
Figure A.2 – Example of a Type 8 network configuration.....	15
Figure A.3 – Sub-D connector pin assignments.....	29
Figure A.4 – M23 circular connector pin assignments .....	29
Figure A.5 – M12 circular connector pin assignments .....	30
Figure A.6 – Terminal connector at the device .....	30
Figure B.1 – Plug connector interface M12-FO.....	43
Figure B.2 – Adaptor connector interface M12-FO .....	44
Figure B.3 – Terminal connector at the device .....	48
Table A.1 – Basic network characteristics for balanced cabling not based on Ethernet .....	16
Table A.2 – Network characteristics for optical fibre cabling.....	17
Table A.3 – Information relevant to balanced cable: fixed cables .....	18
Table A.4 – Information relevant to balanced cable: cords .....	19
Table A.5 – Remote bus fibre optic cable length .....	21
Table A.6 – Connectors for copper cabling CPs not based on Ethernet.....	22
Table A.7 – Optical fibre connecting hardware .....	22
Table A.8 – Relationship between FOC and fibre types (Type 8 networks).....	23
Table A.9 – Colour code for balanced cables used by Type 8 networks .....	24
Table A.10 – Parameters for balanced cables .....	27
Table A.11 – Parameters for silica optical fibre cables .....	27
Table A.12 – Parameters for POF optical fibre cables .....	27
Table A.13 – Parameters for hard clad silica optical fibre cables.....	28
Table A.14 – Pin assignment of the terminal connector.....	30
Table B.1 – Network characteristics for balanced cabling based on Ethernet .....	37
Table B.2 – Network characteristics for optical fibre cabling.....	37
Table B.3 – Information relevant to balanced cable: fixed cables .....	39
Table B.4 – Information relevant to balanced cable: cords .....	40
Table B.5 – Information relevant to optical fibre cables.....	41



Table B.6 – Connectors for balanced cabling CPs based on Ethernet .....	42
Table B.7 – Optical fibre connecting hardware .....	42
Table B.8 – Relationship between FOC and fibre types (CP 6/2 Ethernet network) .....	45
Table B.9 – Parameters for balanced cables .....	47
Table B.10 – Parameters for silica optical fibre cables .....	47
Table B.11 – Parameters for POF optical fibre cables .....	47
Table B.12 – Parameters for hard clad silica optical fibre cables .....	48

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN 61784-5-6:2012](https://standards.iteh.ai/catalog/standards/sist/05007769-d57c-480d-8506-06ef2fddd8cf/sist-en-61784-5-6-2012)

<https://standards.iteh.ai/catalog/standards/sist/05007769-d57c-480d-8506-06ef2fddd8cf/sist-en-61784-5-6-2012>

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

---

**INDUSTRIAL COMMUNICATION NETWORKS –  
PROFILES –**
**Part 5-6: Installation of fieldbuses –  
Installation profiles for CPF 6**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61784-5-6 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation.

This second edition cancels and replaces the first edition published in 2007. This edition constitutes a technical revision.

This edition includes the following technical changes with respect to the previous edition:

- a) alignment to IEC 61918:2010;
- b) addition of the M12-FO connector.

This standard is to be used in conjunction with IEC 61918:2010.

The text of this standard is based on the following documents:

FDIS	Report on voting
65C/602/FDIS	65C/616/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61784-5 series, published under the general title *Industrial communication networks – Profiles – Installation of fieldbuses*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

## iTeh STANDARD PREVIEW

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

<https://standards.iteh.ai/catalog/standards/sist/05007769-d57c-480d-8506-06ef2fddd8cf/sist-en-61784-5-6-2012>

## INTRODUCTION

This International Standard is one of a series produced to facilitate the use of communication networks in industrial control systems.

IEC 61918:2010 provides the common requirements for the installation of communication networks in industrial control systems. This installation profile standard provides the installation profiles of the communication profiles (CP) of a specific communication profile family (CPF) by stating which requirements of IEC 61918 fully apply and, where necessary, by supplementing, modifying, or replacing the other requirements (see Figure 1).

For general background on fieldbuses, their profiles, and relationship between the installation profiles specified in this standard, see IEC/TR 61158-1.

Each CP installation profile is specified in a separate annex of this standard. Each annex is structured exactly as the reference standard IEC 61918 for the benefit of the persons representing the roles in the fieldbus installation process as defined in IEC 61918 (planner, installer, verification personnel, validation personnel, maintenance personnel, administration personnel). By reading the installation profile in conjunction with IEC 61918, these persons immediately know which requirements are common for the installation of all CPs and which are modified or replaced. The conventions used to draft this standard are defined in Clause 5.

The provision of the installation profiles in one standard for each CPF (for example IEC 61784-5-6 for CPF 6), allows readers to work with standards of a convenient size.




Figure 1 – Standards relationships

## INDUSTRIAL COMMUNICATION NETWORKS – PROFILES –

### Part 5-6: Installation of fieldbuses – Installation profiles for CPF 6

#### 1 Scope

This part of IEC 61784 specifies the installation profiles for CPF 6 (INTERBUS)<sup>1</sup>.

The installation profiles are specified in the annexes. These annexes are read in conjunction with IEC 61918:2010.

#### 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61918:2010, *Industrial communication networks – Installation of communication networks in industrial premises*

STANDARD PREVIEW  
(standards.iteh.ai)

The normative references of IEC 61918:2010, Clause 2, apply. For profile specific normative references, see Clauses A.2 and B.2.

<https://standards.iteh.ai/catalog/standards/sist/05007769-d57c-480d-8506-06ef2fddd8cf/sist-en-61784-5-6-2012>

#### 3 Terms, definitions and abbreviated terms

For the purposes of this document, the terms, definitions and abbreviated terms of IEC 61918:2010, Clause 3, apply. For profile specific terms, definitions and abbreviated terms see Clauses A.3 and B.3.

#### 4 CPF 6: Overview of installation profiles

CPF 6 consists of seven communication profiles (see IEC 61784-1 for CP 6/1, CP 6/2, CP 6/3, see 61784-2 for CP 6/4, CP 6/5, CP 6/6, see 61784-3-6 for FSCP 6/7).

The CPF 6 Type 8 network (non Ethernet based) installation profile is specified in Annex A.

The CP 6/2 Ethernet specific installation profile file is specified in Annex B.

#### 5 Installation profile conventions

The numbering of the clauses and subclauses in the annexes of this standard corresponds to the numbering of IEC 61918 main clauses and subclauses.

---

<sup>1</sup> INTERBUS is a trade name of INTERBUS Club, an independent organisation of users and vendors of INTERBUS products. This information is given for the convenience of users of this International Standard and does not constitute an endorsement by IEC of the trademark holder or any of its products. Compliance to this profile does not require use of the trade name INTERBUS. Use of the trade name INTERBUS requires permission of the trade name holder.

The annex clauses and subclauses of this standard supplement, modify, or replace the respective clauses and subclauses in IEC 61918.

Where there is no corresponding subclause of IEC 61918 in the normative annexes in this standard, the subclause of IEC 61918 applies without modification.

The annex heading letter represents the installation profile assigned in Clause 4. The annex (sub)clause numbering following the annex letter shall represent the corresponding (sub)clause numbering of IEC 61918.

EXAMPLE “Annex B.4.4” in IEC 61784-5-3 means that CP 3/2 specifies the Subclause 4.4 of IEC 61918.

All main clauses of IEC 61918 are cited and apply in full unless otherwise stated in each normative installation profile annex.

If all subclauses of a (sub)clause are omitted, then the corresponding IEC 61918 (sub)clause applies.

If in a (sub)clause it is written “Not applicable”, then the corresponding IEC 61918 (sub)clause does not apply.

If in a (sub)clause it is written “*Addition:*”, then the corresponding IEC 61918 (sub)clause applies with the additions written in the profile.

If in a (sub)clause it is written “*Replacement:*”, then the text provided in the profile replaces the text of the corresponding IEC 61918 (sub)clause.

NOTE A replacement can also comprise additions.

If in a (sub)clause it is written “*Modification:*”, then the corresponding IEC 61918 (sub)clause applies with the modifications written in the profile.

If all (sub)clauses of a (sub)clause are omitted but in this (sub)clause it is written “(Sub)clause x has *addition:*” (or “*replacement:*”) or “(Sub)clause x is not applicable.”, then (sub)clause x becomes valid as declared and all the other corresponding IEC 61918 (sub)clauses apply.

## 6 Conformance to installation profiles

Each installation profile within this standard includes part of IEC 61918:2010. It may also include defined additional specifications.

A statement of compliance to an installation profile of this standard shall be stated<sup>2</sup> as either

Compliance to IEC 61784-5-6:2010<sup>3</sup> for CP 6/m<name> or

Compliance to IEC 61784-5-6 (Ed.2.0) for CP 6/m <name>

where the name within the angle brackets < > is optional and the angle brackets are not to be included. The m within CP 6/m shall be replaced by the profile number 1 to 2.

NOTE The name may be the name of the profile, for example INTERBUS.

If the name is a trade name then the permission of the trade name holder shall be required.

<sup>2</sup> In accordance with ISO/IEC Directives

<sup>3</sup> The date should not be used when the edition number is used.

Product standards shall not include any conformity assessment aspects (including quality management provisions), neither normative nor informative, other than provisions for product testing (evaluation and examination).

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

SIST EN 61784-5-6:2012

<https://standards.iteh.ai/catalog/standards/sist/05007769-d57c-480d-8506-06ef2fddd8cf/sist-en-61784-5-6-2012>