

### SLOVENSKI STANDARD SIST EN 61169-26:2014

01-februar-2014

Radiofrekvenčni konektorji - 26. del: Področna specifikacija za koaksialni radiofrekvenčni (RF) konektor serije TNCA (IEC 61169-26:2013)

Radio-frequency connectors - Part 26: Sectional specification of TNCA series RF coaxial connector

Hochfrequenz-Steckverbinder - Teil 26: Rahmenspezifikation für koaxiale HF-Steckverbinder der TNCA-Serie TANDARD PREVIEW

Connecteurs pour fréquences radioélectriques - Partie 26: Spécification intermédiaire pour les connecteurs coaxiaux RF série TNCA<sub>9-26-2014</sub>

https://standards.iteh.ai/catalog/standards/sist/e22a2cb0-9ba4-41a7-b678-

Ta slovenski standard je istoveten z: EN 61169-26-2014

ICS:

33.120.30 Radiofrekvenčni konektorji R.F. connectors

(RF)

SIST EN 61169-26:2014 en

SIST EN 61169-26:2014

# iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 61169-26;2014

https://standards.iteh.ai/catalog/standards/sist/e22a2cb0-9ba4-41a7-b678-e89cc76a21f6/sist-en-61169-26-2014

**EUROPEAN STANDARD** 

EN 61169-26

NORME EUROPÉENNE EUROPÄISCHE NORM

April 2013

ICS 31.220.10

English version

# Radio-frequency connectors Part 26: Sectional specification for TNCA series RF coaxial connectors (IEC 61169-26:2013)

Connecteurs pour fréquences radioélectriques - Partie 26: Spécification intermédiaire pour les connecteurs coaxiaux RF série TNCA (CEI 61169-26:2013)

Hochfrequenz-Steckverbinder -Teil 26: Rahmenspezifikation für koaxiale HF-Steckverbinder der TNCA-Serie (IEC 61169-26:2013)

### iTeh STANDARD PREVIEW

This European Standard was approved by CENELEC on 2013-03-05. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. 26:2014

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

### **CENELEC**

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

#### **Foreword**

The text of document 46F/220/FDIS, future edition 1 of IEC 61169-26, prepared by SC 46F, R.F. and microwave passive components, of IEC TC 46, Cables, wires, waveguides, R.F. connectors, R.F. and microwave passive components and accessories was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61169-26:2013.

The following dates are fixed:

document have to be withdrawn

•	latest date by which the document has	(dop)	2013-12-05
	to be implemented at national level by		
	publication of an identical national		
	standard or by endorsement		
•	latest date by which the national standards conflicting with the	(dow)	2016-03-05

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

#### **Endorsement notice**

The text of the International Standard IEC 61169-26:2013 was approved by CENELEC as a European Standard without any modification. (standards.iteh.ai)

<u>SIST EN 61169-26:2014</u> https://standards.iteh.ai/catalog/standards/sist/e22a2cb0-9ba4-41a7-b678-e89cc76a21f6/sist-en-61169-26-2014

## Annex ZA (normative)

### Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60068-1	-	Environmental testing - Part 1: General and guidance	EN 60068-1	-
IEC 61169-1	1992	Radio-frequency connectors -	EN 61169-1	1994
+ A1	1996	Part 1: Generic specification - General	+ A1	1996
+ A2	1997	requirements and measuring methods	+ A2	1997

# iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 61169-26:2014</u> https://standards.iteh.ai/catalog/standards/sist/e22a2cb0-9ba4-41a7-b678-e89cc76a21f6/sist-en-61169-26-2014 SIST EN 61169-26:2014

# iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 61169-26;2014

https://standards.iteh.ai/catalog/standards/sist/e22a2cb0-9ba4-41a7-b678-e89cc76a21f6/sist-en-61169-26-2014



### IEC 61169-26

Edition 1.0 2013-01

## INTERNATIONAL STANDARD

## NORME INTERNATIONALE



Radio-frequency donnectors ANDARD PREVIEW
Part 26: Sectional specification for TNCA series RF coaxial connectors

Connecteurs pour fréquences radioélectriques<sub>4</sub> –

Partie 26: Spécification intermédiaire pour les connecteurs coaxiaux RF série

TNCA e89cc76a21f6/sist-en-61169-26-2014

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

PRICE CODE
CODE PRIX



ICS 31.220.10

ISBN 978-2-83220-624-9

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

### CONTENTS

FO	KEWC	JRD	4
1	Scop	oe	6
2	Norm	native reference	6
3	Matir	ng face and gauge information	6
	3.1	Dimensions – General connectors – Grade 1	6
		3.1.1 Connector with pin-centre contact (see Figure 1)	6
		3.1.2 Connector with socket-centre contact (see Figure 2)	8
	3.2	Gauges	9
		3.2.1 Gauge pins for socket-centre contact (see Figure 3)	9
		3.2.2 Test procedure	
	3.3	Dimensions – Standard test connectors – Grade 0	
		3.3.1 Connector with pin-centre contact (see Figure 4)	
		3.3.2 Connector with socket-centre contact (see Figure 5)	
4	Quali	ity assessment procedure	
	4.1	General	
	4.2	Rating and characteristics (see Clause 6 of IEC 61169-1:1992)	
	4.3	Test schedule and inspection requirements – Acceptance tests	
		4.3.1 Acceptance tests (see Table 8) D.P.R.E.V.E.W.	
	4.4	4.3.2 Periodic tests (standards.iteh.ai)  Procedures	16
	4.4		
		4.4.1 Quality conformance inspection 262014 4.4.2 Qualification approval and its maintenance 96444147-6678	
5	Inetri	uctions for preparation of detail2specifications-26-2014	
J	5.1	General	
	5.1	Identification of the component	
	5.3	Performance	
	5.4	Marking, ordering information and related matters	
	5.5	Selection of tests, test conditions and severities	
	5.6	Blank detail specification pro-forma for type TNCA connector	
Bib		phy	
	0		
Fia	ure 1 .	Connector with pin-centre contact (for dimensions and key, see Table 1)	7
_		<ul> <li>Connector with socket-centre contact (for dimensions and key, see Table 2)</li> </ul>	
_		· · · · · · · · · · · · · · · · · · ·	
		- Gauge pins for socket-centre contact (for dimensions, see Table 3)	
_		- Connector with pin-centre contact (for dimensions and key, see Table 4)	
Fig	ure 5	- Connector with socket-centre contact (for dimensions and key, see Table 5)	11
Tab	ole 1 –	- Dimensions of connector with pin-centre contact	7
Tab	ole 2 –	- Dimensions of connector with socket-centre contact	8
Tab	ole 3 –	- Dimensions of gauge pins for socket-centre contact	9
Tal	ole 4 –	- Dimensions of connector with pin-centre contact	10
		- Dimensions of connector with socket-centre contact	
		- Preferred climatic categories (see IEC 60068-1)	
		- Ratings and characteristics	

61169-26	© IEC:2013
----------	------------

- 3 -

Table 8 – Acceptance tests	15
Table 9 – Periodic tests	16

# iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 61169-26:2014

https://standards.iteh.ai/catalog/standards/sist/e22a2cb0-9ba4-41a7-b678-e89cc76a21f6/sist-en-61169-26-2014

### INTERNATIONAL ELECTROTECHNICAL COMMISSION

#### RADIO-FREQUENCY CONNECTORS -

### Part 26: Sectional specification for TNCA series RF coaxial connectors

#### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, EC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter
- https://standards.itch.ai/catalog/standards/sist/e22a2cb0-9ba4-41a7-b678
  5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61169-26 has been prepared by subcommittee 46F: RF and microwave passive components, of IEC technical committee 46: Cables, wires, waveguides, R.F. connectors, R.F. and microwave passive components and accessories.

The text of this standard is based on the following documents:

FDIS	Report on voting
46F/220/FDIS	46F/225/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

61169-26 © IEC:2013

- 5 -

A list of all parts of the IEC 61169 series, under the general title: *Radio-frequency connectors*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- · reconfirmed,
- · withdrawn,
- replaced by a revised edition, or
- · amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

# iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 61169-26:2014 https://standards.iteh.ai/catalog/standards/sist/e22a2cb0-9ba4-41a7-b678-e89cc76a21f6/sist-en-61169-26-2014

### **RADIO-FREQUENCY CONNECTORS -**

### Part 26: Sectional specification for TNCA series RF coaxial connectors

#### 1 Scope

This part of IEC 61169 which is a sectional specification (SS) provides information and rules for the preparation of detail specifications (DS) for TNCA series RF coaxial connectors, with characteristic impedance of 50  $\Omega$ , with threaded coupling and operating frequency limit up to 18 GHz, used in wireless, communication, instrument, antenna, test and measurements, radar, and other fields, connecting with RF cables or micro-strips.

It also prescribes mating face dimensions for general connectors-grade 2, dimensional details of standard test connectors-grade 0, gauging information and tests selected from IEC 61169-1, applicable to all detail specifications relating to TNCA series connectors.

This specification indicates the recommended performance characteristics to be considered when writing a detail specification and it covers test schedules and inspection requirements for assessment levels M and H (see Tables 8 and 9).

PREVIEW

TNCA connectors are recommended for applications above 11 GHz. TNCA connectors are compatible with TNC connectors as described in the IEC 60169-17 and IEC 60169-26 provided that the dielectric of connector with socket-centre contact does not extend beyond reference plane. However when mated with these connectors, the performances are not ensured. https://standards.iteh.ai/catalog/standards/sist/e22a2cb0-9ba4-41a7-b678-

e89cc76a21f6/sist-en-61169-26-2014

NOTE Attention is drawn to the fact that TNCA interface does not utilize overlapping PTFE dielectric for increased voltage breakdown resistance.

#### 2 Normative reference

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61169-1:1992, Radio-frequency connectors – Part 1: Generic specification – General requirements and measuring methods<sup>1</sup>

Amendment 1:1996 Amendment 2:1997

IEC 60068-1, Environmental testing – Part 1: General and guidance

### 3 Mating face and gauge information

### 3.1 Dimensions - General connectors - Grade 1

### 3.1.1 Connector with pin-centre contact (see Figure 1)

Metric dimensions are original dimensions.

There exists a consolidated edition 1.2 (1998) that comprises IEC 61169-1:1992, its Amendment 1:1996 and its Amendment 2:1997.