



SLOVENSKI STANDARD SIST EN 2696:2005

01-november-2005

BUXca Yý U.
SIST EN 2696:2001

Aerospace series - Aluminium alloy AL-P7075-T6 or T62 - Sheet and strip - 0,4 mm < a <6 mm

Aerospace series - Aluminium alloy AL-P7075-T6 or T62 - Sheet and strip - 0,4 mm < a <6 mm

iTeh STANDARD PREVIEW

([standards.iteh.ai](#))

Luft- und Raumfahrt - Aluminiumlegierung AL-P7075-T6 oder T62 - Bleche und Bänder - 0,4 mm < a <6 mm

[SIST EN 2696:2005](#)

<https://standards.iteh.ai/catalog/standards/sist/63d67402-2782-43d1-8e7f>

Série aérospatiale - Alliage d'aluminium AL-P7075-T6 ou T62 - Tôles et bandes - 0,4 mm < a <6 mm

Ta slovenski standard je istoveten z: **EN 2696:2005**

ICS:

49.025.20 Aluminij Aluminium

SIST EN 2696:2005 en

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 2696:2005](#)

<https://standards.iteh.ai/catalog/standards/sist/63d67402-2782-43d1-8e7f-29a063c7ac50/sist-en-2696-2005>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 2696

June 2005

ICS 49.025.20

Supersedes EN 2696:1993

English version

Aerospace series - Aluminium alloy AL-P7075-T6 or T62 - Sheet
and strip - 0,4 mm ≤a≤6 mm

Série aérospatiale - Alliage d'aluminium AL-P7075-T6 ou
T62 - Tôles et bandes - 0,4 mm ≤a≤6 mm

Luft- und Raumfahrt - Aluminiumlegierung AL-P7075-
T6 oder T62 - Bleche und Bänder - 0,4 mm ≤a≤6 mm

This European Standard was approved by CEN on 22 April 2005.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

iTech STANDARD PREVIEW

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

SIST EN 2696:2005
<https://standards.itech.ai/catalog/standards/sist/63d67402-2782-43d1-8e7f29a063c7ac50/sist-en-2696-2005>



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Foreword

This document (EN 2696:2005) has been prepared by the European Association of Aerospace Manufacturers - Standardization (AECMA-STAN).

After enquiries and votes carried out in accordance with the rules of this Association, this Standard has received the approval of the National Associations and the Official Services of the member countries of AECMA, prior to its presentation to CEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 2005, and conflicting national standards shall be withdrawn at the latest by December 2005.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 2696:1993.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

THE STANDARD PREDICTION
(standards.iteh.ai)

SIST EN 2696:2005

<https://standards.iteh.ai/catalog/standards/sist/63d67402-2782-43d1-8e7f>

29a063c7ac50/sist-en-2696-2005

Introduction

This standard is part of the series of EN metallic material standards for aerospace applications. The general organization of this series is described in EN 4258.

This standard has been prepared in accordance with EN 4500-2.

1 Scope

This standard specifies the requirements relating to:

Aluminium alloy AL-P7075-
T6 or T62
Sheet and strip
 $0,4 \text{ mm} \leq a \leq 6 \text{ mm}$

for aerospace application.

2 Normative references

iTeh STANDARD PREVIEW (standards.iteh.ai)

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.[EN 2696:2005](#)

<https://standards.iteh.ai/catalog/standards/sist/63d67402-2782-43d1-8e7f>

EN 4258, Aerospace series — Metallic materials — General organization of standardization — Links between types of EN standards and their use.

EN 4400-2, Aerospace series — Aluminium and aluminium alloy wrought products — Technical specification — Part 2: Sheet and strip.¹⁾

EN 4500-2, Aerospace series — Metallic materials — Rules for drafting and presentation of material standards — Part 2: Specific rules for aluminium, aluminium alloys and magnesium alloys.¹⁾

1) Published as AECMA Prestandard at the date of publication of this standard.

EN 2696:2005 (E)

1	Material designation			Aluminium alloy AL-P7075-									
2	% Chemical composition	Element	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Others		AI
			min.	–	1,2	–	2,1	0,18	5,1	–	–	–	
		max.	0,40	0,50	2,0	0,30	2,9	0,28	6,1	0,20	0,05	0,15	Base
3	Method of melting			–									
4.1	Form			Sheet and strip									
4.2	Method of production			Rolled									
4.3	Limit dimension(s)		mm	0,4 ≤ a ≤ 6									
5	Technical specification			EN 4400-2									

6.1	Delivery condition	F	O	T6	T6
	Heat treatment	–	–	460 °C ≤ θ ≤ 485 °C / WQ θ ≤ 40 °C + 115 °C ≤ θ ≤ 135 °C / 20 h ≤ t ≤ 30 h	460 °C ≤ θ ≤ 485 °C / WQ θ ≤ 40 °C + 115 °C ≤ θ ≤ 135 °C / 20 h ≤ t ≤ 30 h
6.2	Delivery condition code	F	A	P	U
7	Use condition	T62			
	Heat treatment	Delivery condition + 460 °C ≤ θ ≤ 485 °C / WQ θ ≤ 40 °C + 115 °C ≤ θ ≤ 135 °C / 20 h ≤ t ≤ 30 h			

iTeh STANDARD PREVIEW

Characteristics
(standards.iteh.ai)

8.1	Test sample(s)			See EN 4400-2.				
8.2	Test piece(s)			SIST EN 2696:2005 http://standards.iteh.ai/catalog/standards/sist/63d67400-7782-43d1-8e7f				
8.3	Heat treatment			See EN 4400-2. Delivery condition: O				
9	Dimensions concerned	mm	0,4 ≤ a ≤ 6	0,4 ≤ a ≤ 0,8	0,8 < a ≤ 3,2	3,2 < a ≤ 6		
10	Thickness of cladding on each face	%	–	–	–	–		
11	Direction of test piece			LT	LT	LT	LT	
12	Temperature	θ	°C	Ambient	Ambient	Ambient	Ambient	
13	Proof stress	R _{p0,2}	MPa	≤ 145	≥ 460	≥ 470	≥ 475	
14	T	Strength	R _m	MPa	≤ 275	≥ 525	≥ 540	≥ 540
15		Elongation	A	%	A _{50 mm} ≥ 10	A _{50 mm} ≥ 7	A _{50 mm} ≥ 8	A _{50 mm} ≥ 8
16	Reduction of area	Z	%	–				
17	Hardness			–				
18	Shear strength	R _c	MPa	–				
19	Bending	k	–	–				
20	Impact strength			–				
21	C	Temperature	θ	°C	–			
22		Time		h	–			
23		Stress	σ _a	MPa	–			
24		Elongation	a	%	–			
25		Rupture stress	σ _R	MPa	–			
26		Elongation at rupture	A	%	–			
27	Notes (see line 98)			–				

44	External defects	-	See EN 4400-2.			
82	Batch uniformity	-	See EN 4400-2.			
		5	T6			
		7	Electrical conductivity	γ	MS/m	19,0 (Typical value)
			or			
		7	Hardness	HB	160 (Typical value)	
					$\delta \leq 20$ per product	
95	Marking inspection	-	See EN 4400-2.			
96	Dimensional inspection	-	See EN 4400-2.			
98	Notes	-	-			
99	Typical use	-	-			

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 2696:2005
<https://standards.iteh.ai/catalog/standards/sist/63d67402-2782-43d1-8e7f-29a063c7ac50/sist-en-2696-2005>

EN 2696:2005 (E)

100	-	Product qualification	-	See EN 4400-2. Qualification programme to be agreed between manufacturer and purchaser.
				iTeh STANDARD PREVIEW (standards.iteh.ai) SIST EN 2696:2005 https://standards.iteh.ai/catalog/standards/sist/63d67402-2782-43d1-8e7f-29a063c7ac50/sist-en-2696-2005