

SLOVENSKI STANDARD SIST EN 15339-2:2007

01-junij-2007

Jfc Y'Vf]n[Ub^Y'Ë'JUfbcglbY'nU\ hYj Y'nUcdfYa c'nU'j fc Y'Vf]n[Ub^Y'Ë'&''XY'. 'D`]bg_Y cblfc`bY'YbchY

Thermal spraying - Safety requirements for thermal spraying equipment - Part 2: Gas control units

Thermisches Spritzen - Sicherheitsanforderungen für Einrichtungen für das thermische Spritzen - Teil 2: Gaskontrolleinheiten DARD PREVIEW

Projection thermique - Exigences de sécurité relatives au matériel de projection thermique - Partie 2: Unités de régulation de l'alimentation en gaz

https://standards.iteh.ai/catalog/standards/sist/bcad90bf-0a05-4373-9532-

Ta slovenski standard je istoveten z: EN 15339-2:2007

ICS:

25.220.20 Površinska obdelava Surface treatment

SIST EN 15339-2:2007 en;fr;de

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 15339-2:2007

https://standards.iteh.ai/catalog/standards/sist/bcad90bf-0a05-4373-9532-058e224d0700/sist-en-15339-2-2007

EUROPEAN STANDARD NORME EUROPÉENNE

EUROPÄISCHE NORM

EN 15339-2

March 2007

ICS 25.220.20

English Version

Thermal spraying - Safety requirements for thermal spraying equipment - Part 2: Gas control units

Projection thermique - Exigences de sécurité relatives au matériel de projection thermique - Partie 2: Unités de régulation de l'alimentation en gaz Thermisches Spritzen - Sicherheitsanforderungen für Einrichtungen für das thermische Spritzen - Teil 2: Gaskontrolleinheiten

This European Standard was approved by CEN on 3 February 2007.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

https://standards.iteh.ai/catalog/standards/sist/bcad90bf-0a05-4373-9532-058e224d0700/sist-en-15339-2-2007



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Cont	ents	Page
Forewo	ord	3
1	Scope	4
2	Normative references	4
3 3.1 3.2	Gas control units	5
4	Components within a gas control unit	6
5 5.1 5.2 5.3 5.4	Requirements General Local separation of gas and electric power Solid piping Leak test	7 7 7
6	Safety standards	7
7	National rules	
Annex A.1 A.2	A (informative) Examples for design of gas control unitsR.E.V.I.E.W. Simple gas control unit	9 9
A.3 A.4 A.4.1	Gas control-/closed loop control with separate HMI	10 11
A.4.2 A.4.3	General	11 12

Foreword

This document (EN 15339-2:2007) has been prepared by Technical Committee CEN/TC 240 "Thermal spraying and thermally sprayed coatings", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2007, and conflicting national standards shall be withdrawn at the latest by September 2007.

EN 15339 Thermal spraying — Safety requirements for thermal spraying equipment consists of the following parts:

Part 2: Gas control units

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 15339-2:2007 https://standards.iteh.ai/catalog/standards/sist/bcad90bf-0a05-4373-9532-058e224d0700/sist-en-15339-2-2007

1 Scope

This European Standard specifies safety requirements of machines and equipment for thermal spraying, in this case of gas control units. This European Standard should be used in conjunction with the Part 1 which deals with general aspects when designing, manufacturing, and/or putting in service of machines or equipment.

Generally the requirements of EU-Directive 94/9/EC are valid for the use of this European Standard.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 559, Gas welding equipment — Rubber hoses for welding, cutting and allied processes

EN 560, Gas welding equipment — Hose connections for equipment for welding, cutting and allied processes

EN 561, Gas welding equipment — Quick-action coupling with shut-off valves for welding, cutting and allied processes

EN 657, Thermal spraying — Terminology, classification

EN 730-1, Gas welding equipment — Safety devices — Part 1: Incorporating a flame (flashback) arrestor

EN 730-2, Gas welding equipment — Safety devices — Part 2: Not incorporating a flame (flashback) arrestor

EN 982, Safety of machinery — Safety requirements for fluid power systems and their components — Hydraulics https://standards.iteh.ai/catalog/standards/sist/bcad90bf-0a05-4373-9532-058e224d0700/sist-en-15339-2-2007

EN 13611, Safety and control devices for gas burners and gas-burning appliances — General requirements

prEN 15069, Safety gas connection valves for metal hose assemblies used for the connection of domestic appliances using gaseous fuel

EN 60079-0, Electrical apparatus for explosive gas atmospheres — Part 0: General requirements (IEC 60079-0:2004)

EN 60079-1, Electrical apparatus for potentially explosive atmospheres — Part 1: Flameproof enclosure "d" (IEC 60079-1:2003)

EN 60079-2, Electrical apparatus for explosive gas atmospheres — Part 2: Pressurized enclosures "p" (IEC 60079- 2:2001)

EN 60079-10, Electrical apparatus for explosive gas atmospheres — Part 10: Classification of hazardous areas (IEC 60079-10:2002)

EN 60204-1, Safety of machinery — Electrical equipment of machines — Part 1: General requirements (IEC 60204-1:2005, modified)

EN 60529, Degrees of protection provided by enclosures (IP code) (IEC 60529:1989)

EN 61310-1, Safety of machinery — Indication, marking and actuation — Part 1: Requirements for visual, auditory and tactile signals (IEC 61310-1:1995)

EN 61310-2, Safety of machinery — Indication, marking and actuation — Part 2: Requirements for marking (IEC 61310-2:1995)

EN 61496-1, Safety of machinery — Electro-sensitive protective equipment — Part 1: General requirements and tests (IEC 61496-1:2004, modified)

EN 61779-1, Electrical apparatus for the detection and measurement of flammable gases — Part 1: General requirements and test methods (IEC 61779-1:1998, modified)

ISO 1219-1, Fluid power systems and components — Graphic symbols and circuit diagrams — Part 1: Graphic symbols for conventional use and data-processing applications

ISO 1219-2, Fluid power systems and components — Graphic symbols and circuit diagrams — Part 2: Circuit diagrams

ISO 2928, Rubber hoses and hose assemblies for liquefied petroleum gas (LPG) in the liquid or gaseous phase and natural gas up to 25 bar (2,5 MPa) — Specification

ISO 7000, Graphical symbols for use on equipment — Index and synopsis

IEC 60417-DB¹⁾, Graphical symbols for use on equipment

3 Gas control units

3.1 Function iTeh STANDARD PREVIEW

(standards.iteh.ai)
Gas control units are designed in order to control and/or close loop control and/or monitor of gas flows which are applied for thermal spraying processes according to EN 657.

Moreover gas control units can provide further functions such as controlling and/or closed loop controlling and/or monitoring of: 058e224d0700/sist-en-15339-2-2007

- current and/or voltage;
- feeding liquid flow volumes or masses (fuel, cooling water);
- other cooling media (air, CO₂ and others);
- wire feed rate velocities;
- as well as various control functions of the spraying process.

3.2 Design

Concerning the art of design and scope of control and closed loop control technique the systems can be divided into the following main components:

- monitoring or operation (e.g. HMI Human Machine Interface);
- control logic (e.g. PLC unit);
- gas control unit;

1) Online-Database - It will be updated permanently. Access to the database is on a subscription basis alternatively for a period of 3, 6, 12, or 24 months. Preview available at http://domino.iec.ch/IEC60417

EN 15339-2:2007 (E)

_	pump system for liquid fuels applied at high velocity oxygen fuel spraying (HVOF);		
_	pumping and/or conveying and/or monitoring of cooling media.		
	any gas control unit all of the above mentioned components or only some of them can be integrated in a control unit (see examples in Annex A, Figures A.1 to A.3).		
4	Components within a gas control unit		
Within a gas control unit various components typically perform the following functions:			
a)	gas measuring and gas control;		
	— flow meter tube;		
	— critical orifice;		
	— gas mass flow controller;		
	— gas valve;		
b)	gas pressure measuring;		
	— pressure transducer; iTeh STANDARD PREVIEW		
	— pressure gauge; (standards.iteh.ai)		
c)	gas conveying; SIST EN 15339-2:2007 https://standards.iteh.ai/catalog/standards/sist/bcad90bf-0a05-4373-9532-058e224d0700/sist-en-15339-2-2007		
	— piping;		
	— fitting;		
d)	housing;		
	 sheet metal cabinet of an appropriate guard class (IP); 		
e)	gas safety;		
	— sensor with control unit;		
	— shut off valve;		
	— flashback arrestor;		
f)	water- and power junction;		
	 special fittings with power connectors; 		
g)	liquid fuel control;		
	— pump;		
	— impeller-type flow meter.		

Annex A shows schematic examples for design of gas control units.

5 Requirements

5.1 General

Thermal spraying technology also uses flammable gases for flame, plasma or HVOF processes which imply a significant potential of danger. Also pure oxygen shall be considered as a dangerous gas because heavy inflammable material will burn in the presence of a defined concentration of oxygen.

5.2 Local separation of gas and electric power

The local separation of gas and electric power provides an important safety feature and shall be realized.

5.3 Solid piping

Solid piping for at least fuel, flammable gas and oxygen conveying gas lines shall be used where ever possible.

5.4 Leak test

In any case a leak test shall be carried out after installation and before starting the coating work.

iTeh STANDARD PREVIEW

6 Safety standards (standards.iteh.ai)

The following standards reveal the safety guidelines which shall be adhered to for evaluation as well as for manufacturing of gas control units for the manufacturing standards standard standards s

a)	Area: gas control unit general 058e224d0700/sist-en-15339-2-2
	— EN 60079-0;
	— EN 60079-10;
	— EN 60204-1.
b)	Area: housing and cabinets
	— EN 60079-1;
	— EN 60079-2;
	— EN 60529.
c)	Area: monitoring and operation
	— EN 61310-1;
	— EN 61310-2;
	— EN 61496-1.

d) Area: liquid pump, e.g. for fuel