SLOVENSKI STANDARD
SIST EN 61375-2-5:2015

01-maj-2015

Železniške elektronske naprave - Hrbtenično omrežje vlaka - 2-5. del: Ethernetno hrbtenično omrežje vlaka

Electronic railway equipment - Train backbone - Part 2-5: Ethernet Train Backbone

Elektronische Betriebsmittel für Bahnen - Zug-Kommunikations-Netzwerk - Teil 2-5: ETB - Ethernet Train Backbone

Matériel électronique ferroviaire - Réseau de train - Partie 2-5: Réseau de Train Ethernet

Ta slovenski standard je istoveten z: EN 61375-2-5:2015

ICS:

45.020	Železniška tehnika na splošno	Railway engineering in general

SIST EN 61375-2-5:2015 **en**

EUROPEAN STANDARD

NORME EUROPÉENNE

EUROPÄISCHE NORM

EN 61375-2-5

February 2015

ICS 45.060

English Version

Electronic railway equipment - Train communication network (TCN) - Part 2-5: Ethernet train backbone (IEC 61375-2-5:2014)

Matériel électronique ferroviaire - Réseau embarqué de train (TCN) - Partie 2-5: Réseau central de train Ethernet (IEC 61375-2-5:2014)

Elektronische Betriebsmittel für Bahnen - Zug-Kommunikations-Netzwerk - Teil 2-5: ETB - Ethernet Train Backbone (IEC 61375-2-5:2014)

This European Standard was approved by CENELEC on 2014-09-29. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Ref. No. EN 61375-2-5:2015 E

Foreword

The text of document 9/1933/FDIS, future edition 1 of IEC 61375-2-5, prepared by IEC/TC 9 "Electrical equipment and systems for railways" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61375-2-5:2015.

The following dates are fixed:

• latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement	(dop)	2015-08-27
• latest date by which the national standards conflicting with the document have to be withdrawn	(dow)	2017-09-29

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 61375-2-5:2014 was approved by CENELEC as a European Standard without any modification.

IEC 61375-2-1:2012	NOTE Harmonized as EN 61375-2-1:2012.
IEC 61784-2	NOTE Harmonized as EN 61784-2.
IEC 61918	NOTE Harmonized as EN 61918.

Annex ZA
(normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

Publication	Year	Title	EN/HD	Year
IEC 61076-2-101	2012	Connectors for electronic equipment - Product requirements -- Part 2-101: Circular connectors - Detail specification for M12 connectors with screw-locking	EN 61076-2-101	2012
IEC 61156	series	Multicore and symmetrical pair/quad cables for digital communications	-	series
IEC 61156-1	2007	Multicore and symmetrical pair/quad cables for digital communications - Part 1: Generic specification	-	-
IEC 61156-5	-	Multicore and symmetrical pair/quad cables for digital communications - Part 5: Symmetrical pair/quad cables with transmission characteristics up to 1 000 MHz - Horizontal floor wiring - Sectional specification	-	-
IEC 61375-1	2012	Electronic railway equipment - Train communication network (TCN) -- Part 1: General architecture	EN 61375-1	2012
IEC 61375-2-3	-	Electronic railway equipment - Train Communication Network (TCN) - Part 2-3: TCN communication profile	FprEN 61375-2-3	-
IEC 61375-3-4	-	Electronic railway equipment - Train Bus - Part 3-4: ECN - Ethernet Consist Network	EN 61375-3-4	-
IEC 62236-3-2	-	Railway applications - Electromagnetic compatibility -- Part 3-2: Rolling stock - Apparatus	-	-
ISO/IEC 7498	series	Information processing systems - Open systems interconnection - Basic reference model	-	series
ISO/IEC 8824	series	Information technology - Abstract Syntax Notation One (ASN.1)	-	series
ISO/IEC 9646	series	Information technology - Open Systems Interconnection	EN ISO/IEC 9646	series
ISO/IEC 11801	2002	Information technology - Generic cabling for customer premises	-	-
IEEE 802.1AB	-	IEEE Standard for Local and Metropolitan Area Networks - Station and Media Access Control Connectivity Discovery	-	-
IEEE 802.1AX	2008	IEEE Standard for Local and metropolitan area networks - Link Aggregation	-	-

IEEE 802.1D	2012	IEEE Standard for local and metropolitan area networks - Media Access Control (MAC) Bridges	-	-
IEEE 802.1Q	-	IEEE Standard for Local and metropolitan area networks - Media Access Control (MAC) Bridges and Virtual Bridges	-	-
IEEE 802.2	-	IEEE Standard for Information technology - Telecommunications and information exchange between systems - Local and metropolitan area networks - Specific requirements - Part 2: Logical Link Control	-	-
IEEE 802.3	2012	IEEE Standard for Ethernet	-	-

Annex ZZ
(informative)

Relationship between this European Standard and the Essential Requirements of EU Directive 2008/57/EC

This European Standard has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association and within its scope the standard covers all relevant essential requirements as given in Annex III of the EC Directive 2008/57/EC (also named as New Approach Directive 2008/57/EC Rail Systems: Interoperability).

Once this standard is cited in the Official Journal of the European Union under that Directive and has been implemented as a national standard in at least one Member State, compliance with the clauses of this standard given in Table ZZ.1 relating to the 'rolling stock - locomotives and passenger rolling stock' subsystem of the rail system in the European Union, confers, within the limits of the scope of this standard, a presumption of conformity with the corresponding Essential Requirements of that Directive and associated EFTA regulations.

Table ZZ.1 - Correspondence between this European Standard, the RST LOC&PAS TSI (published in the Official Journal L 356 on 12 December 2014, p. 228) and Directive 2008/57/EC

Clauses of this European Standard	Chapter / § / points / of RST LOC&PAS TSI	Essential Requirements (ER) of Directive 2008/57/EC	Comments
The whole standard is applicable	4.2.4.9 Brake state and fault indication 4.2.5.2 Audible communication system 4.2.5.3 Passenger alarm 4.2.5.4 Communication devices for passengers 4.2.5.5 Exterior doors 4.2.12.2 General documentation: - description of computerised onboard systems	2. Requirements specific to each sub-subsystem 2.4. Rolling Stock 2.4.1. Safety 2.4.2. Reliability and availability 2.4.3. Technical compatibility	The TSI does not impose any technical solution regarding physical interfaces between units. The standard offers a general multi-purpose solution for the inter-vehicle digital communication network and it is relevant to vehicle interoperability.

WARNING: Other requirements and other EU Directives may be applicable to the products falling within the scope of this standard.

IEC 61375-2-5

Edition 1.0 2014-08

INTERNATIONAL STANDARD

NORME INTERNATIONALE

colour inside

Electronic railway equipment – Train communication network (TCN) – Part 2-5: Ethernet train backbone

Matériel électronique ferroviaire – Réseau embarqué de train (TCN) – Partie 2-5: Réseau central de train Ethernet

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX XF

ICS 45.060

ISBN 978-2-8322-1772-6

Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

FOREWORD 7
INTRODUCTION 9
1 Scope 10
2 Normative references 10
3 Terms, definitions, symbols, abbreviations and conventions 11
3.1 Terms and definitions 11
3.2 Symbols and abbreviations 15
3.3 Conventions 17
3.3.1 Base of numeric values 17
3.3.2 Naming conventions 17
3.3.3 State diagram conventions 17
3.3.4 Annotation of data structures 17
4 ETB physical layer 17
4.1 Train regions 17
4.2 Physical characteristics 18
4.2.1 General 18
4.2.2 Intra car physical layer 18
4.2.3 Inter car physical layer 20
4.2.4 Inter Consist physical layer 24
4.3 Power over Ethernet (PoE) 27
4.4 ETB physical architecture and redundancy 29
4.4.1 General 29
4.4.2 Link aggregation architecture 29
4.4.3 Functions 31
5 ETB data link layer 32
6 ETB network layer: IPv4 subnets definition 33
6.1 General 33
6.2 IP mapping introduction 34
6.3 Topology 34
6.3.1 General 34
6.3.2 Closed train 35
6.4 Network IP address map 36
6.4.1 Global IPv4 address space 36
6.4.2 Train subnet definition 36
6.4.3 Train IP address map summary 40
6.4.4 Train IP group addresses (multicast) 41
6.5 Particular hosts IP addresses 41
6.5.1 ETBN (Ethernet Train Backbone Node) 41
6.5.2 Hosts on train subnet 42
6.5.3 Host inside a closed train 43
6.6 Some use cases 45
6.7 Dynamic IP routing management 48
6.7.1 Unicast routes 48
6.7.2 Multicast routes 48
7 ETB Transport layer 49
8 ETB Train Inauguration: TTDP 50

8.1 Contents of this clause 50
8.2 Objectives and assumptions 50
8.2.1 Goals 50
8.2.2 Out of scope 51
8.2.3 Assumptions 51
8.3 ETBN settings 52
8.3.1 ETB switch port states 52
8.3.2 Node settings 52
8.4 General behaviour 54
8.5 ETBN Inauguration state diagram 54
8.5.1 General 54
8.5.2 Actions 55
8.5.3 Transitions 57
8.6 ETBN peers discovery 58
8.6.1 Internal peers detection 58
8.6.2 External peers detection 58
8.6.3 Switch port states handling 59
8.6.4 ETB lines statuses 59
8.7 TTDP messages description 61
8.7.1 General 61
8.7.2 Convention 61
8.7.3 TTDP frame tagging 61
8.7.4 Transport and addressing 61
8.7.5 TTDP HELLO frame 62
8.7.6 TTDP TOPOLOGY frame 66
8.8 TTDP data structures 72
8.8.1 Connectivity Vector 72
8.8.2 ETBN Vector 73
8.8.3 Connectivity Table 73
8.8.4 Connectivity Table CRC 74
8.8.5 Train network directory 76
8.8.6 Train network directory CRC (Topology Counter) 78
8.8.7 Corrected topology 78
8.9 TTDP frames timing 79
8.9.1 TTDP HELLO 79
8.9.2 TTDP TOPOLOGY 81
8.10 Inauguration Train Application interface 83
8.11 Degraded modes 83
8.11.1 Late insertion ETBN 83
8.11.2 Losing ETBN 84
8.11.3 End ETBN failure and partial topology counter 84
8.12 Some discovery timing 85
8.12.1 ETBN wakeup 85
8.12.2 ETBN failure 86
8.12.3 Consist coupling 87
9 ETB ETBN redundancy 88
10 ETB physical train naming convention (optional) 89
10.1 General 89
10.2 ETB Train domain 89

10.3 Hostname 90
11 ETB Quality of Service 91
11.1 Contents of this clause 91
11.2 Frame forwarding 91
11.2.1 ETBN switching rate 91
11.2.2 No Head-of-Line blocking 91
11.2.3 Switching priorities 91
11.2.4 Switching queuing scheme 92
11.3 Priority of Inauguration frames 92
11.4 ETB ingress rate limiting 92
11.5 ETB egress rate shaping 92
11.6 ETB data classes 92
12 ETB Management and monitoring 93
13 ETB Application interface 93
13.1 Contents of this clause 93
13.2 Abstract communication model 93
13.3 ETB Process Data and Message Data protocols 94
13.4 ETB protocol transparency 94
13.5 ETBN interfaces 94
13.5.1 Application 94
13.5.2 Maintenance and monitoring 95
14 ETB conformity statement 96
Annex A (normative) Summary of ETB sizing parameters 97
Annex B (normative) Physical topology building algorithm 98
Annex C (normative) TTDP MIB definition 101
Bibliography 121

Figure 1 – ETB train regions 18
Figure 2 – ETB Inter car at same potential 23
Figure 3 – ETB Inter car not at the same potential 24
Figure 4 – ETB Consist reversing 26
Figure 5 – ETB Inter Consist segment 27
Figure 6 – ETBN PSE PoE use case 27
Figure 7 – ETBN PD PoE use case 28
Figure 8 – PoE in inter-Consist 28
Figure 9 – PoE PSE alternative A 29
Figure 10 – Redundant train backbone architecture 29
Figure 11 – Link aggregation model 30
Figure 12 – Link aggregation group 31
Figure 13 – Conversations over LAG 31
Figure 14 – Hierarchical Consist topology 35
Figure 15 – Closed train 36
Figure 16 – "Subnet Id" with single Consist Network 38
Figure 17 – "Subnet Id" with two single Consist Networks 38
Figure 18 – Multiple Consist Networks, without fault tolerance 39

Figure 19 – "Subnet Id" with ETBN redundancy 39
Figure 20 – "Subnet Id" in multiple units with ETBN redundancy 40
Figure 21 – IP train address space summary 40
Figure 22 – Relative addressing example 45
Figure 23 – Train composed of a single Consist Network 46
Figure 24 – Train composed of two single Consist Networks 46
Figure 25 – Train composed of single Consist Network with ETBN redundancy 47
Figure 26 – Train composed of two Consist Networks with ETBN redundancy 47
Figure 27 – Train with two Consist Networks in single Consist 48
Figure 28 – ETBN top node reference 51
Figure 29 – ETBN orientation capability 52
Figure 30 – ETB switch in passive bypass setting 53
Figure 31 – ETB switch in intermediate setting 53
Figure 32 – ETB switch in End Node Setting 54
Figure 33 – ETBN Inauguration state diagram 55
Figure 34 – Switch port state diagram 59
Figure 35 – ETBN physical line state machine 60
Figure 36 – TTDP HELLO frame LLDPDU structure 62
Figure 37 – LLDP organizationally TLV structure 62
Figure 38 – TTDP HELLO frame structure 66
Figure 39 – TTDP specific HELLO TLV structure 66
Figure 40 – TTDP TOPOLOGY frame structure 71
Figure 41 – TTDP TOPOLOGY specific ETB TLV structure 72
Figure 42 – TTDP TOPOLOGY specific CN TLV structure 72
Figure 43 – Train composition for TNDir example 77
Figure 44 – TTDP HELLO normal mode and recovery timing 80
Figure 45 – TTDP HELLO failure timing 81
Figure 46 – TTDP TOPOLOGY frames handling 82
Figure 47 – TTDP ETBNs wake up timing 85
Figure 48 – TTDP ETBN failure timing 86
Figure 49 – TTDP Consist coupling timing 87
Figure 50 – Example of ETBN IP routing table without redundancy 88
Figure 51 – Example of ETBN IP routing table with redundancy 88
Figure 52 – ETB train domain defintion 90
Figure 53 – Abstract communication model for ETB communication 94
Figure B.1 – Physical topology building 98
Figure C.1 – TTDP MIB tree view 103

Table 1 – ETB Intra car physical layer interface 19
Table 2 – ETB Inter car physical layer interface 21
Table 3 – ETB Inter consist physical layer interface 25
Table 4 – ETB Switch data link layer interface 32
Table 5 – ETB OSI Network layer 33

Table 6 – Train subnet definition 36
Table 7 – Train subnet decomposition 37
Table 8 – Train IP group addresses reserved range 41
Table 9 – ETBN ETB IP address 42
Table 10 – Hosts IP on train subnet 43
Table 11 – Application ED common interface 50
Table 12 – ETB switch port states 52
Table 13 – TTDP destination MAC addresses 62
Table 14 – Connectivity Vector 73
Table 15 – Connectivity Vector Fields 73
Table 16 – ETBN Vector 73
Table 17 – ETBN Vector Fields 73
Table 18 – Connectivity Table 74
Table 19 – Connectivity Table fields 74
Table 20 – Train network directory 76
Table 21 – Train network directory fields 76
Table 22 – Train network directory (example) 78
Table 23 – DSCP field mapping 91
Table 24 – ETB Switching Priorities 92
Table 25 – Train Topology Discovery Object 95
Table A.1 – ETB sizing parameters 97

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ELECTRONIC RAILWAY EQUIPMENT – TRAIN COMMUNICATION NETWORK (TCN) –

Part 2-5: Ethernet train backbone

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.

2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.

3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.

4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.

5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.

6) All users should ensure that they have the latest edition of this publication.

7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.

8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.

9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61375-2-5 has been prepared by IEC technical committee 9: Electrical equipment and systems for railways.

The text of this standard is based on the following documents:

FDIS	Report on voting
9/1933/FDIS	9/1961/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.