

SLOVENSKI STANDARD **SIST EN 62606:2014**

01-junij-2014

Splošne zahteve za obločne detektorje (IEC 62606:2013, spremenjen)

General requirements for Arc Fault Detection Devices (AFDD) (IEC 62606:2013, modified)

Allgemeine Anforderungen an Fehlerlichtbogen-Schutzeinrichtungen (IEC 62606:2013, modifiziert)

iTeh STANDARD PREVIEW

Exigences generales des dispositifs pour la detection d'arcs (CEI 62606:2013, modifiée)

Ta slovenski standard je istoveten z SISTEN 62606:2013

1c9a74cb91ac/sist-en-62606-2014

ICS:

29.120.50 Varovalke in druga

Fuses and other overcurrent medtokovna zaščita protection devices

SIST EN 62606:2014 en SIST EN 62606:2014

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 62606:2014

https://standards.iteh.ai/catalog/standards/sist/c7ecc05e-7702-4d1e-842e-1c9a74cb91ac/sist-en-62606-2014

EUROPEAN STANDARD

EN 62606

NORME EUROPÉENNE EUROPÄISCHE NORM

November 2013

ICS 29.120; 29.120.50

English version

General requirements for arc fault detection devices

(IEC 62606:2013, modified)

Exigences générales des dispositifs pour la détection de défaut d'arcs (CEI 62606:2013, modifiée)

Allgemeine Anforderungen an Fehlerlichtbogen-Schutzeinrichtungen (IEC 62606:2013, modifiziert)

This European Standard was approved by CENELEC on 2013-08-13. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 23E/785/FDIS, future edition 1 of IEC 62606, prepared by SC 23E, "Circuit-breakers and similar equipment for household use", of IEC TC 23, "Electrical accessories", was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62606:2013.

A draft amendment, which covers common modifications to IEC 62606 (23E/785/FDIS), was prepared by CLC/TC 23E,"Circuit breakers and similar devices for household and similar applications" and approved by CENELEC.

The following dates are fixed:

latest date by which the document has	(dop)	2014-08-13
to be implemented at national level by		
publication of an identical		
national standard or by endorsement		
latest date by which the national	(dow)	2016-08-13
standards conflicting with the document		
have to be withdrawn		
	to be implemented at national level by publication of an identical national standard or by endorsement latest date by which the national standards conflicting with the document	to be implemented at national level by publication of an identical national standard or by endorsement latest date by which the national (dow) standards conflicting with the document

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

In this standard, the following print types are used:

- compliance statements: in italic type.

IEC 00000 0

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For the relationship with EU Directive(s) see informative Annex ZZ, which is an integral part of this document.

SIST EN 62606:2014

https://standards.iteh.ai/catalog/standards/sist/c7ecc05e-7702-4d1e-842e-

This standard covers the Principle Elements of the Safety Objectives for Electrical Equipment Designed for Use within Certain Voltage Limits (LVD - 2006/95/EC).

Endorsement notice

The text of the International Standard IEC 62606:2013 was approved by CENELEC as a European Standard with common modifications.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

NOTE Hammaniand on EN COOCO O

IEC 60060-2	NOTE	Harmonized as EN 60060-2.
IEC 60112:2003	NOTE	Harmonized as EN 60112:2003 (not modified).
IEC 60269-1:2006	NOTE	Harmonized as EN 60269-1:2007 (not modified).
IEC 60664-3	NOTE	Harmonized as EN 60664-3.
IEC 60664-5	NOTE	Harmonized as EN 60664-5.
IEC 60695-2-11:2000	NOTE	Harmonized as EN 60695-2-11:2001 (not modified).
IEC 61000-4-2	NOTE	Harmonized as EN 61000-4-2.
IEC 61000-4-3	NOTE	Harmonized as EN 61000-4-3.
IEC 61000-4-4	NOTE	Harmonized as EN 61000-4-4.
IEC 61000-4-5:2005	NOTE	Harmonized as EN 61000-4-5:2006 (not modified).

IEC 61000-4-6 NOTE Harmonized as EN 61000-4-6.

IEC 61000-4-16:1998 NOTE Harmonized as EN 61000-4-16:1998 (not modified).

+A1:2001 +A1:2004 +A2:2009 +A2:2011

IEC 61210 NOTE Harmonized as EN 61210.

COMMON MODIFICATIONS

1 Modification to Clause 1

Delete note 1 and renumber notes 2, 3 and 4 accordingly

2 Modification to 4.3

Delete the first indent

3 Modification to 5.3.1

Delete the dashed text starting with "120 V ...".

4 Modification to 5.3.3

Replace the first paragraph by the following: NDARD PREVIEW
"Preferred values of rated frequency is 50 Hz."
(Standards.iteh.ai)

5 Modification to 5.3.6.2

SIST EN 62606:2014

Delete the note. https://standards.iteh.ai/catalog/standards/sist/c7ecc05e-7702-4d1e-842e-1c9a74cb91ac/sist-en-62606-2014

6 Modification to 5.3.7.1

Delete Table 2.

7 Modification to 5.3.7.2

In the title of Table 3, delete "and U_n 120 V AFDDs"

8 Modification to 5.4

In Table 4, last column, delete "120/240"

9 Modification to 8.2.3

In Table 7, delete "120/240" and "120" everywhere.

10 Modification to 9.7.7.2

In Table 15, delete the line for U_{imp} 2,5 kV.

11 Modification to 9.7.7.4.1

In Table 16, delete "120/240"

12 Modification to 9.9.1

In the third paragraph, delete "120 and"

13 Modification to 9.9.3.2

In the third paragraph, delete "1,2 mm thick (nominal) for 120 V rated AFDD or"

14 Modification to 9.9.4.2

In the second paragraph, delete "and 5 A for a 120 V rated voltage AFDD"

15 Modification to 9.9.4.2 a)

Delete "and at 10 – 14 A for a 120 V rated voltage AFDD"

16 Modification to 9.9.4.2 b)

Delete "and 5 A for a 120 V rated voltage AFDD"

17 Modification to 9.9.4.2 c)

Delete "and 130 A ±10 percent for a 120 V rated voltage AFDD"

18 Modification to 9.9.4.2 d) STANDARD PREVIEW

Delete the first paragraph.

(standards.iteh.ai)

19 Modification to 9.9.4.2 g)

SIST EN 62606:2014

https://standards.iteh.ai/catalog/standards/sist/c7ecc05e-7702-4d1e-842e-

In the fourth paragraph, delete "5 A rms for a 41201 V rated voltage AFDD and"

20 Modification to 9.9.4.3

In the first paragraph, delete "and 5A load for a 120 V rated voltage AFDD"

21 Modification to 9.9.4.4

In the second paragraph, delete "5-A load for a 120 V rated voltage AFDD and"

22 Modification to 9.9.5.4 a)

Delete "and at 10 – 14 A for a 120 V rated voltage AFDD"

23 Modification to 9.9.5.4 b)

Delete "and 5 A for a 120 V rated voltage AFDD"

24 Modification to 9.9.5.4 c)

Delete "and 130 A ±10 percent for a 120 V rated voltage AFDD"

25 Modification to 9.9.5.4 d)

Delete the first paragraph.

- 5 -

26 Modification to Figure 13

Delete "and 470nF for 120 V"

27 Modification to E.2

Delete "and 5 A for a 120 V rated voltage AFDD"

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 62606:2014

https://standards.iteh.ai/catalog/standards/sist/c7ecc05e-7702-4d1e-842e-1c9a74cb91ac/sist-en-62606-2014

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60068-2-30	2005	Environmental testing - Part 2-30: Tests - Test Db: Damp heat, cyclic (12 h + 12 h cycle)	EN 60068-2-30	2005
IEC 60068-3-4	2001	Environmental testing - Part 3-4: Supporting documentation and guidance - Damp heat tests	EN 60068-3-4	2002
IEC 60364	Series	Low-voltage electrical installations	HD 60364	Series
IEC 60364-4-44 (mod)	2007	Low-voltage electrical installations - Part 4-44: Protection for safety - Protection against voltage disturbances and electromagnetic disturbances	HD 60364-4-442	2012
IEC 60417	Data 🚺 base	Graphical symbols for use on equipment	W	-
IEC 60479	Series	Effects of current on human beings and livestock	-	-
IEC 60529	- https://	Degrees of protection provided by enclosures st(IR:Code). ai/catalog/standards/sist/c7ecc05e-7702-4d	- 1e-842e-	-
IEC 60664-1	2007	Insulation coordination for equipment within low-voltage systems - Part 1: Principles, requirements and tests	EN 60664-1	2007
IEC 60695-2-10	2000	Fire hazard testing - Part 2-10: Glowing/hot-wire based test method: - Glow-wire apparatus and common test procedure	EN 60695-2-10 ¹⁾ s	2001
IEC/TR 60755	-	General requirements for residual current operated protective devices	-	-
IEC 60898-1 (mod) - - -	2002 - - -	Electrical accessories - Circuit breakers for overcurrent protection for household and simila installations - Part 1: Circuit-breakers for a.c. operation	EN 60898-1 ir+ corr. February + A11 + A12 + A13	2003 2004 2005 2008 2012
IEC 61008-1 (mod)	2010	Residual current operated circuit-breakers without integral overcurrent protection for household and similar uses (RCCB's) - Part 1: General rules	EN 61008-1	2012
IEC 61009-1 (mod)	2010	Residual current operated circuit-breakers with integral overcurrent protection for household and similar uses (RCBOs) - Part 1: General rules	EN 61009-1	2012

 $^{^{1)}}$ EN 60695-2-10 is superseded by EN 60695-2-10:2013, which is based on IEC 60695-2-10:2013.

Publication IEC 61543 + A1 (mod) + A2	<u>Year</u> 1995 2004 2005	<u>Title</u> Residual current-operated protective devices (RCDs) for household and similar use - Electromagnetic compatibility	EN/HD EN 61543 + corr. December + A11 + corr. May + A2 + A12	Year 1995 1997 2003 2004 2006 2005
IEC 62423	-	Type F and type B residual current operated circuit-breakers with and without integral overcurrent protection for household and similar uses	EN 62423 Ir	-
CISPR 14-1 + A1	2005 2008	Electromagnetic compatibility - Requirements for household appliances, electric tools and similar apparatus - Part 1: Emission	EN 55014-1 + A1	2006 2009

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 62606:2014

https://standards.iteh.ai/catalog/standards/sist/c7ecc05e-7702-4d1e-842e-1c9a74cb91ac/sist-en-62606-2014

Annex ZZ (informative)

Coverage of Essential Requirements of EU Directives

This European Standard has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association and within its scope the standard covers all relevant essential requirements as given in Article 1 of Annex I of the EU Directive 2004/108/EC.

Compliance with this standard provides one means of conformity with the specified essential requirements of the Directive(s) concerned.

WARNING: Other requirements and other EU Directives may be applicable to the products falling within the scope of this standard.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 62606:2014</u> https://standards.iteh.ai/catalog/standards/sist/c7ecc05e-7702-4d1e-842e-1c9a74cb91ac/sist-en-62606-2014



IEC 62606

Edition 1.0 2013-07

INTERNATIONAL STANDARD

NORME INTERNATIONALE



General requirements for arc fault detection devices IEW

Exigences générales des dispositifs pour la détection de défaut d'arcs

SIST EN 62606:2014 https://standards.iteh.ai/catalog/standards/sist/c7ecc05e-7702-4d1e-842e-1c9a74cb91ac/sist-en-62606-2014

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

PRICE CODE CODE PRIX

ICS 29.120; 29.120.50 ISBN 978-2-8322-0900-4

Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

FO	REWC)RD		9	
INT	TRODUCTION11				
1	Scop	ppe			
2	Norm	native references			
3	Term	s and d	lefinitions	14	
4			n		
•	4.1		ling to the method of construction		
	4.2		ling to the method of construction		
	4.3		ling to the number of poles and current paths		
	4.4		providing monitoring information		
5			ics of AFDDs		
Ū	5.1		ary of characteristics and conditions to mitigate the risk of fire		
	5.2		quantities and other characteristics		
	5.2	5.2.1	Rated voltage		
		5.2.1	Rated current (In)		
		5.2.3	Rated frequency		
		5.2.4	· · ·		
		5.2.5	Rated making and breaking capacity (I _m) Rated making and breaking capacity on one pole (I _{m1})	19	
	5.3	-	ard and preferred values dards.iteh.ai)		
		5.3.1	Preferred values of rated voltage (Un)	19	
		5.3.2	Preferred values of rated current (1 _n) ₄		
		5.3.3	Preferred values of crated frequency 7ecc 05e-7702-4d1e-842e-		
		5.3.4	Minimum value of the rated making and breaking capacity (Im)		
		5.3.5	Minimum value of the rated making and breaking capacity on one pole (I _{m1})		
		5.3.6	Standard and preferred values of the rated conditional short-circuit current (I_{NC}) and standard and preferred values of the rated conditional short circuit current for one pole (I_{NC1})	10	
		5.3.7	Limiting values of operating criteria for AFDDs for low and high arc	13	
		0.0.7	currents	20	
	5.4	Standa	ard value of rated impulse withstand voltage ($U_{\mbox{imp}}$)	21	
	5.5	Coordi	nation with short-circuit protective devices (SCPDs)	21	
		5.5.1	General	21	
		5.5.2	Rated conditional short-circuit current (I_{nc}) and rated conditional short-circuit on one pole (I_{nc1})	21	
		5.5.3	Operating characteristics of opening means for AFDDs according to		
c	Mank	:	4.1.1		
6		-	other product information		
	6.1 Marking				
	6.2		onal marking for AFDDs according to 4.1.1		
		6.2.1	Marking of AFDDs		
7	Stone	6.2.2	Instructions for wiring and operationnditions for operation in service and for installation		
′			·		
	7.1		ard conditions		
	7.2		ions of installation		
0	7.3		on degreets for construction and operation		
8	Requ	irements for construction and operation26			

	O. I	Genera	ا	∠0
	8.2	Mecha	nical design	26
		8.2.1	General	26
		8.2.2	Mechanism	27
		8.2.3	Clearances and creepage distances (see Annex B)	28
		8.2.4	Screws, current-carrying parts and connections	
		8.2.5	Terminals for external conductors	
	8.3	Protect	tion against electric shock	
	8.4		ric properties and isolating capability	
	8.5		rature rise	
		8.5.1	Temperature-rise limits	
		8.5.2	Ambient air temperature	
	8.6	Operat	ing characteristics	
	0.0	8.6.1	Operating characteristics of the protective device part	
		8.6.2	Operating characteristics	
	8.7		nical and electrical endurance	
	8.8		mance at short-circuits currents	
	8.9		ance to mechanical shock and impact	
	8.10		ance to heat	
			ance to abnormal heat and to fire	
			our of AFDDs in case of overcurrents in the main circuit	
			our of AFDDs in case of current surges caused by impulse voltages	
	8 14	Reliahi	(standards.iteh.ai)	37
	8 16	Maskin	omagnetic compatibility (EMC) SIST EN 626062014 ng test for correct operation behaviour in presence of various	
	0.10	appliar	nces connected to the indigital and indigita	37
	8.17	Perforr	mance of the AFD test device	37
9	Testi	ng proc	edure	38
	9.1	Genera	al	38
		9.1.1	General testing procedure for the different type of AFDDs	38
		9.1.2	The characteristics of AFDDs are checked by means of type tests	
		9.1.3		
			sequences	
		9.1.4	Routine tests to be carried out by the manufacturer on each device	39
	9.2	Test co	onditions	39
	9.3	Test of	indelibility of marking	40
	9.4	Test of	reliability of screws, current-carrying parts and connections	41
	9.5	Test of	reliability of terminals for external conductors	42
	9.6	Verifica	ation of protection against electric shock	43
	9.7	Test of	f dielectric properties	44
		9.7.1	General	44
		9.7.2	Resistance to humidity	44
		9.7.3	Insulation resistance of the main circuit	44
		9.7.4	Dielectric strength of the main circuit	45
		9.7.5	Insulation resistance and dielectric strength of auxiliary circuits	46
		9.7.6	Capability of control circuits connected to the main circuit in respect	4.6
		9.7.7	of withstanding high d.c. voltages due to insulation measurements Verification of impulse withstand voltages (across clearances and	40
		J.1.1	across solid insulation) and of leakage current across open contacts	47
	9.8	Test of	f temperature-rise	50

	9.8.1 Ambient air temperature	
	9.8.2 Test procedure	
	9.8.3 Measurement of the temperature of parts	51
	9.8.4 Temperature-rise of a part	51
9.9	Verification of the operating characteristics	51
	9.9.1 General	51
	9.9.2 Series arc fault tests	51
	9.9.3 Parallel arc fault tests	54
	9.9.4 Masking test, verification of correct operation	56
	9.9.5 Unwanted tripping test	57
9.10	Verification of mechanical and electrical endurance	58
	9.10.1 General test conditions	58
	9.10.2 Test procedure	
	9.10.3 Condition of the AFDD after test	59
9.11	Verification of the behaviour of the AFDD under short-circuit conditions	59
	9.11.1 General	59
	9.11.2 Short-circuit tests for AFDDs according to 4.1.1	60
9.12	Verification of resistance to mechanical shock and impact	68
	9.12.1 Mechanical shock	68
	9.12.2 Mechanical impact	68
	Test of resistance to heat ANDARD PREVIEW	
9.14	Test of resistance to abnormal heat and to fire Verification of the trip-free mechanism	72
9.15		
	9.15.1 General test conditions	73
	9.15.2 Test procedure hips://standards.iiei.ia/catalog/standards/sist/c7ecc05e-7702-4d1e-842e-	73
9.16	Test of resistance to rusting 4cb91ac/sist-en-62606-2014	73
9.17	Verification of limiting values of the non-operating current under overcurrent conditions	73
0.18	Verification of behaviour of AFDDs in case of current surges caused by	73
5.10	impulse voltages	74
	9.18.1 General	
	9.18.2 Verification of behaviour at surge currents up to 3 000 A (8/20 μs	
	surge current test)	74
9.19	Verification of reliability	74
	9.19.1 General	74
	9.19.2 Climatic test	75
	9.19.3 Test with temperature of 40 °C	76
9.20	Verification of ageing of electronic components	77
9.21	Electromagnetic compatibility (EMC)	77
	9.21.1 General	77
	9.21.2 EMC tests covered by other clauses of the present standard	77
	9.21.3 EMC tests to be performed	77
	9.21.4 AFDDs Performance criteria	79
9.22	Verification of protection due to overvoltage due to a broken neutral in a three phase system	80
Annex A	(normative) Test sequence and number of samples to be submitted for	
	on purposes	102
Annex B	(normative) Determination of clearances and creepage distances	109
	(normative) Arrangement for the detection of the emission of ionized gases	
	ort-circuit tests	114

classification 4.1.3 designed to be assembled on site together with a main protective device (circuit-breaker or RCCB or RCBO)	117
Annex E (normative) Routine tests	
Annex F (informative) Description of the shaker arc test in 9.10.2	
Annex IA (informative) Methods of determination of short-circuit power-factor	
Annex IB (informative) Examples of terminal designs	
Annex IC (informative) Correspondence between ISO and AWG copper conductors	129
Annex ID (informative) Follow-up testing program for AFDDs	130
Annex IE (informative) SCPDs for short-circuit tests	134
Annex J (normative) Particular requirements for AFDDs with screwless type terminals for external copper conductors	136
Annex K (normative) Particular requirements for AFDDs with flat quick-connect terminations	144
Annex L (normative) Specific requirements for AFDDs with screw-type terminals for external untreated aluminium conductors and with aluminium screw-type terminals for	
use with copper or with aluminium conductors	
Bibliography	161
Figure 1 – Thread forming tapping screw	80
Figure 2 – Thread cutting tapping screw	80
Figure 3 – Standard test finger (95) and ards.iteh.ai)	81
Figure 4 – Test circuit for series arc fault tests	82
Figure 4 – Test circuit for series arc fault tests	82
Figure 6 – Lest circuit for parallel arc fault tests-en-62606-2014.	82
Figure 7 – Test circuit for parallel arc cable cutting test	
Figure 8 – Test apparatus	
Figure 9 – Test for verification of correct operation in case of parallel arc to ground	
Figure 10 – Test circuit for masking tests (inhibition and disturbing loads)	
Figure 11 – Test configuration for masking tests	
Figure 12 – EMI filter 1 for masking tests	
Figure 13 – EMI filter 2 for masking tests	
Figure 14 – EMI filter description installed in Figure 13	
Figure 15 – Test circuit for masking tests with line impedance	
Figure 16 – Cross talk test	
Figure 17 – Controlled current test circuit	
Figure 18 – Controlled current with delay angle 45 °, 90 ° and 135 °	87
Figure 19 – Short circuit test	
Figure 20 – Typical diagram for short circuit tests ((9.11.2.4c)	89
Figure 21 – Detail of impedance Z, Z ₁ and Z ₂	90
Figure 22 – Example of calibration record for short-circuit test (9.11.2.2 j)	90
Figure 23 – Mechanical shock test apparatus (9.12.1)	91
Figure 24 – Mechanical impact test apparatus (9.12.2.2)	92
Figure 25 – Striking element for pendulum impact test apparatus (9.12.2.2)	93
Figure 26 – Mounting support for sample for mechanical impact test (9.12.2.2)	94