

SLOVENSKI STANDARD SIST EN 61000-3-3:2014

01-februar-2014

Nadomešča: SIST EN 61000-3-3:2009

Elektromagnetna združljivost (EMC) - 3-3. del: Mejne vrednosti - Omejitev vrednosti kolebanja napetosti in flikerja v nizkonapetostnih napajalnih sistemih za opremo z naznačenim tokom do 16 A in ni priključena pod posebnimi pogoji (IEC 61000-3-3:2013)

Electromagnetic compatibility (EMC) - Part 3-3: Limits - Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current <= 16 A per phase and not subject to conditional connection

(standards.iteh.ai)

SIST EN 61000-3-3:2014

https://standards.iteh.ai/catalog/standards/sist/e0468742-e126-41a3-a9c0-

Compatibilité électromagnétique⁽(CEM)⁷² Partie 3²3: Limites - Limitation des variations de tension, des fluctuations de tension et du papillotement dans les réseaux publics d'alimentation basse tension, pour les matériels ayant un courant assigné <= 16 A par phase et non soumis à un raccordement conditionnel

Ta slovenski standard je istoveten z: EN 61000-3-3:2013

ICS:

33.100.01 Elektromagnetna združljivost Electromagnetic compatibility na splošno in general

SIST EN 61000-3-3:2014

en



iTeh STANDARD PREVIEW (standards.iteh.ai)



EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 61000-3-3

August 2013

ICS 33.100.10

Supersedes EN 61000-3-3:2008

English version

Electromagnetic compatibility (EMC) -Part 3-3: Limits -

Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subject to conditional connection

(IEC 61000-3-3:2013)

Compatibilité électromagnétique (CEM) -Partie 3-3: Limites -Limitation des variations de tension, des fluctuations de tension et du papillotement dans les réseaux publics d'alimentation basse tension, pour les matériels ayant un courant assigné ≤ 16 A par phase et ron RD soumis à un raccordement conditionnel (CEI 61000-3-3:2013) Elektromagnetische Verträglichkeit (EMV) -Teil 3-3: Grenzwerte -

Begrenzung von Spannungsänderungen, Spannungsschwankungen und Flicker in öffentlichen Niederspannungs-

Pversorgungsnetzen für Geräte mit einem Bemessungsstrom ≤ 16 A je Leiter, die

3:2013) (standards.itelkeiher Sonderanschlussbedingung

unterliegen

SIST EN 61000-3-3:201(IEC 61000-3-3:2013)

https://standards.iteh.ai/catalog/standards/sist/e0468742-e126-41a3-a9c0-

This European Standard was approved by CENELEC on 2013-06-18. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

© 2013 CENELEC - All rights of exploitation in any form and by any means reserved worldwide for CENELEC members.

Foreword

The text of document 77A/809/FDIS, future edition 3 of IEC 61000-3-3, prepared by SC 77A, "EMC - Low frequency phenomena", of IEC TC 77, "Electromagnetic compatibility" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61000-3-3:2013.

The following dates are fixed:

| • | latest date by which the document has | (dop) | 2014-03-18 |
|---|----------------------------------------|-------|------------|
| | to be implemented at national level by | | |
| | publication of an identical national | | |
| | standard or by endorsement | | |
| • | latest date by which the national | (dow) | 2016-06-18 |
| | Standards connicting with the | | |

This document supersedes EN 61000-3-3:2008.

document have to be withdrawn

EN 61000-3-3:2013 includes the following significant technical changes with respect to EN 61000-3-3:2008:

This edition takes account of the changes made in EN 61000-4-15:2011.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

SIST EN 61000-3-3:2014

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For the relationship with EU Directive(s) see informative Annex ZZ, which is an integral part of this document.

Endorsement notice

The text of the International Standard IEC 61000-3-3:2013 was approved by CENELEC as a European Standard without any modification.

Annex ZA

- 3 -

(normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

| Publication | <u>Year</u> | <u>Title</u> | <u>EN/HD</u> | <u>Year</u> |
|---------------------------------|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|-------------|
| IEC/TR 60725 | - | Consideration of reference impedances and public supply network impedances for use in determining disturbance characteristics of electrical equipment having a rated current ≤ 75 A per phase | - | - |
| IEC 60974-1 | - | Arc welding equipment - Part 1: Welding power sources | EN 60974-1 | - |
| IEC 61000-3-2 | iT | Electromagnetic compatibility (EMC) - Part 3-2: Limits - Limits for harmonic current emissions (equipment input current ≤ 16 A pe enase) ANDARD PREVIE | EN 61000-3-2 er | - |
| IEC 61000-3-11 | - https://sta | Electromagnetic compatibility (EMC) - Part 3-11: Limits - Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems - Equipment with rated current ≤ 75 A and ₆₋₄₁ subject to conditional connection ₂₋₂₀₁₄ | EN 61000-3-11 n3-a9c0- | - |
| IEC 61000-4-15 + corr. March | 2010 2012 | Electromagnetic compatibility (EMC) - Part 4-15: Testing and measurement techniques - Flickermeter - Functional and design specifications | EN 61000-4-15 | 2011 |

Annex ZZ

(informative)

Coverage of Essential Requirements of EU Directives

This European Standard has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association and within its scope the standard covers protection requirements of Annex I Article 1(a) of the EU Directive 2004/108/EC and protection requirements of Article 3.1(b) (emissions only) of the EU Directive 1999/5/EC.

Compliance with this standard provides one means of conformity with the specified essential requirements of the Directives concerned.

WARNING: Other requirements and other EU Directives may be applicable to the products falling within the scope of this standard.

iTeh STANDARD PREVIEW (standards.iteh.ai)



IEC 61000-3-3

Edition 3.0 2013-05

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Electromagnetic **compatibility (EMC)** ARD PREVIEW Part 3-3: Limits – Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current \leq 16 A per phase and not subject to conditional connection

https://standards.iteh.ai/catalog/standards/sist/e0468742-e126-41a3-a9c0-

Compatibilité électromagnétique¹ (CEM)¹²⁻⁶¹⁰⁰⁰⁻³⁻³⁻²⁰¹⁴

Partie 3-3: Limites – Limitation des variations de tension, des fluctuations de tension et du papillotement dans les réseaux publics d'alimentation basse tension, pour les matériels ayant un courant assigné \leq 16 A par phase et non soumis à un raccordement conditionnel

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

PRICE CODE CODE PRIX



ICS 33.100.10

ISBN 978-2-83220-781-9

Warning! Make sure that you obtained this publication from an authorized distributor. Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

 Registered trademark of the International Electrotechnical Commission Marque déposée de la Commission Electrotechnique Internationale

CONTENTS

| FOF | REWC | RD | | 4 |
|------|-----------------------------------------------------------------|-------------------|-------------------------------------------------------------------------------------|----|
| INT | RODL | JCTION | | 6 |
| 1 | Scope7 | | | |
| 2 | Normative references | | | 7 |
| 3 | Terms and definitions | | | 8 |
| 4 | Assessment of voltage changes, voltage fluctuations and flicker | | | 10 |
| | 4.1 | Assess | ment of a relative voltage change, $d(t)$ | 10 |
| | 4.2 | Assess | ment of the short-term flicker value, P _{st} | 10 |
| | | 4.2.1 | General | 10 |
| | | 4.2.2 | Flickermeter | 11 |
| | | 4.2.3 | Simulation method | 11 |
| | | 4.2.4 | Analytical method | 11 |
| | | 4.2.5 | Use of <i>P</i> _{st} = 1 curve | 12 |
| | 4.3 | Assess | ment of long-term flicker value, P _{lt} | 12 |
| 5 | Limits | \$ | | 12 |
| 6 | Test | conditio | ns | 13 |
| | 6.1 | Genera | al | 13 |
| | 6.2 | Measu | rement undertainty A.N.D.A.R.D. D.R.F.V.I.F.W. | 14 |
| | 6.3 | Test su | ipply voltage | 14 |
| | 6.4 | Refere | nce impedance(Standards.iteh.ai) | 14 |
| | 6.5 | Observ | ration period | 14 |
| | 6.6 | Genera | al test conditions <u>SIST EN 61000-3-3:2014</u> | 15 |
| Ann | iex A | (normat | ive) Application of limits and type test conditions for specific | 40 |
| equ | Ipmer | IT | · · · · · · · · · · · · | 19 |
| Ann | ndes (| (normat caused | ive) Test conditions and procedures for measuring d _{max} voltage | 27 |
| Δnr | | (informa | ative) Determination of steady state voltage and voltage change | |
| cha | racter | istics, a | s defined in IEC 61000-4-15:2010 | 28 |
| Ann | nex D | (informa | ative) Input relative voltage fluctuation $\Delta V/V$ for P_{st} = 1,0 at output | |
| [IEC | C/TR 6 | 51000-3 | -7:2008] | 33 |
| Bibl | liograp | ohy | | 34 |
| | | | | |
| Figu | ure 1 - | - Refere | ence network for single-phase and three-phase supplies derived from | |
| a th | ree-pl | hase, fo | ur-wire supply | 16 |
| Figu | ure 2 - | - Curve | for P_{st} = 1 for rectangular equidistant voltage changes | 17 |
| Figu | ure 3 - | - Shape | e factors <i>F</i> for double-step and ramp-voltage characteristics | 17 |
| Figu | ure 4 - | - Shape | e factors F for rectangular and triangular voltage characteristics | 18 |
| Figu | ure 5 - | - Shape | e factor F for motor-start voltage characteristics having various front | |
| time | es | | | 18 |
| Figu | ure C. | 1 – Eva | luation of U _{hp} (t) | 32 |
| | | | | |
| Tab | ole 1 – | Assess | ment method | 11 |

| Table A.1 – Test conditions for hotplates | 19 |
|---------------------------------------------------------------|----|
| Table A.2 – Electrode parameters | 24 |
| Table A.3 – Frequency factor R related to repetition rate "r" | 25 |

SIST EN 61000-3-3:2014

61000-3-3 © IEC:2013

- 3 -

| Table C.1 – Test specification for $d_c - d_{max} - t_{d(t) > 3,3}$ % (from Table 12 of IEC 61000-4-15: 2010) | 31 |
|------------------------------------------------------------------------------------------------------------------|----|
| Table C.2 – Test specification for $d_{c} - d_{max} - t_{d(t)} > 3.3 \%$ (from Table 13 of IEC 61000-4-15: 2010) | 31 |
| Table D.1 – Input relative voltage fluctuation $\Delta V/V$ for P_{st} = 1,0 at output | 33 |

iTeh STANDARD PREVIEW (standards.iteh.ai)

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ELECTROMAGNETIC COMPATIBILITY (EMC) -

Part 3-3: Limits – Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current \leq 16 A per phase and not subject to conditional connection

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- https://standards.iteh.ai/catalog/standards/sist/e0468742-e126-41a3-a9c0 5) IEC itself does not provide any attestation of conformity, independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61000-3-3 has been prepared by subcommittee 77A: EMC – Low frequency phenomena, of IEC technical committee 77: Electromagnetic compatibility.

This standard forms part 3-3 of IEC 61000 series of standards. It has the status of a product family standard.

This third edition cancels and replaces the second edition published in 2008. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

a) This edition takes account of the changes made in IEC 61000-4-15:2010.

The text of this standard is based on the following documents:

| FDIS | Report on voting |
|--------------|------------------|
| 77A/809/FDIS | 77A/816/RVD |

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61000 series, published under the general title *Electromagnetic compatibility* (*EMC*), can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

iTeh STANDARD PREVIEW (standards.iteh.ai)

INTRODUCTION

- 6 -

IEC 61000 is published in separate parts according to the following structure:

Part 1: General

General considerations (introduction, fundamental principles) Definitions, terminology

Part 2: Environment

Description of the environment

Classification of the environment

Compatibility levels

Part 3: Limits

Emission limits

Immunity limits (in so far as they do not fall under the responsibility of product committees)

Part 4: Testing and measurement techniques

| Measurement techniques | STANDARD PREVIEW |
|-------------------------------|---------------------|
| Testing techniques | |
| t 5: Installation and mitigat | (standards.iteh.ai) |

Part 5: Installation and mitigation guidelines

SIST EN 61000-3-3:2014 Installation guidelines Mitigation methods and devices a02c376c17a5/sist-en-61000-3-3-2014

Part 9: Miscellaneous

Each part is further subdivided into sections which are to be published either as International Standards or as Technical Reports.

These standards and reports will be published in chronological order and numbered accordingly.

ELECTROMAGNETIC COMPATIBILITY (EMC) -

Part 3-3: Limits – Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current \leq 16 A per phase and not subject to conditional connection

1 Scope

This part of IEC 61000 is concerned with the limitation of voltage fluctuations and flicker impressed on the public low-voltage system.

It specifies limits of voltage changes which may be produced by an equipment tested under specified conditions and gives guidance on methods of assessment.

This part of IEC 61000 is applicable to electrical and electronic equipment having an input current equal to or less than 16 A per phase, intended to be connected to public low-voltage distribution systems of between 220 V and 250 V line to neutral at 50 Hz, and not subject to conditional connection.

Equipment which does not comply with the limits of this part of IEC 61000 when tested with the reference impedance Z_{ref} of 6.4, and which therefore cannot be declared compliant with this part, may be retested or evaluated to show conformity with IEC 61000-3-11. Part 3-11 is applicable to equipment with rated input current \leq 75 A per phase and subject to conditional connection.

SIST EN 61000-3-3:2014

The tests according to this part are type tests. Particular test conditions are given in Annex A and the test circuit is shown in Figure 1.

NOTE 1 The limits in this standard relate to the voltage changes experienced by consumers connected at the interface between the public supply low-voltage network and the equipment user's installation. Consequently, if the actual impedance of the supply at the supply terminals of equipment connected within the equipment user's installation exceeds the test impedance, it is possible that supply disturbance exceeding the limits could occur.

NOTE 2 The limits in this standard are based mainly on the subjective severity of flicker imposed on the light from 230 V 60 W coiled-coil filament lamps by fluctuations of the supply voltage. For systems with nominal voltage less than 220 V line to neutral and/or frequency of 60 Hz, the limits and reference circuit values are under consideration.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC/TR 60725, Consideration of reference impedances and public supply impedances for use in determining disturbance characteristics of electrical equipment having a rated current \leq 75 A per phase

IEC 60974-1, Arc welding equipment – Part 1: Welding power sources

IEC 61000-3-2, Electromagnetic compatibility (EMC) – Part 3-2: Limits – Limits for harmonic current emissions (equipment input current \leq 16 A per phase)