

### SLOVENSKI STANDARD SIST EN 60947-7-4:2014

01-junij-2014

Nizkonapetostne stikalne in krmilne naprave - 7-4. del: Pomožna oprema - Priključni bloki na tiskanih vezjih za bakrene vodnike (IEC 60947-7-4:2013)

Low-voltage switchgear and controlgear - Part 7-4: Ancillary equipment - PCB terminal blocks for copper conductors

Niederspannungsschaltgeräte - Teil 7-4: Hilfseinrichtungen - Leiterplatten-Anschlussklemmen für Kupferleiter ANDARD PREVIEW

Appareillage à basse tension - Partie 7-4: Matériels accessoires - Blocs de jonction pour cartes de circuits imprimés pour conducteurs en cuivre

https://standards.iteh.ai/catalog/standards/sist/ef3e8e9e-877b-41df-804b-

Ta slovenski standard je istoveten z: EN 60947-7-4-2014

ICS:

29.130.20 Nizkonapetostne stikalne in Low voltage switchgear and

krmilne naprave controlgear

31.180 Tiskana vezja (TIV) in tiskane Printed circuits and boards

plošče

SIST EN 60947-7-4:2014 en

SIST EN 60947-7-4:2014

# iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 60947-7-4:2014</u> https://standards.iteh.ai/catalog/standards/sist/ef3e8e9e-877b-41df-804b-487cfe9fba4a/sist-en-60947-7-4-2014 **EUROPEAN STANDARD** 

EN 60947-7-4

NORME EUROPÉENNE EUROPÄISCHE NORM

October 2013

ICS 29.130.20

English version

# Low-voltage switchgear and controlgear Part 7-4: Ancillary equipment PCB terminal blocks for copper conductors

(IEC 60947-7-4:2013)

Appareillage à basse tension -Partie 7-4: Matériels accessoires -Blocs de jonction pour cartes de circuits imprimés pour conducteurs en cuivre (CEI 60947-7-4:2013) Niederspannungsschaltgeräte -Teil 7-4: Hilfseinrichtungen -Leiterplatten-Anschlussklemmen für Kupferleiter (IEC 60947-7-4:2013)

# iTeh STANDARD PREVIEW (standards.iteh.ai)

This European Standard was approved by CENELEC on 2013-09-10. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration sixtle Besege-877b-41df-804b-487cfe9fba4a/sist-en-60947-7-4-2014

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

### **CENELEC**

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B - 1000 Brussels

#### **Foreword**

The text of document 17B/1822/FDIS, future edition 1 of IEC 60947-7-4, prepared by SC 17B "Low-voltage switchgear and controlgear" of IEC/TC 17 "Switchgear and controlgear" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 60947-7-4:2013.

The following dates are fixed:

•	latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement	(dop)	2014-06-10
•	latest date by which the national standards conflicting with the document have to be withdrawn	(dow)	2016-09-10

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

#### **Endorsement notice**

The text of the International Standard IEC 60947-7-4:2013 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60512-5-1	NOTE (Stand	Harmonized as EN 60512-5-1.
	NOTE	Harmonized as EN 60512-9-5.
IEC 60529 https://sta	NOTE indards.iteh.ai/catal	EN 60947-7-4:2014 Harmonized as EN 60529 og standards/sisvebseleye-8/7b-41df-804b-
		Harmonized as EN 60664-1:2007 (not modified).
IEC 60695-2-10	NOTE	Harmonized as EN 60695-2-10.
IEC 60695-10-2	NOTE	Harmonized as EN 60695-10-2.
IEC 60695-11-5	NOTE	Harmonized as EN 60695-11-5.
IEC 60998-1:2002	NOTE	Harmonized as EN 60998-1:2004 (modified).
IEC 61984	NOTE	Harmonized as EN 61984.

### Annex ZA

(normative)

## Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60068-2-20	-	Environmental testing - Part 2-20: Tests - Test T: Test methods for solderability and resistance to soldering hea of devices with leads	EN 60068-2-20 t	-
IEC 60352-1	-	Solderless connections - Part 1: Wrapped connections - General requirements, test methods and practical guidance	EN 60352-1	-
IEC 60352-2	- iT	Solderless connections - Part 2: Crimped connections - General requirements, test methods and practical guidance	EN 60352-2	-
IEC 60352-3	https://s	Solderless connections <b>Siteh.ai</b> ) Part 3: Solderless accessible insulation displacement connections 7- General requirements test methods and practical but guidance of places of the sold practical but guidance of the sold prac	EN 60352-3 1df-804b-	-
IEC 60352-4	-	Solderless connections - Part 4: Solderless non-accessible insulation displacement connections - General requirements, test methods and practical guidance	EN 60352-4	-
IEC 60352-5	-	Solderless connections - Part 5: Press-in connections - General requirements, test methods and practical guidance	EN 60352-5	-
IEC 60352-6	-	Solderless connections - Part 6: Insulation piercing connections - General requirements, test methods and practical guidance	EN 60352-6	-
IEC 60352-7	-	Solderless connections - Part 7: Spring clamp connections - General requirements, test methods and practical guidance	EN 60352-7	-
IEC 60512-2-1	-	Connectors for electronic equipment - Tests and measurements - Part 2-1: Electrical continuity and contact resistance tests - Test 2a: Contact resistance - Millivolt level method	EN 60512-2-1	-

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60512-4-1	-	Connectors for electronic equipment - Tests and measurements - Part 4-1: Voltage stress tests - Test 4a: Voltage proof	EN 60512-4-1	-
IEC 60512-5-2	-	Connectors for electronic equipment - Tests and measurements - Part 5-2: Current-carrying capacity tests - Test 5b: Current-temperature derating	EN 60512-5-2	-
IEC 60512-11-7	-	Connectors for electronic equipment - Tests and measurements - Part 11- 7: Climatic tests - Test 11g: Flowing mixed gas corrosion test		-
IEC 60512-11-9	-	Connectors for electronic equipment - Tests and measurements - Part 11-9: Climatic tests - Test 11i: Dry heat		-
IEC 60512-11-10	-	Connectors for electronic equipment - Tests and measurements - Part 11-10: Climatic tests - Test 11j: Cold	EN 60512-11-10	-
IEC 60695-2-11	-	Fire hazard testing - Part 2-11: Glowing/hot-wire based test methods - Glow-wire flammability test method for end-products	EN 60695-2-11	-
IEC 60695-2-12	· iT	Fire hazard testing - Part 2-12: Glowing/hot-wire based test methods - Glow-wire flammability index (GWFI) test method for materials	EN 60695-2-12	-
IEC 60695-2-13	- https://s	Fire hazard testing - Part 2-13: Glowing/hot-wire based test methods - Glow-wire ignition temperature (GWIT) test method for materials	EN 60695-2-13 1df-804b-	-
IEC 60947-1 + A1	2007 2010	Low-voltage switchgear and controlgear - Part 1: General rules	EN 60947-1 + A1	2007 2011
IEC 60998-2-3	-	Connecting devices for low-voltage circuits for household and similar purposes - Part 2-3: Particular requirements for connecting devices as separate entities with insulation-piercing clamping units	EN 60998-2-3	-
IEC 60999-1	-	Connecting devices - Electrical copper conductors - Safety requirements for screwtype and screwless-type clamping units - Part 1: General requirements and particular requirements for clamping units for conductors from 0,2 mm² up to 35 mm² (included)	EN 60999-1	-
IEC 60999-2	-	Connecting devices - Electrical copper conductors - Safety requirements for screwtype and screwless-type clamping units - Part 2: Particular requirements for clamping units for conductors above 35 mm² up to 300 mm² (included)	EN 60999-2	-
IEC 61210	-	Connecting devices - Flat quick-connect terminations for electrical copper conductors - Safety requirements	EN 61210	-

- 5 -

EN 60947-7-4:2013

 Publication
 Year
 Title
 EN/HD
 Year

 ISO 6988
 Metallic and other non-organic coatings - Sulfur dioxide test with general condensation of moisture
 EN ISO 6988

# iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 60947-7-4:2014</u> https://standards.iteh.ai/catalog/standards/sist/ef3e8e9e-877b-41df-804b-487cfe9fba4a/sist-en-60947-7-4-2014 SIST EN 60947-7-4:2014

# iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 60947-7-4:2014</u> https://standards.iteh.ai/catalog/standards/sist/ef3e8e9e-877b-41df-804b-487cfe9fba4a/sist-en-60947-7-4-2014



IEC 60947-7-4

Edition 1.0 2013-08

## INTERNATIONAL STANDARD

## NORME INTERNATIONALE



Low-voltage switchgear and controlgear DPREVIEW
Part 7-4: Ancillary equipment a PCB terminal blocks for copper conductors

Appareillage à basse tension - SIST EN 60947-7-4:2014

Partie 7-4: Matériels accessoires Blocs de jonction pour cartes de circuits imprimés pour conducteurs en culvre-en-60947-7-4-2014

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

PRICE CODE
CODE PRIX



ICS 29.130.20 ISBN 978-2-8322-1029-1

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

### CONTENTS

FOI	REWC	)RD		.4
INT	RODU	JCTION		.6
1	Gene	ral		.7
	1.1	Scope.		.7
	1.2	Normat	ive references	.7
2	Term	s and de	efinitions	.9
3	Class	ification	l	10
4	Chara	acteristic	CS	10
	4.1	Summa	ary of characteristics	10
	4.2		f PCB terminal block	
	4.3	٠.	and limiting values	
		4.3.1	Rated voltages	
		4.3.2	Rated current	10
		4.3.3	Standard cross-sections	10
		4.3.4	Maximum cross-section	11
		4.3.5	Connecting capacity	11
5	Produ	uct infor	mation	12
	5.1	Marking	T.L.CTANDADD DDEV/IEW	12
	5.2	Additio	Teh STANDARD PREVIEW	13
6	Norm	al servi	ce, mounting and transport conditions.h.ai.	13
7			al and performance requirements	
	7.1	Constru	uctional requirements 15 to 60947-7-4:2014 https://standards.iteh.a/catalog/standards/sist/ef3e8e9e-877b-41df-804b-	13
		7.1.1	https://standards.iteh.ai/catalog/standards/sist/ef3e8e9e-877b-41df-804b- Clamping units <sub>487cfe9fba4a/sist-en-60947-7-4-2014</sub>	13
		7.1.2	Mounting and installation	14
		7.1.3	Clearances and creepage distances	
		7.1.4	Terminal identification and marking	
		7.1.5	Resistance to abnormal heat and fire	15
		7.1.6	Maximum cross-section and connecting capacity	15
	7.2	Perforn	nance requirements	15
		7.2.1	Temperature rise	15
		7.2.2	Dielectric properties	15
		7.2.3	Short-time withstand current	15
		7.2.4	Contact resistance	16
		7.2.5	Ageing test (climatic sequence and corrosion test)	16
	7.3	Electro	magnetic compatibility (EMC)	16
8	Tests			16
	8.1	Kinds o	of test	16
	8.2	Genera	ll	16
	8.3	Verifica	ation of mechanical characteristics	17
		8.3.1	General	17
		8.3.2	Attachment of the PCB terminal block on its support	17
		8.3.3	Vacant	
		8.3.4	Verification of the maximum cross-section and connecting capacity	
		8.3.5	Verification of maximum cross-section (special test with gauges)	
	8.4	Verifica	ation of electrical characteristics	
		8.4.1	General	17

8.4.2 Verification of clearances and creepage distances	
8.4.3 Dielectric tests	
8.4.4 Verification of contact resistance	
8.4.5 Temperature rise test	
8.4.7 Ageing test (climatic sequence and corrosion test)	
8.6 Verification of EMC characteristics	
8.6.1 General	
8.6.2 Immunity	
8.6.3 Emission	
Annex A (informative) Structure of a PCB terminal block	
Annex B (informative) Additional Information to be specified between manufacturer and user	
Annex C (informative) Examples of PCBs and PCB terminal blocks for high current application	
Bibliography	
Figure 1 – Test assembly for the measurement of contact resistance and temperature	
rise	20
Figure 2 – Example of wiring structure of a multi-tier PCB terminal block	21
Figure 3 – Test assembly for the measurement of short-time withstand current	23
Figure 4 – Test sequence	24
Figure A.1 – Structure of a PCB terminal block947-7-4:2014	26
Figure C.1 – Structure of a high current PCB.  Structure of a high current PCB.  48/cte9/iba4a/sist-en-60947-7-4-2014	28
Figure C.2 – PCB terminal block with soldered connection to the PCB	28
Figure C.3 – PCB terminal block with screwed connection to the PCB	
rigure ole in object with object of the first object.	20
Table 1 – Standard cross-sections of copper conductors	11
Table 2 – Relationship between maximum cross-section and connecting capacity of PCB terminal blocks	12
Table 3 – Standards for clamping units and connecting methods	14
Table 4 – Impulse withstand test voltages	19
Table 5 – Dielectric test voltages corresponding to the rated insulation voltage	
Table 6 – Length of connectable conductors and conductor loops	21
Table 7 – Examples of cross-sectional distribution of interconnections on printed	
circuit boards	22

#### INTERNATIONAL ELECTROTECHNICAL COMMISSION

#### LOW-VOLTAGE SWITCHGEAR AND CONTROLGEAR -

## Part 7-4: Ancillary equipment – PCB terminal blocks for copper conductors

#### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any enduser.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies. 60947-7-4-2014
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60947-7-4 has been prepared by subcommittee 17B: Low-voltage switchgear and controlgear, of IEC technical committee 17: Switchgear and controlgear.

The text of this standard is based on the following documents:

FDIS	Report on voting	
17B/1822/FDIS	17B/1827/RVD	

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60947 series, published under the general title *Low-voltage* switchgear and controlgear, can be found on the IEC website.